1965

NPS-68-89-001

NAVAL POSTGRADUATE SCHOOL

Monterey, California



HYDROGRAPHIC DATA FROM THE PILOT STUDY OF THE COASTAL TRANSITION ZONE (CTZ) PROGRAM

17 - 26 March 1987

bу

Paul F. Jessen Steven R. Ramp Carol A. Clark

January 1989

Approved for public release; distribution unlimited.

Prepared for:

FedDocs D 208.14/2 NPS-68-89-001

lef of Naval Research lington, VA 22217 DUDLEY KNOX LIBRARY NAVAL POSTGRADUATE SCHOOL

LIONALER LY, CALIFORNIA 93945-6032

LIONALER LY, CALIFORNIA 93945-6032

LIONALER LY, CALIFORNIA 93945-6032

Feddocs

NAVAL POSTGRADUATE SCHOOL

Monterey, California 93943


RADM R. C. Austin Superintendent

Harrison Shull Provost

This report is for the research project "Hydrographic Data from the Pilot Study of the Coastal Transition Zone (CTZ) Program" sponsored by the Naval Postgraduate School Research Council under Program Element 61153N. Reproduction of all or part of this report is authorized.

This report was prepared by:

SECURITY CLASSIFICATION OF THIS PAGE



REPORT DOCUMENTATION PAGE						Approved No. 0704-0188	
ia REPORT SECURITY CLASSIFICATION Unclassified		16 RESTRICTIVE MARKINGS				·	
2a. SECURITY CLASSIFICATION AUTHORITY	3. DISTRIBUTION/	AVAILABILITY OF public r		. •			
2b. DECLASSIFICATION / DOWNGRADING SCHEDU	LE		on unlimite		•		
4. PERFORMING ORGANIZATION REPORT NUMBER NPS-68-89-001	R(S)	5. MONITORING C	ORGANIZATION RE	PORT NU	IMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MO	NITORING ORGAN	IIZATION			
NAVPGSCOL Dept. of Oceanography	68		Naval Rese				
6c. ADDRESS (City, State, and ZIP Code) Monterey, CA 93943-5000		76. ADDRESS (Cit) Arlingtor	y, State, and ZIPC				
8a. NAME OF FUNDING/SPONSORING ORGANIZATION NPS Research Council	8b. OFFICE SYMBOL (If applicable) 012	9 PROCUREMENT		NTIFICAT	ION NUM	/IBER	
8c. ADDRESS (City, State, and ZIP Code)		10 SOURCE OF FL					
Code 012 Naval Postgraduate School		PROGRAM ELEMENT NO	PROJECT NO	TASK NO		WORK UNIT ACCESSION NO.	
Monterey, CA 93943-5000 11 TITLE (Include Security Classification)		61153N	RR014-01	10P-	011		
"Hydrographic Data from the Pi 17-26 March 1987. (Unclassif	lot Study of th	e Coastal Tr	cansition Z	one (C	TZ) P	rogram:	
12 PERSONAL AUTHOR(S) Jessen, Paul F., Ramp, S.R., C	lark, Carol A.						
13a. TYPE OF REPORT 13b TIME CO		14 DATE OF REPOR	RT (Year, Month, L	(ay) 15	PAGE C	OUNT	
16 SUPPLEMENTARY NOTATION							
17. COSATI CODES FIELD GROUP SUB-GROUP	18. SUBJECT TERMS (C						
TILES GROOT SOB-GROOT	Hydrographic filaments, Ce				aies,	cora	
19 ABSTRACT (Continue on reverse if necessary and identify by block number) This is a data report which presents hydrographic (CTD) data from a cruise off central California during 17-26 March 1987. The study area was from Pt Reyes, CA to Pt St George, OR from the coast to 150 km offshore. A total of 96 CTD casts to 500 m and 55 XBT drops to 750 m were made. The data are presented as individual vertical profiles, horizontal distributions, and vertical sections. The data were collected as part of the ONR Coastal Transition Zone Program, to study cold filaments, squirts, jets, and mesoscale eddies off the central California coast. 20 DISTRIBUTION/AVAILABILITY OF ABSTRACT 21 ABSTRACT SECURITY CLASSIFICATION							
WUNCLASSIFIED/UNLIMITED SAME AS F	PT. DTIC USERS	Unclassifie	d				
22a. NAME OF RESPONSIBLE INDIVIDUAL Steven R. Ramp		(408) 646-31		22c OF 68Ra		VBOL .	



Hydrographic Data from the Pilot Study of the Coastal Transition Zone (CTZ) Program:

17 - 26 March, 1987

by

Paul F. Jessen Steven R. Ramp Carol A. Clark

Chief Scientist: Steven R. Ramp




TABLE OF CONTENTS

	Page
List of Tables	ii
List of Figures	iii
Introduction	
Data Acquisition and Calibration	
Data Processing	13
Data Presentation	13
Acknowledgements	18
References	207
Initial Distribution List	208

LIST OF TABLES

Table	Caption	Pag
1.	List of stations occupied during the Coastal Transition Zone (CTZ1) pilot study showing date, time, location, and weather.	6
2.	Differences between salinities calculated using the corrrected CTD pressure, temperature, and conductivity readings and those of the water samples at the same depth measured by the Guildline Autosal.	12

LIST OF FIGURES

Figure	Caption	Page
1.	Planned CTD and XBT station locations for the Coastal Transition Zone (CTZ1) pilot study in 1987.	2
2.	Actual CTD station numbers and locations for cruise CTZ1 during March 17-26, 1987 aboard the R/V PT SUR.	3
3.	Actual XBT station numbers and locations for cruise CTZl during March 17-26, 1987 aboard the R/V PT SUR.	4
4.	Hourly averages of wind speed and direction measured at 10 m height from the R/V PT SUR during cruise CTZ1.	14
5.	Map of surface temperature during cruise CTZ1, March 17-26, 1987.	15
6.	Map of surface salinity during cruise CTZ1, March 17-26, 1987.	16
7.	Map of the dynamic height (dyn. m) at the sea surface relative to 500 db during cruise CTZ1, March 17-26, 1987.	17
8.	Vertical sections of a) temperature, b) salinity, and c) density anomaly from CTD stations 1-12 of module C.	19
9.	Vertical sections of a) temperature, b) salinity, and c) density anomaly from CTD stations 12-16 of module C.	22
10.	Vertical sections of a) temperature, b) salinity, and c) density anomaly from CTD stations 16-27 of module C.	25
11.	Vertical sections of a) temperature, b) salinity, and c) density anomaly from CTD stations 27-30 of module C.	28
12.	Vertical sections of a) temperature, b) salinity, and c) density anomaly from CTD stations 41-50 of module B.	31
13.	Vertical sections of a) temperature, b) salinity, and c) density anomaly from CTD stations 50-54 of module B.	34

14.	and c) density anomaly from CTD stations 54-65 of module B.	37
15.	Vertical sections of a) temperature, b) salinity, and c) density anomaly from CTD stations 65-70 of module B.	40
16.	Vertical sections of a) temperature, b) salinity, and c) density anomaly from CTD stations 77-83 of module A.	43
17.	Vertical sections of a) temperature, b) salinity, and c) density anomaly from CTD stations 88-86 and 83-85 of module A.	46
18.	Vertical sections of a) temperature, b) salinity, and c) density anomaly from CTD stations 88-92 of module A.	49
19.	Vertical sections of a) temperature, b) salinity, and c) density anomaly from CTD stations 92-96 of module A.	52
20.	Vertical section of temperature from XBT drops 950-941 and 911-901.	55
21.	Vertical profiles of temperature, salinity, and density anomaly for all CTD stations of cruise CTZ1, with listing of selected data points.	56
22.	Vertical profiles of temperature for all XBT stations of cruise CTZ1, with listing of selected data points.	151

INTRODUCTION

The data included in this report were collected as part of the pilot study for the Office of Naval Research (ONR) Coastal Transition Zone project during March 17-26, 1987. The study area encompassed the region from Pt. Reyes, California to Pt. St. George, Oregon from the coast to 150 km offshore. The planned sampling grid (Fig. 1) consisted of two alongshore sections 150 and 90 km offshore, a discontinuous alongshore section 60 km offshore, and four across shore sections. The across shore sections divided the sampling grid into three seperate modules (A, B, and C in Fig. 1) and each module was completed before the next was begun to provide a near synoptic survey within each module. The actual sampling grid (Figs. 2 & 3) differed somewhat from the original due to weather and time constraints. A total of 96 CTD casts to 500 m depth and 55 XBT drops to 750 m were made.

The R/V PT SUR departed from Moss Landing, California on the morning of March 17, 1987 and arived on station 1 (Fig. 2) at the southeast corner of module C at 0550 UT on March 18. From this point the ship proceeded around module C counterclockwise completing the eastern CTD section (stations 1-12, Fig. 2) followed by the northern (stations 12-16), western (stations 16-24), and southern (stations 27-30) sections. The survey of module C was completed by 2330 UT on March 19. The ship then moved inshore of module C occupying XBT stations 31, 101-112 (Fig. 3) and CTD stations 32, 35, 36, 39, and 40 (Fig. 2) on the way north to module B.

The CTD survey of module B began at 0630 UT on March 21 again at the southeast corner of the module at station 41 (Fig. 2). Following this cast, the ship proceeded north occupying the stations along the eastern edge of module B (stations 41-50, Fig. 2) followed by those along the northern (stations 50-54), western (stations 54-65), and southern (stations 65-69)




Figure 1. Planned CTD and XBT station locations for the Coastal Transition Zone (CTZ1) pilot study in 1987.




Figure 2. Actual CTD station numbers and locations for cruise CTZ1 during March 17-26, 1987 abound the R/V PT SUR.




Figure 3. Actual X8T station numbers and locations for cruise CTZ1 during March 17-26, 1987 aboard the R/V PT SUR.

edges. The last CTD cast of module B (station 69, Fig. 2) was completed at 2320 UT on March 22. Following this more inshore CTD casts (stations 690, 70, 73, 74, 76, 77, 771, 772, 78, 781, and 782, Fig. 2) and XBT drops (113 - 128, 760, 129 - 131, and 770, Fig. 3) were made.

Due to time constraints all of the originally planned stations of module A could not be occupied. This module was begun at 1430 UT on March 24 at CTD station 79 (Fig. 2) and was occupied by steaming west across the module and then south completing CTD stations 80-85. The ship then turned back north and occupied stations 86 and 87. Next the northernmost cross shore section (stations 88-92, Fig. 2) was completed. Finally the ship proceeded south, occupied stations 93-96 and finished the last CTD station at 2330 UT on March 25. A section of XBT drops (950 - 901, Fig. 3) was made on the way back south through the center of the study area. A listing of all CTD and XBT stations occupied during the cruise is shown in Table 1.

The personnel on this cruise were; Dr. Steven R. Ramp (NPS), Mr. Jim Stockel (NPS), Mr. Paul Jessen (NPS), Dr. David C. Smith IV (NPS), Mr. Dan Sakoda (NPS), and Ms. Sheryl Fellbaum (NPS).

DATA ACQUISITION AND CALIBRATION

Hydrographic data was acquired using a Neil Brown Mark III-B CTD and Sippican T-4 XBTs. A General Oceanics rosette sampler was attached to the CTD and was equipped with twelve 5 liter Niskin bottles for in-situ water sampling. The CTD sampling rate was 32 Hz, but the acquisition software employed a latch filter which limited the number of data points collected during each cast to 4308. On the 500 m casts this resulted in the acquisition of 8 or 9 data points per meter of water. CTD data was acquired only on the downcast with a winch speed of approximately 30 m/min to 150 m then 60 m/min to 500 m. The data were acquired using an HP200 computer and stored on

Table 1. List of stations occupied during the Coastal Transition Zone (CTZ1) pilot study, showing date, time, type, location, and weather.

	prioc	Boary,	5110 2	,,	,			
Date	Time	Stn	Type	Latitude	Longitude	Wind	Air	Dew pt.
	(UT)	No.	J.		•	Dir Spd(m/s)	(°C)	(°C)
March 18	0550	1	CTD	37 37.9	123 54.3	010 7.8	11.18	10.20
	0723	2	CTD	37 45.7	123 58.0	336 10.2	11.36	7.16
	0857	3	CTD	37 52.9	124 3.7	321 9.5	11.70	5.50
	1019	4	CTD	37 59.2	124 8.0	328 10.7	11.26	5.77
	1142	5	CTD	38 6.9	124 10.1	307 9.3	10.67	4.71
	1319	6	CTD	38 14.5	124 16.5	292 12.0	10.56	5.47
	1449	7	CTD	38 21.4	124 21.8	336 10.6	10.98	5.32
	1617	8	CTD	38 28.9	124 25.5	294 9.9	12.44	4.12
	1751	9	CTD	38 34.0	124 28.7	315 11.9	11.81	3.14
	1922	10	CTD	38 43.0	124 36.9	020 5.8	11.52	3.86
	2046	11	CTD	38 50.1	124 39.4	329 7.4	10.27	4.76
	2209	12	CTD	38 57.4	124 44.0	307 7.8	9.35	4.41
	2324	13	CTD	38 53.2	124 53.6	333 8.1	12.17	4.45
March 19		14	CTD	38 50.4	125 1.1	293 10.1	11.19	3.16
	0152	15	CTD	38 47.0	125 9.6	309 8.8	10.04	3.17
	0313	16	CTD	38 43.0	125 19.1	319 10.4	10.87	2.46
	0436	17	CTD	38 35.6	125 14.4	315 10.1	9.51	3.57
	0612	18	CTD	38 28.5	125 9.8	305 11.2	9.69	3.31
	0735	19	CTD	38 21.2	125 5.1	297 11.4	9.51	2.45
	0856	20	CTD	38 14.3	124 59.9	301 11.0	10.09	3.75
	1012	21	CTD	38 7.4	124 55.5	237 9.7	8.99	4.85
	1138	22	CTD	37 59.6	124 50.2	331 11.2	10.86	2.56
	1305	23	CTD	37 52.1	124 45.7	360 10.2	8.93	3.99
	1425	24	CTD	37 45.5	124 41.0	192 13.6	10.23	3.84
	1555	25	CTD	37 37.3	124 37.5	349 14.3	10.34	4.78
	1719	26	CTD	37 30.7	124 31.8	354 12.0	11.19	3.01
	1854	27	CTD	37 23.0	124 28.1	342 10.3	10.97	3.21
	2018	28	CTD	37 26.7	124 20.0	320 11.4	11.13	2.94
	2143	29	CTD	37 31.0	124 10.2	324 12.9	11.00	3.36
	2259	30	CTD	37 34.6	124 2.1	308 12.7	12.55	3.88
March 20		31	XBT	37 38.3	123 53.2	316 12.3	11.61	3.85
	0300	101	XBT	37 42.1	123 43.5		11.1	3.7
	0415	32	CTD	37 45.2	123 36.5	336 12.4	10.35	4.46
	0615	102	XBT	37 50.7	123 24.2		10.0	
	1328	103	XBT	38 11.0	123 34.8		9.6	
	1406	104	XBT		123 41.8		9.5	
	1450	35	CTD	38 5.0	123 48.2	006 7.2		
0	1606	105	XBT	38 11.6	123 51.3		10.2	
	1653	106	XBT	38 18.3	123 55.3		10.2	
	1740	36	CTD	38 24.6	123 58.5	319 2.6		
	1848	107	XBT	38 27.6	123 51.2	086 0.7	9.42	
	1932	108	XBT	38 30.9	123 43.4		9.3	
March 21		109	XBT	38 50.5	123 57.7		10.2	
	0048	110	XBT	38 47.7	124 6.2	100 10 1	8.4	
	0130	39	CTD	38 45.0	124 14.0	183 12.4	8.59	
	0242	111	XBT		124 17.5		8.2	
	0325	112	XBT		124 21.3	16/ 10 0	9.0	
	0410	40	CTD	39 4.0	124 25.9	164 12.8	8.86	5.88

Table 1. (continued)

	· ·	·							
Date	Time	Stn	Type	Latitude	Longitude	Wi	Ind	Air	Dew pt.
	(UT)	No.				Dir S	Spd(m/s)	(°C)	(°C)
	0634	41	CTD	38 56.9	124 45.1	303	8.2	8.89	2.72
	0752	42	CTD	39 4.0	124 49.4	298	9.9	9.58	1.30
	0913	43	CTD	39 11.1	124 54.5	306	9.4	9.26	3.09
	1036	44	CTD	39 18.2	124 59.4	293	9.7	9.12	2.53
	1158	45	CTD	39 25.3	125 4.3	263	8.8	8.76	3.13
	1326	46	CTD	39 32.2	125 9.2	269	9.2	7.32	3.78
	1502	47	CTD	39 39.8	125 14.4	308	11.2	8.42	3.67
	1715	48	CTD	39 46.7	125 19.8	293	11.7	8.46	3.69
	1836	49	CTD	39 52.9	125 25.1	286	11.5	10.00	4.57
	2008	50	CTD	40 0.3	125 28.7	286	13.3	10.16	3.63
	2142	51	CTD	40 0.4	125 38.7	327	3.9	8.55	3.97
	2308	52	CTD	40 0.4	125 48.7	295	7.6	9.96	4.71
March 22		53	CTD	40 0.4	125 58.8	338	7.1	10.31	4.98
	0225	54	CTD	40 0.0	126 10.2	007	13.0	11.35	5.02
	0346	55	CTD	39 53.4	126 5.4	174	9.1	9.96	5.74
	0509	56	CTD	39 46.4	125 59.6	079	10.7	10.00	4.99
	0629	57	CTD	39 39.0	125 56.0	062	4.8	9.83	5.45
	0802	58	CTD	39 32.6	125 51.0	032	5.6	9.75	4.98
	0940	59	CTD	39 25.3	125 46.4	001	5.9	9.71	5.00
	1111	60	CTD	39 18.1	125 42.1	347	5.5	9.88	5.07
	1301	61	CTD	39 11.0	125 37.1	014	3.6	9.82	4.84
	1422	62	CTD	39 3.9	125 32.8	324	3.8	9.92	4.26
	1544	63	CTD	38 57.0	125 28.1	346	2.9	10.28	4.45
	1700	64	CTD	38 49.7	125 23.4	202	1.3	10.25	5.27
	1818	65	CTD	38 43.5	125 17.9	211	3.0	10.49	4.55
	1926	66	CTD	38 47.0	125 10.4	224	3.8	10.62	4.88
	2038	67	CTD	38 50.3	125 1.0	195	5.4	10.62	5.04
	2146	68	CTD	38 53.5	124 53.5	186	4.3	10.55	4.99
	2256	69	CTD	38 56.9	124 44.9	200	5.3	10.59	4.96
March 23		690	CTD	39 0.1	124 35.4	203	7.0	10.45	4.52
	0127	70	CTD	39 4.1	124 25.5	115	6.5	10.03	5.62
	0241	113	XBT	39 8.2	124 15.6			9.7	6.5
	0330	114	XBT	39 11.7	124 7.6			10.0	5.9
	0448	115	XBT	39 17.6	123 52.8			9.4	5.9
	0753	116	XBT						
	0818	117	XBT	39 37.9	124 2.9			8.4	7.2
	0930	118	XBT	39 32.9	124 15.2			10.2	9.3
	1048	119	XBT	39 27.4	124 26.8			12.6	4.0
	1205	73	CTD	39 23.1	124 38.2	003	13.5	11.87	4.14
	1341	120	XBT	39 30.1	124 42.1			11.4	3.8
	1456	121	XBT	39 36.1	124 46.2	330	15.3	11.93	3.60
	1615	74	CTD	39 42.4	124 50.6	346	13.4	11.05	3.86
	1807	122	XBT	39 47.2	124 38.7	337	10.5	11.2	1.8
	1918	123	XBT	39 51.8	124 27.5			12.5	4.2
	2030	124	XBT	39 56.9	124 15.8			11.3	4.3
	2153	125	XBT	40 0.4	124 15.9			11.7	3.8
	2300	126	XBT	40 0.3	124 28.0			12.7	4.1
March 24		127	XBT	40 0.4	124 40.1			12.6	4.1
	0111	128	XBT	40 0.3	124 52.1			12.1	5.2

Table 1. (continued)

									٠
Date	Time	Stn	Type	Latitude	Longitude	Wi	.nd	Air	Dew pt.
	(UT)	No.	-			Dir S	pd(m/s)	(°C)	(°c)
	0220	76	CTD	40 0.3	125 4.2	354	11.4	11.39	4.39
	0248	760	XBT	39 59.9	125 5.6			11.4	4.4
	0348	129	XBT	40 5.7	124 56.0			10.1	5.3
	0436	130	XBT	40 9.8	124 49.3			10.1	5.7
	0542	131	XBT	40 8.3	124 38.9	344	13.4	10.29	4.49
	0611	770	XBT	40 21.8	124 34.6			10.9	4.6
	0639	77	CTD	40 22.4	124 34.5	350	10.8	10.01	4.78
	0804	771	CTD	40 22.5	124 43.5	350	11.3	10.70	4.36
	0932	772	CTD	40 22.4	124 53.8	359	12.0	10.73	4.16
	1042	78	CTD	40 22.4	125 3.7	357	9.9	10.51	4.05
	1206	781	CTD	40 22.9	125 12.5	003	12.9	10.42	4.56
	1315	782	CTD	40 23.0	125 20.8	358	11.1	11.24	5.44
	1423	79	CTD	40 23.0	125 28.9	350	10.6	11.18	4.55
	1543	80	CTD	40 22.8	125 39.9	003	11.1	11.08	4.45
	1700	81	CTD	40 22.5	125 50.1	348	13.5	11.19	4.39
	1819	82	CTD	40 23.0	125 59.5	011	10.1	11.42	4.75
	1935	83	CTD	40 23.5	126 8.6	357	10.2	12.15	4.77
	2044	84	CTD	40 15.6	126 8.5	354	10.9	10.91	4.73
	2158	85	CTD	40 8.4	126 8.6	350	11.4	11.25	5.04
March 25		86	CTD	40 30.5	126 8.8	334	12.1	11.38	4.76
	0244	87	CTD	40 38.5	126 9.7	347	11.1	10.93	4.24
	0407	88	CTD	40 45.1	126 10.2	347	11.7	10.22	4.93
	0533	89	CTD	40 45.4	125 59.7	341	12.3	9.91	4.72
	0700	90	CTD	40 45.6	125 48.3	331	12.0	10.39	5.43
	0832	91	CTD	40 45.6	125 38.3	348	12.6	10.66	5.01
	0958	92	CTD	40 45.6	125 28.4	358	12.3	10.44	6.09
	1114	93	CTD	40 38.5	125 28.3	350	11.9	9.93	5.87
	1233	94	CTD	40 30.5	125 28.7	003	10.9	10.16	6.34
	1352	791	CTD	40 22.9	125 28.5	356	10.4	9.94	6.15
	1511	95	CTD	40 16.5	125 29.1	349	11.6	10.61	5.74
	1623	96	CTD	40 8.4	125 32.3	347	13.1	10.65	5.88
	1748	950	XBT	39 59.9	125 28.2			10.5	7.0
	1830	949	XBT	39 53.2	125 24.7			11.5	6.9
	1911	948	XBT	39 46.3	125 19.6			11.7	7.3
	2000	947	XBT	39 39.1	125 13.5			12.3	7.1
	2041	946	XBT	39 32.5	125 8.6			12.3 11.6	7.5
	2123	945	XBT	39 25.2	125 4.5				7.9
	2211	944	XBT	39 17.3	124 58.4			12.3	7.9
	2253	943	XBT	39 11.2	124 53.8			12.5	7.9
March 06	2341	942	XBT	39 3.2	124 47.9			12.6 13.2	8.4 8.2
March 26		941	XBT	38 57.1	124 44.8				
	0106	911 910	XBT	38 49.8	124 40.3			13.5 13.5	8.2
	0153 0236	909	XBT	38 43.1 38 35.9	124 35.1 124 30.2			12.6	8.4
	0330	909	XBT XBT	38 33.9	124 30.2			12.9	7.2
	0411	908	XBT	38 21.6	124 25.7			12.9	7.4
	0411	906	XBT	38 14.5	124 20.8			12.1	7.5
	0541	905	XBT	38 6.6	124 10.8			12.0	8.2
	0623	904	XBT	38 0.0	124 7.0			12.7	8.5
	0020			50 0.0					J

Table 1. (continued)

Date	Time (UT)	Stn No.	Туре	Latitude	Longitude	Wind Dir Spd(m/s)	Air (°C)	
	0706	903	XBT	37 53.1	124 2.3		12.1	9.0
	0748	902	XBT	37 46.4	123 58.3		12.4	9.6
	0841	901	XBT	37 38.3	123 52.8		12.5	9.5

3.5 inch diskettes. Upon return the data were transferred to 9 track tape and then processed on an IBM 3033 mainframe computer.

In addition to the CTD and XBT data, an underway data acquisition loop recorded 30 second averages of sea surface temperature and salinity, sea surface skin temperature, wind speed and direction, air temperature, and dew point temperature. The sensors used to acquire this data included Seabird temperature and conductivity sensors for the sea surface temperature and salinity, a Rosemount 100 ohm platinum resistance thermometer for the sea surface skin temperature, a Young anemometer for the wind speed and direction, and a General Eastern dewpoint sensor for the air and dewpoint temperatures. The underway data was acquired on an HP9816 computer and recorded on 3.5 inch diskettes. Like the CTD data, the underway data were transferred to 9 track tape upon return and processed on the IBM mainframe.

The temperature, conductivity, and pressure sensors on the CTD and the temperature and conductivity sensors of the underway sampling system were calibrated shortly before the cruise. The pressure calibration was carried out using a Chandler Engineering dead weight tester as a standard. At 10 equally spaced pressures from 50 to 500 db indicated pressures from the standard and the CTD sensor were recorded. The differences between recorded values were within the stated accuracy of the sensor (+/- 1.6 db) so no pressure correction was applied.

The temperature calibration was done using a Seabird temperature sensor as a standard. This standard sensor is recalibrated by the manufacturer approximately every six months. A temperature bath of 70 - 80 liters of fresh water in an insulated tub was used to compare the standard and sample sensors at 1°C increments from 0 - 20°C. 30 data points were collected at each temperature and averaged to yield a single value at each temperature for each

sensor. Regression analysis was then used to calculate the calibration coefficients for each sample sensor. The correction for the CTD sensor was linear with coefficients of 0.998543 (slope) and 0.047536 (intercept). The best correction for the underway temperature sensor was a second degree polynomial fit with coefficients of 0.022502, 0.998798, and 0.000186.

The conductivity calibration was carried out using a Guildline Model 8400 Autosal as a standard. A constant conductivity bath was used to compare the standard and sample sensor conductivities at five different conductivity levels. 10 samples were taken at each conductivity level and averaged to yield a single value for each sensor at each conductivity level. Regression analysis was run comparing the sample sensor conductivities (CTD and under -way) with the standard sensor conductivities (Autosal). A linear correction was found for the CTD sensor with coefficients of 1.023828 (slope) and 0.005897 (intercept). The best fit for the underway conductivity sensor was a second degree polynomial correction with coefficients of -0.195354, 1.03073, and -0.000183.

A total of 61 water samples were taken at 8 CTD stations for post cruise calibration. The CTD pressure, conductivity and temperature were noted as each sample was taken. These numbers, after applying the pre-cruise calibration coefficients, were used to calculate salinity and the results compared with the water sample salinities calculated using the Guildline Model 8400 Autosal in the laboratory. In order to avoid erroneous comparisons due to ship roll in areas of high vertical salinity gradients, samples were eliminated from consideration if the salinity within 2 meters of the nominal sample depth changed more than 0.01 PSU. The number of comparable points was reduced to 35 by this constraint. The differences between Autosal calculated salinities and those from the CTD are listed in Table 2. The mean difference

Table 2. Differences between salinities calculated using the corrected CTD pressure, temperature, and conductivity readings and those of the water samples at the same depth measured by the Guildline Autosal.

Om A	17	CMD CAI	CAMBLE CAL	DIEEEDENGE
STA	Z	CTD SAL	SAMPLE SAL	DIFFERENCE
2	502	34.186	34.185	0.001
	349	34.081	34.084	-0.001
	25	33.161	33.153	0.008
	4	32.994	32.997	-0.003
17	501	34.138	34.140	-0.002
	200	33.948	33.955	-0.007
	25	32.787	32.789	-0.002
	3	32.792	32.791	0.001
32	493	34.915	34.209	-0.014
	350	34.080	34.086	-0.006
	25	32.884	32.883	0.001
	2	32.882	32.882	0.000
50	201	33.964	33.976	-0.012
	49	32.673	32.671	0.002
	25	32.667	32.669	-0.002
	4	32.669	32.672	-0.003
67	505	34.134	34.138	-0.004
	45	32.835	32.839	-0.004
	24	32.831	32.835	-0.004
	2	32.844	32.840	0.004
84	498	34.104	34.105	-0.001
	347	33.997	33.999	-0.002
	200	33.907	33.908	-0.001
	149	33.745	33.744	0.001
	50	32.629	32.630	-0.001
	2	32.625	32.626	-0.001
90	493	34.102	34.108	-0.006
	352	33.995	33.996	-0.001
	50	32.643	32.640	0.003
	4	32.636	32.634	0.002
96	506	34.080	34.084	-0.004
	203	33.878	33.880	-0.002
	49	32.732	32.734	-0.002
	4	32.725	32.724	0.001
	4	32.123	32.124	0.001

was less than 0.002 with a range of -0.014 to 0.008. No further adjustments were made to the CTD conductivities.

DATA PROCESSING

After the raw CTD data was transferred to the IBM 3033 mainframe computer at the Naval Postgraduate School, temperature and conductivity corrections were applied to produce profiles of corrected pressure, temperature, and conductivity. Salinity was calculated from these corrected values according to the algorithm of Lewis and Perkin (1981). Severe spiking due to system malfunctions was eliminated from the salinity signal with a search for vertical salinity gradients greater than 1.0 PSU/m. Points that were determined to be bad were replaced using linear interpolation. Time lag spikes were eliminated by discarding salinity data in regions where the vertical temperature gradient exceeded 0.2° G/m and replacing the discarded data with linearly interpolated values. Finally the data were averaged within 1 m intervals and visually examined for any remaining outliers missed during processing. If found, these points were replaced with linearly interpolated values.

DATA PRESENTATION

The originally planned station positions and cruise track are shown in Fig. 1. The actual CTD station numbers and positions, and XBT station numbers and positions are shown in Figs. 2 and 3 respectively. A map of hourly averaged wind vectors during the cruise is presented in Fig. 4.

Hydrographic data are presented in the form of horizontal maps, vertical sections, and profiles.

Maps of surface temperature, salinity, and dynamic height relative to 500 db are presented in Fig. 5-7 respectively. The surface temperature and salinity data are from the continuous underway system and not from the CTD or




Figure 4. Hourly average of wind speed and direction measured at 10 m height from the R/V PT SUR during cruise CTZ 1.




Figure 5. Map of surface temperature during cruise CTZ1, March 17-26, 1987.




Figure 6. Map of surface salinity during cruise CTZ1, March 17-26, 1987.




Figure 7. Map of the dynamic height at the surface relative to 500 db during cruise CTZ1, March 17-26, 1987.

XBT data.

Vertical sections of temperature, salinity, and the density anomaly at atmospheric pressure (UNESCO, 1987) from the CTD data are shown in Figs. 8-19. Sections from module A are shown in Figs. 8-11, module B in Figs. 12-15, and module C in Figs. 16-19. Fig. 20 is a vertical section of temperature from the XBT drops made through the middle of the study area on the return trip.

Selected data from each CTD cast is presented along with a vertical profile of temperature, salinity, and density anomaly in Fig. 21. Fig. 22 presents the XBT data in the same form. In these two figures an asterisk next to a point in the data listing indicates that the point is an interpolated value.

ACKNOWLEDGEMENTS

The station plan shown in Figure 1 was designed and provided to the Naval Postgraduate School by Mike Kosro and Jane Huyer of Oregon State University. This work was supported by the Office of Naval Research and the Naval Postgraduate School Research Foundation.








Figure 8. Vertical sections of a) temperature, b) salinity, and c) density anomaly from CID stations 1-12 of module C.






















Figure 10. Vertical sections of a) temperature, b) salinity, and c) density anomaly from CTD stations 16-27 of module C.






















Figure 12. Vertical sections of a) temperature, b) salinity, and c) density anomaly from CTD stations 41-50 of module B.



















Figure 14. Vertical sections of a) temperature, b) salinity, and c) density anomaly from CTD stations 54-65 of module B.



















Figure 16. Vertical sections of a) temperature, b) salinity, and c) density anomaly from CTD stations 77-83 of module A.





















Figure 18. Vertical sections of a) temperature, b) salinity, and c) density anomaly from CTD stations 88-92 of module A.


















Figure 20. Vertical section of temperature from XBT drops 950-941 and 911-901.

Figure 21. Vertical profiles of temperature, salinity, and density anomaly for all CTD stations of cruise CTZ1, with listing of selected data points.


SUN	0.000	0.012	0.027	0.041	0.056	0.074	0.088	0.103	0.117	0.132	0.143	0.172	0.202	0.228	0.251	0.274	0.327	0.378	0.425	0.466	0.509	0.549	0.588	0.625	0.661	0.697	0.730	0.766	0.799	0.829	0.860	0.891
SVA	296.3	296.3	295.9	295.2	294.0	292.7	291.8	290.5	290.4	289.0	288.3	282.4	269.3	251.9	238.7	223.7	202.9	191.7	179.1	169.3	160.9	156.7	151.7	146.7	143.3	140.9	138.1	133.9	130.1	125.7	122.9	120.4
DENSITY	24.984	24.985	24.991	24.999	25.013	25.028	25.039	25.053	25.055	25.071	25.079	25.144	25.285	25.469	25.609	25.769	25.992	26.114	26.250	26.357	26.450	26.498	26.554	26.610	26.649	26.677	26.708	26.754	26.795	26.843	26.874	26.902
SAL	32.991	32.992	32.999	33.006	33.011	33.019	33.033	33.048	33.049	33.066	33.072	33.230	33.348	33.442	33.522	33.612	33.751	33.816	33.898	33.949	34.029	34.071	34.075	34.117	34.114	34.125	34.121	34.120	34.125	34.153	34.167	34.167
TEMP	12.241	12.242	12.240	12.24	12.171	12.122	12.124	12.110	12.103	12.087	12.070	12.373	12.116	11.517	11.088	10.581	9.903	9.479	9.032	8.606	8.412	8.311	7.957	7.797	7.517	7.379	7.133	6.794	6.515	6.316	6.158	5.939
PRESS	-	ın	0	7	20	26	31	36	7	46	20	09	71	8	90	100	125	151	176	200	226	251	276	301	326	351	375	401	426	450	475	200




SUM	0.00.0	0.012	0.026	0.041	0.058	0.072	0.086	0.097	0.113	0.125	0.141	0.165	0.192	0.213	0.239	0.259	0.312	0.363	0.407	0.450	0.492	0.533	0.571	0.608	0.642	0.679	0.712	0.746	0.778	0.809	0.841	0.870
SVA	292.0	292.2	291.5	285.9	279.8	279.4	278.9	278.7	278.5	278.3	270.0	250.7	241.9	235.2	227.5	220.6	204.5	190.1	177.6	167.9	161.0	154.7	149.8	145.9	142.2	140.2	134.7	130.4	126.6	124.1	122.2	119.4
DENSITY	0	25.028	25.037	25.097	25.162	25.168	25.175	25.177	25.181	25.183	25.272	25.476	25.571	25.643	25.727	25.801	25.976	26.131	26.266	26.372	26.449	26.519	26.573	26.616	26.659	26.682	26.741	26.789	83	26.860	88	26.914
SAL	32.991	32.990	33.002	33.084	33.168	33.172	33.176	33.176	33.172	33,166	33.172	33.329	33.387	33.464	33.507	33.599	33.734	33.833	33.922	34.000	34.041	34.052	34.064	34.061	34.090	34.083	34,108	34.127	34.149	34.164	34.172	34.190
TEMP	12.001	12.003	12.008	12.024	12.026	12.011	11.993	11.978	11.941	11.904	11.448	10.993	10.712	10.640	10.352	10.339	9.929	9.457	9.050	3.766	8.480	8.073	7.769	7.450	7.312	7.107	6.816	6.572	6.385	6.252	6.130	5.994
PRESS	-	S	10	15	21	26	31	35	41	45	51	9	71	80	91	100	125	151	175	200	225	251	276	301	325	351	375	401	426	450	476	200




SUN	0.000	0.012	0.027	0.042	0.057	0.072	0.090	0.105	0.120	0.135	0.150	0.179	0.205	0.230	0.257	0.281	0.335	0.386	0.435	0.477	0.521	0.560	0.600	0.638	0.673	0.709	0.746	0.780	0.813	0.844	0.876	906.0	
SVA	298.7	298.9	299.0	299.1	299.2	299.4	299.5	299.7	299.7	299.5	299.3	296.8	261.6	246.0	241.9	234.0	215.9	194.4	180.8	171.6	165.5	159.6	153.0	148.9	145.6	141.5	138.4	134.9	130.8	_	124.6	121.2	
DENSITY	24.959	24.958	24.958	24.958	10	24.958	24.957	10	24.958	24.961	24.964	24.993	25.364	25.530	25.576	25.861	25.856	26.086	26.1.13	26.334	26.401	26.466	26.541	26.587	26.625	26.669	26.704	26.742	26.788	26.828	26.857	26.895	
SAL	32.946	32.946	32.946	32.946	32.946	32.946	32.946	32.946	32.945	32.933	32.936	32.956	33.202	33,335	33.401	33.459	33.634	33.794	33.884	33.973	33.966	33.976	34.082	34.090	4.09	4.08	4.09	5	34.122	34.139	34.152	9	
TEMP	12.189	12.196	12.194	12.193	12.193	12.197	12.198	12.199	12.189	12.123	12.120	12.050	11.068	10.716	10.744	10.516	10.175	9.546	9.073	8.875	8.404	8.024	8.084	7.812	7.564	7.213	7.036	6.767	6.551	6.344	6.203	.97	
PRESS	-	ĸ	5	15	20	25	31	36	4	46	51	61	70	80	91	101	125	150	176	200	226	250	276	301	325	350	376	401	426	450	475	200	



N N N	0.000	0.012	0.027	0.042	0.058	0.073	0.091	0.106	0.118	0.133	0.147	0.178	0.202	0.230	0.254	0.275	0.331	0.385	0.433	0.481	0.525	0.567	0.606	0.643	0.680	0.716	0.751	0.785	0.819	0.851	0.882	0.912
SVA	302.7	302.8	303.1	303.2	302.9	303.0	300.8	301.0	300.9	288.6	286.1	272.5	261.6	248.2	237.4	228.0	218.0	202.3	191.3	181.5	171.1	160.1	154.5	151.1	146.1	141.3	138.5	134.9	131.7	127.2	123.7	119.7
DENSITY	24.917	24.917	24.915	24.915	24.920	24.920	24.944	24.943	24.945	25.075	25.103	25.248	25.364	25.508	25.623	25.724	25.834	26.005	26.124	26.231	26.344	26.463	26.524	26.563	26.618	26.688	26.699	26.739	26.775	26.825	26.833	26.908
SAL	32.873	32.873	32.874	32.875	32.885	32.895	32.937	32.942	32.946	33.091	33.115	33.161	33.207	33.364	33.453	33.572	33.662	33.784	33.864	33.889	33.965	34.019	34.034	34.048	34.061	34.034	4.0	34.035	4.0		Ξ	34.153
TEMP	12.114	12.114	12.125	12.129	12.147	12.189	12.230	12.258	12.261	12.170	12.120	11.534	11.087	10.968	10.706	10.662	10.432	9.990	9.648	9.111	8.774	8.275	7.940	7.749	7.441	6.925	6.583	6.401	6.194	ò	5.921	5.804
PRESS	-	in)	10	15	20	25	31	36	40	45	20	61	70	80	91	100	125	151	175	201	226	251	276	300	325	350	375	400	426	450	475	200




SC	0.000	0.012	0.027	0.042	0.060	0.075	0.087	0.102	0.117	0.132	0.147	0.176	0.205	0.232	0.257	0.282	0.341	0.393	0.440	0.486	0.530	0.573	0.611	0.649	0.686	0.722	0.756	0.791	0.823	0.854	0.885	0.915
SVA	300.7	301.3	301.5	301.6	299.4	299.0	299.1	299.2	298.1	297.5	297.0	292.3	276.0	261.3	250.0	239.2	216.2	200.3	188.7	180.7	170.2	161.9	156.1	150.8	144.8	140.2	135.3	131.4	128.0	125.0	122.0	119.3
DENSITY	24.938	24.933	24.932	24.932	24.956	24.961	24.961	24.962	24.974	24.982	24.988	25.041	25.213	25.370	25.490	25.607	25.852	26.025	26.151	26.240	26.353	26.443	26.508	26.567	26.629	26.679	26.734	26.776	26.814	26.846	26.880	26.908
SAL	32.974	32.971	32.971	32.970	32.996	33.001	33.001	33.002	33.021	33.033	33.040	33.049	33.171	33.254	33.349	33.468	33.635	33.759	33.852	33.928	33.985	34.011	34.035	34.054	34.008	34.015	34.060	34.068	34.090	34.084	34.108	34.100
TEMP	12.415	12.428	12.433	12.432	12.409	12.401	12.401	12.403	12.414	12.422	12.419	12.180	11.763	11.259	11.002	10.868	10.201	9.752	9.429	9.245	8.813	8.361	8.056	7.758	7.063	6.734	6.592	6.317	6.153	5.864	5.744	5.456
PRESS	-	NO.	0	15	21	26	30	35	40	45	20	9	70	80	06	100	126	151	175	200	225	251	275	300	325	350	375	401	426	450	475	200




S	0.000	0.012	0.027	0.042	0.057	0.076	160.0	0.103	0.118	0.133	0.151	0.178	0.206	0.237	0.263	0.288	0.347	0.400	0.448	0.494	0.536	0.575	0.615	0.651	0.688	0.724	0.757	0.790	0.823	0.853	0.885	0.914
SVA	301.7	301.8	302.1	302.3	302.5	302.5	302.7	302.8	302.8	302.8	302.1	287.3	283.0	268.5	260.6	248.7	219.7	200.3	188.4	175.1	166.8	156.9	151.5	147.8	143.4	138.6	133.8	129.9	126.7	124.4	121.1	117.2
DENSITY	24.927	24.927	24.925	24.925	24.924	24.924	24.924	24.924	24.925	24.927	24.936	25.093	25.140	25.294	25.380	25.506	25.816	26.024	26.153	26.298	26.389	26.496	26.556	26.598	26.646	26.698	26.748	26.787	26.824	26.854	26.891	26.934
SAL	32.916	32.915	32.915	32.914	32.914	32.915	32.915	32.915	32.915	32.916	32.924	33.067	33.086	33.175	33.251	33.354	33.604	33.761	33.843	33.961	33.988	34.034	34.053	34.084	34.067	34.082	34.057	34.016	34.054	34.118	34.143	4.17
TEMP	7	12.232	12.240	12.240	12.244	12.245	12.245	12.245	12.241	12.237	12.23	11.978	11.802	11.341	11.192	10.933	10.272	9.766	9.368	9.045	8.600	8.133	7.829	7.707	7.276	6.985	6.466	5.904	5.849	6.017	5.875	5.702
PRESS	-	10	10	5	20	26	31	35	40	45	51	9	70	80	91	101	126	151	176	201	226	250	276	300	325	351	375	400	426	450	476	200




NO.	0.000	0.012	0.030	0.042	0.057	0.071	0.089	0.101	0.116	0.131	0.149	0.175	0.203	0.230	0.260	0.285	0.338	0.389	0.434	0.476	0.518	0.556	0.595	0.632	0.667	0.701	0.734	0.768	0.798	0.831	86	0.890
SVA	297.4	297.4	297.7	297.8	298.0	298.2	298.1	298.3	298.5	296.6	293.6	282.7	278.4	274.7	258.6	236.9	205.9	188.4	175.6	168.0	160.0	153.4	148.0	144.8	139.4	134.9	132.1	129.6	127.2	123.8	121.6	118.7
DENSITY	24.973	24.973	24.972	24.971	24.971	24.970	24.972	24.971	24.971	24.992	25.025	25.142	25.189	25.230	25.400	25.630	25.960	26.148	26.288	26.371	26.459	26.532	26.591	26.627	26.685	26.732	26.765	26.796	26.822	26.861	8.8	26.916
SAL	3.02	33.030	33.029	33.028	33.027	33.027	33.030	33.028	33.028	33.065	33.131	33.233	33.290	33.293	33.285	33.436	33.654	33.826	33.945	33.974	34.020	34.048	34.072	34.056	34.064	34.004	34.053	34.122	34.093	34.130	34.130	34,124
TEMP	12.454	12.457	12.459	12.458	12.459	12.460	12.462	12.460	12.461	12.501	12.596	12.398	12.382	12.181	11.226	10.591	9.647	9.317	9.028	8.642	8.302	7.964	7.689	7.345	6.975	6.267	6.308	6.486	6.113	6.034	5.844	5.552
PRESS	-	NO.	=	5	20	25	31	35	40	45	51	9	20	80	91	101	125	151	176	200	226	250	276	301	326	351	375	401	425	451	475	200




SUN	0		0.027	0.043	0.061	0.076	0.088	0.104	0.119	0.137	0.149	0.182	0.212	0.241	0.268	0.289	0.344	0.392	0.438	0.477	0.519	0.557	0.595	0.631	0.664	0.698	0.731	76	1	82	0.856	m
SVA	304.9	305.0	304.9	305.1	305.2	304.8	302.9	303.2	303.3	303.1	303.0	301.3	297.2	281.6	250.8	232.1	202.8	182.2	168.5	162.9	156.2	151.3	147.0	141.9	137.2	133.3	131.1	127.4	122.7	120.2	117.8	114.1
DENSITY	80	24.894	24.896	24.895	24.896	24.901	24.922	24.920	24.920	24.924	24.925	24.946	24.991	25.156	25.482	25.679	25.991	26.212	26.359	26.423	26.498	26.552	26.600	26.654	26.707	26.750	26.776	26.813	26.865	26.897	26.925	26.963
SAL	32.840	32.840	32.840	32.840	32.848	32.862	32.938	32.937	32.937	32.938	32.953	32.920	32.915	33.015	33.210	33.337	33.557	33.774	33.874	33.964	34.003	34.035	34.019	33.988	4.0	0.	1.07	34.015	07	4.14	34.176	34.165
TEMP	0	12.097	12.090	0.	12.121	12.154	12.351	12.359	12.356	12.342	12.396	12.154	11.891	11.413	10.430	9.851	8.983	8.655	8.204	8.251	7.956		3		9	4	m	9	9	œ	5.813	4
PRESS	-	S	0	15	21	26	30	35	07	46	20	61	71	80	91	100	125	150	176	200	226	251	276	301	325	350	375	401	426	451		200




SUN	0.000	0.015	0.027	0.045	0.061	0.076	160.0	0.103	0.118	0.133	0.151	0.181	0.207	0.234	0.258	0.281	0.334	0.381	0.426	0.465	0.504	0.542	0.580	0.616	0.649	0.683	0.717	0.751	0.782	0.812	0.843	0.871
SVA	302.8	302.8	302.8	303.1	303.1	303.1	303.0	301.9	301.1	301.0	301.1	300.9	274.3	253.5	237.3	227.0	195.9	177.9	167.2	161.1	153.4	148.4	144.4	140.8	137.7	134.7	132.6	128.7	125.2	121.1	118.2	115.9
DENSITY	24.916	2417	24.918	24.916	24.918	24.918	24.920	24.934	24.942	24.945	24.946	24.949	25.230	25.450	25.621	25.732	26.065	26.257	26.375	26.441	26.525	26.581	26.625	26.667	26.702	26.737	26.763	26.806	26.843	26.886	26.920	26.946
SAL	32.793	32.793	32.794	32.792	32.794	32.795	32.799	32.825	32.854	32.857	32.857	32.855	33.009	33.070	33.189	33.327	33.696	33.824	33.952	33.927	33.967	33.991	33.991	33.997	34.058	34.097	34.104	34.122	34.121	34.119	34.154	34.177
TEMP	11.786	11.781	11.780	11.779	~	11.781	11.787	11.823	11.897	11.896	11.893	11.864	10.976	9.976	9.497	9.481	9.206	8.619	8.505	7.936	7.575	7.312	6.991	6.719	6.817	6.783	6.634	6.413	6.118	5.762	5.711	5.648
PRESS	-	ø	0	16	21	26	31	35	07	45	51	61	70	80	06	100	125	150	176	200	225	250	276	301	325	350	375	401	426	450	476	200




NU N	0.000	0.012	0.027	0.043	0.061	0.076	0.091	0.106	0.122	0.137	0.149	0.180	0.211	0.234	0.260	0.282	0.333	0.378	0.421	0.460	0.501	0.539	0.574	0.611	0.645	0.677	0.709	0.742	0.773	0.802	0.832	0.861
SVA	304.1	304.2	304.3	304.0	304.1	304.1	304.2	304.3	304.4	304.5	304.8	304.0	264.4	250.2	227.9	214.0	188.9	175.3	166.2	160.0	153.8	149.2	144.5	138.7	134.0	131.0	128.4	125.4	122.9		117.7	114.4
DENSITY	6.	24.902	24.902	24.906	24.906	24.908	24.908	24.908	24.908	24.908	24.906	24.917	25.335	25.485	25.721	25.869	26.138	26.285	26.384	26.454	26.521	26.372	26.626	26.688	26.740	26.774	26.804	8	6	6.8	6.9	26.962
SAL	32.792	32.792	2	32.791	32.790	32.791	32.791	32.791	32.791	32.791	32.789	32.795	33.120	33.224	33.412	33.498	33.759	33.884	33.938	33.976	33.967	33.994	34.039	34.030	34.068	34.085	34.086	34.108	34.112	34.128	7	34.184
TEMP	11.853	11.853	11.846	11.828	11.823	11.820	11.819	11.819	11.819	11.819	11.819	11.789	10.873	10.473	9.948	9.456	9.057	8.743	8.373	8.108	7.598	7.390	7.263	6.757	6.588	6.437	6.212	6.080	80	5.768	.61	5.564
PRESS	-	IV)	0	15	21	26	31	36	4	46	20	9	71	80	91	101	126	151	176	200	226	251	275	301	326	350	375	401	426	450	475	200




SUN	0.000	0.015	0.027	0.042	0.057	0.073	0.091	0.103	0.121	0.136	0.148	0.180	0.206	0.234	0.256	0.281	0.329	0.374	0.417	0.456	0.496	0.532	0.570	0.605	0.639	0.875	0.708	0.740	0.772	0.801	0.831	80
SVA	302.0	302.0	302.2	302.3	302.3	302.5	302.3	302.3	302.3	302.3	302.3	285.7	272.6	252.3	231.4	213.3	188.1	170.7	164.0	158.8	151.9	148.1	144.3	141.1	137.3	133.5	130.8	127.9	124.7	122.3	119.8	116.9
DENSITY	24.9	24.925	24.924	24.924	24.926	24.925	24.929	24.929	24.930	24.931	24.933	25.109	25.248	25.463	25.635	25.876	26.145	26.333	26.408	26.466	26.543	26.585	26.627	26.663	26.704	26.747	26.777	26.810	26.845	26.873	26.901	26.933
SAL	2.8	32.864	2.86	2.8	32.863	32.861	32.861	32.861	32.862	32.861	32.862	32.901	33.040	33.207	33.364	33.519	33.689	33.888	33.966	33.999	34.040	34.034	34.033	34.027	34.008	34.036	34.048	34.067	34.067	34.092	34.107	4.1
TEMP	12.034	12.030	12.029	12.032	12.022	12.019	12.001	11.999	11.995	11.987	11.983	11.183	11.010	10.523	9.940	9.515	8.662	8.453	8.360	8.146	7.846	7.523	7.218	6.925	6.504	6.344	6.182	0.	76	5.696	56	5.413
PRESS	-	9	0	5	20	25	31	35	4	46	20	61	20	8	90	101	125	150	176	200	226	250	276	300	325	351	376	401	426	450	475	200




NU N	0.000	0.015	0.030	0.042	0.057	0.075	0.090	0.103	0.118	0.133	0.148	0.181	0.210	0.235	0.261	0.285	0.339	0.389	0.431	0.473	0.512	0.552	0.588	0.622	0.656	0.689	0.722	0.753	0.784	0.814	0.845	0.872
SVA	301.5	301.5	301.5	301.4	301.6	301.6	301.7	301.8	301.9	301.9	302.0	301.8	286.1	266.0	244.2	234.8	201.3	180.9	169.9	162.8	154.1	148.3	143.8	138.8	134.6	130.4	128.0	124.6	121.7	119.0	115.5	113.3
DENSITY	24.9	24.931	24.932	24.934	24.933	24.934	24.935	24.934	24.935	24.936	24.935	24.941	25.107	25.320	25.550	25.650	26.007	26.226	26.346	26.424	26.518	26.583	26.632	26.687	26.733	26.779	26.837	26.844	26.876	26.907	26.944	26.970
SAL																			33.929							10	.07	0.9	4.10	4.10	34.122	4.15
TEMP	12.109	12.095	12.092	12.083	12.085	12.080	12.076	12.074	12.064	12.060	12.056	12.048	11.404	10.998	9.965	9.553	9.079	8.650	8.576	8.141	7.711	7.474	7.154	6.772	6.544	6.257	6.138	5.955	5.733	5.531	5.301	5.294
PRESS	-	9	=	13	20	26	31	35	40	45	20	61	71	80	90	100	125	151	175	200	225	251	276	300	325	350	375	400	425	450	476	200




SUN	0.000	0.015	0.030	0.042	0.060	0.072	0.000	0.105	0.120	0.132	0.150	0.180	0.208	0.233	0.256	0.276	0.328	0.373	0.417	0.456	0.496	0.535	0.570	0.607	0.642	0.674	0.708	0.738	0.770	0.800	0.828	0.857
SVA	00	300.9	300.9	300.9	300.5	300.6	300.6	300.7	300.6	300.7	300.6	292.5	263.5	238.5	222.7	213.1	193.5	176.5	166.0	159.9	153.1	148.7	144.4	140.8	137.7	132.5	127.3	124.0	121.7	118.2	115.8	113.5
DENSITY	M	24.938	24.938	24.939	24.945	24.945	24.946	24.946	24.948	24.948	24.950	25.037	25.344	25.608	25.775	25.877	26.089	26.272	26.387	26.454	26.529	28.578	26.625	26.666	26.701	28.757	26.813	26.850	26.876	26.916	26.945	26.969
SAL	32.898	32.898	32.900	32.899	32.899	32.897	32.897	32.896	32.897	32.896	32.897	32.930	33.126	33.323	33.347	33.432	33.652	33.839	33.970	33.970	34.005	34.012	33.997	34.018	34.017	34.036	34.062	34.094	34.104	34.130	34.152	34.161
TEMP	12.104	12.106	12.111	12.101	12.071	12.063	12.056	12.050	12.044	12.041	12.034	11.703	10.849	10.207	9.307	9.084	8.837	8.597	8.518	8.074	7.749	7.451	7.025	6.847	6.581	6.269	5.992	5.894	5.746	IO	5.497	m
PRESS	-	9	=	5	21	25	3	36	41	45	51	61	71	81	91	100	126	150	176	200	225	251	275	301	326	350	376	400	426	451	475	200




N N N	0.000	0.012	0.027	0.042	0.057	0.075	0.087	0.103	0.121	0.133	0.148	0.180	0.208	0.235	0.261	0.284	0.336	0.380	0.421	0.462	0.500	0.536	0.573	0.606	0.640	0.674	0.706	0.739	0.769	0.800	M	00
SVA	301.4	301.4	301.7	301.7	301.9	301.5	301.8	301.8	301.8	301.8	301.7	283.9	275.0	268.5	248.2	218.0	193.7	172.1	161.4	154.2	149.3	144.6	140.6	137.4	134.3	131.0	128.0	126.0	123.5	120.5	117.1	114.2
DENSITY	4.93	24.931	24.929	24.931	24.930	24.935	24.933	24.935	24.936	24.936	24.938	25.128	25.224	25.294	25.509	25.827	26.087	26.319	26.433	26.513	26.567	26.619	26.663	26.699	26.734	26.771	26.804	2	10	26.889	N	26.959
SAL	32.867	32.868	32.866	32.868	32.866	32.864	32.861	32.862	32.860	32.859	32.860	33.044	33.145	33.134	33.203	33.438	33.682	33.899	33.917	33.972	33.976	33.973	33.967	33.972	33.992	34.007	34.026	34.032	34.063	34.076	34.105	34.129
TEMP	12.017	12.015	12.017	12.019	12.016	11.976	11.976	11.972	11.958	11.951	11.944	11.692	11.596	11.165	10.240	9.430	8.999	8.601	7.933	7.684	7.327	6.935	6.574	6.329	6.179	5.980	5.831	5.684	5.644		5.332	
PRESS		10	10	15	20	26	30	35	41	45	20	61	71	100	91	101	126	150	175	201	226	250	276	300	325	351	375	401	425	451	476	200




NO.	0.000	9	0.027	-	0.057	0.076	0.091	0.106	0.118	0.133	0.151	0.181	0.210	0.236	0.258	0.282	0.332	0.382	0.425	0.464	0.502	0.541	0.577	0.612	0.646	0.678	0.710	0.743	0.774		0.833	0.862
SVA	302.1	302.2	302.4	302.4	302.6	302.7	302.8	302.6	302.4	302.2	302.1	296.2	277.8	248.7	230.5	219.0	197.6	180.9	165.9	156.7	150.7	146.2	141.2	138.3	135.1	132.1	128.4	125.0	122.2	119.2	116.9	114.2
DENSITY	24.923	24.923	24.922	24.923	24.922	24.923	24.923	24.926	24.929	24.932	24.935	25.000	25.194	25.501	25.694	25.816	26.047	26.226	26.387	26.487	26.553	26.603	26.658	28.690	26.726	26.760	26.801	26.838	87	90	26.931	.96
SAL	32.855	32.856	32.855	32.856	32.856	32.855	32.855	32.856	32.857	32.860	32.864	32.924	32.988	33.222	33.351	33.455	33.667	33.785	33.899	33.953	33.988	33.985	33.996	33.999	34.003	34.012	34.038	34.056	34.081	4.10	34.128	4.14
TEMP	12.006	12.010	12.011	12.010	12.013	12.006	12.007	11.993	11.982	11.977	11.981	11.882	11.089	10.374	9.827	9.576	9.177	8.622	8.154	7.761	7.492	7.121	6.781	6.558	6.307	6.099	5.935	5.749	.64	5.548	.45	5.333
PRESS	-	9	9	री	20	26	31	36	9	45	52	19	71	8	06	101	125	151	176	200	225	251	276	301	326	350	375	401	426	451	475	200




SUM	00000	0.012	0.027	0.042	0.060	0.075	0.090	0.103	0.121	0.133	0.151	0.177	0.203	0.228	0.253	0.273	0.325	0.374	0.415	0.455	0.495	0.533	0.570	0.605	0.639	0.672	0.704	0.736	0.768	0.797	0.827	0.855
SVA	301.1	301.2	301.4	301.7	302.0	302.0	302.1	302.1	302.2	302.2	300.0	271.4	255.3	241.3	226.3	218.3	196.5	176.9	164.8	157.3	152.7	148.1	143.9	139.6	136.4	131.5	129.1	125.3	121.4	120.0	116.8	
DENSITY	.93	24.934	24.933	24.931	24.929	24.930	24.930	24.931	24.932	24.932	24.956	25.258	25.430	25.579	25.738	25.824	26.058	26.268	26.398	26.481	26.533	26.584	26.630	26.677	26.714	26.768	ന	26.835		26.895	26.931	26.956
SAL	32.867	32.865	32.865	32.862	32.862	32.863	32.865	32.864	32.856	32.851	32.826	33.025	33.145	33.286	33.380	33.454	33,695	33.809	33.896	33.977	33.986	33.984	33.990	34.001	34.009	34.057	34.035	34.040	8	4.09		34,137
TEMP	11,997	11.988	11.995	11.993	12.000	12.000	12.010	12.000	11.964	11.939	11.704	10.887	10.438	10.209	9.696	9.526	9.243	8.472	8.063	7.928	7.620	7.253	6.949	6.666	6.438	6.312	5.974	5.672	5.573	5.500	5.385	5.302
PRESS	-	IO.	10	15	21	26	31	35	41	45	n T	9	70	80	91	100	125	151	175	200	226	251	276	301	326	350	375	400	426	450	475	200




SUN	0.000	0.012	0.030	-	0.058	0.073	0.088	0.103	0.119	0.134	0.149	0.180	0.203	0.229	0.255	0.275	0.326	0.373	0.414	0.455	0.494	0.533	0.568	0.605	0.638	0.673	0.705	0.738	0.769	0.799	0.827	0.856
SVA	303.9	303.9	304.1	304.4	304.4	304.5	304.4	304.7	303.0	300.8	291.7	273.0	256.8	244.5	229.6	214.8	193.0	173.3	168.1	159.3	153.0	147.3	143.7	139.4	136.5	133.7	130.1	125.7	122.1	118.4	116.3	113.8
DENSITY	O	24.905	24.905	24.903	24.903	24.903	24.906	24.904	24.922	24.947	25.044	25.242	25.414	25.545	25.703	25.860	26.095	26.306	26.365	26.460	26.529	26.592	26.631	26.678	26.711	26.743	26.784	26.833	26.873	26.912	26.936	6.9
SAL	32.789	32.790	32.790	32.788	32.789	32.789	32.790	32.789	32.800	32.827	32.927	33.033	33,158	33.255	33.294	33.438	33.729	33.855	33.958	33.960	33.978	33.972	33.965	33.987	34.000	33.990	34.047	34.084	34.103	34.108	34.127	3
TEMP	11.829	11.831	17	11.835	11.836	11.837	11.828	11.833	11.779	11.758	11.655	11.012	10.586	10.267	9.502	9.223	9.177	8.462	8.598	7.980	7.602	7.127	6.802	6.573	6.400	6.094	6.122	9	5.767	-	4	5.268
PRESS	-	i)	=	16	20	25	30	35	40	45	50	61	70	80	16	100	125	151	175	200	225	251	275	301	325	351	375	401	426	451	475	200




N N N	. 0	0.012	0.027	0.043	0.058	0.076	0.092	0.104	0.122	0.137	0.150	0.180	0.213	0.241	0.266	0.287	0.341	0.390	0.434	0.473	0.513	0.552	0.589	0.624	0.658	0.691	0.724	0.758	0.789	0.820	0.849	0.878
SVA	304.6	304.6	304.8	305.0	305.2	305.3	305.4	305.6	305.7	305.8	305.5	301.4	292.7	271.0	240.0	229.1	198.6	180.5	169.0	160.4	154.3	148.4	143.0	139.5	136.5	133.4	131.3	128.9	-	-	119.1	S
DENSITY	24.89	24.897	24.897	24.896	24.895	24.895	24.896	24.894	24.894	24.894	24.899	24.944	25.038	25.267	25.595	25.709	26.035	26.231	26.355	26.448	26.516	26.581	26.638	26.678	~	26.748	26.772	26.799	26.851	26.879	0	26.944
SAL	32.791	32.791	32.791	32.791	32.790	32.790	32.791	32.789	32.789	32.789	32.796	32.845	32.861	32.994	33.329	33.306	33.597	33.843	33.893	33.948	33.971	33.992	33.964	33.994	34.0	34.039	RO.	4.05	4.05	34.064	.07	34.095
TEMP	.87	11.876	.87	11.883	11.884	11.885	11.886	11.885	11.885	11.885	11.888	11.852	11.407	10.701	10.311	9.517	8.902	8.883	8.331	7.998	7.657	7.318	6.741	6.618 3	6.478	6.358	6.181	6.047	5.644	5.462	100	5.122
PRESS	-	IO.	10	ñ	20	26	31	35	41	46	20	09	71	80	9	100	125	151	176	200	225	251	276	301	326	350	375	401	426	451	475	200




NUX NUX	0.000	0.012	0.028	0.043	0.061	0.077	0.092	0.107	0.120	0.138	0.153	0.180	0.211	0.236	0.262	0.287	0.338	0.385	0.430	0.470	0.511	0.547	0.585	0.621	0.654	0.69.0	0.723	0.755	0.787	.81	84	0.876
SVA	306.5	306.7	306.7	306.9	307.0	307.3	307.3	307.5	306.3	301.6	300.4	294.1	281.7	267.6	241.2	226.2	197.6	179.7	167.1	160.8	152.9	148.6	145.2	141.5	138.6	134.1	131.1	127.5	124.5	122.3	119.8	116.7
DENSITY	24.877	24.876	24.877	24.876	24.876	24.875	24.875	24.874	24.888	24.939	24.952	25.020	25.153	25.302	25.581	25.740	26.045	26.238	26.375	26.444	26.530	26.579	26.617	26.657	26.690	26.739	26.773	26.813	26.846	26.873	26.900	26.934
SAL	32.761	32.761	32.761	32.760	32.762	32.760	32.760	32.759	32.773	32.820	32.829	32.870	32.876	32.989	33.115	33.264	33.615	33,790	33.883	33.925	33.976	33.997	33.986	33.973	33.977	34.009	34.019	34.040	34.061	34.094	4.09	34.116
TEMP	ω,	11.866	11.862	11.862	11.869	11.869	11.867	11.868	11.850	11.775	11.738	11.541	10.828	10.472	9.390	9.121	8.927	8.567	8.149	7.904	7.587	7.361	7.025	6.850	6.425	6.240	6.036	5.848	5.714	5.710	5.516	5.346
PRESS	-	ın	0	5	21	26	31	36	40	46	50	9	71	80	90	101	125	150	176	200	226	250	276	301	325	351	376	401	426	450	476	200





SUM	0.000	0.012	0.030	0.045	0.057	0.075	0.090	0.105	0.120	0.135	0.150	0.176	0.208	0.236	0.263	0.287	0.346	0.393	0.439	0.481	0.523	0.560	0.599	0.634	0.669	0.703	0.737	0.770	0.800	0.831	0.861	0.890
SVA	299.1	299.2	299.3	299.5	299.7	299.9	299.9	300.0	300.2	300.0	297.4	292.2	287.1	274.8	268.5	246.0	208.4	188.0	176.0	165.1	156.5	152.0	147.0	142.9	139.5	134.4	\equiv	~	-	120.6	00)	
DENSITY	24.95	24.955	24.955	24.954	24.953	24.952	24.953	24.954	24.953	24.956	24.985	25.041	25.099	25.229	25.297	25.533	25.933	26.152	26.283	26.400	26.494	26.543	26.599	26.645	26.683	26.737	26.778	26.813	26.844	26.889	26.917	26,945
SAL	32.970	32.970	32.970	32.969	32.968	32.972	32.974	32.975	32.973	32.981	33.039	33.144	33.208	33.294	33.200	33.225	33.555	33.780	33.893	33.921	33.981	33.979	33.990	34.013	34.024	34.028	34.054	34.067	34.077	34.099	34.119	34.139
TEMP	0	12.309	0																8.803													5.412
PRESS	-	ιn	=	16	20	26	31	36	4	46	5	09	71	800 —	16	100	126	150	175	200	226	250	276	300	325	350	375	401	425	450	475	200




N D Z	0.000	0.015	0.027	0.042	0.057	0.075	0.090	0.105	0.117	0.135	0.146	0.177	0.204	0.229	0.257	0.278	0.330	0.380	0.422	0.465	0.505	0.546	0.584	0.621	0.655	0.69.0	0.724	0.759	0.791	8.	00	80 80
SVA	299.8	300.0	300.1	300.3	300.4	299.3	298.0	297.4	297.4	295.5	283.0	276.1	271.7	268.0	245.5	221.8	198.3	181.6	173.4	164.9	160.0	154.7	149.5	145.3	140.8	137.9	134.3	131.0	127.0	124.4	122.0	118.8
DENSITY	9.4	24.947	24.946	24.946	24.946	24.959	24.973	24.981	24.982	25.003	25.135	25.211	25.259	25.301	25.539	25.789	26.040	26.220	26.311	26.403	26.458	26.515	26.574	26. € 19	26.671	26.705	26.745	26.782	26.825	26.853	26.881	26.917
SAL	32.971	32.970	32.971	32.970	32.970	32.982	32.994	32.999	33.000	33.015	33.140	33.306	33.342	33.368	33.441	33.579	33.754	33.872	33.944	33.997	34.015	33.967	34.036	33.981	34.061	34.079	34.081	34.107	34.096	34.097	34.122	34.144
TEMP	12.354	12.353	12.359	12.356	12.356	12.337	12.312	12.289	12.287	12.238	12.054	12.334	12.227	12.113	11.131	10.318	9.635	9.094	8.878	8.550	8.282	7.639	7.607	6.977	7.057	6.914	6,633	6.507	6.110	5.890	5.826	5.676
PRESS	-	ဖ	0	5	20	26	31	36	40	46	20	61	71	80	91	100	125	151	175	200	225	251	276	301	325	350	375	401	426	450		200









SUN DYN	0.00.0	0.012	0.027	0.042	0.060	0.072	0.087	0.105	0.117	0.132	0.150	0.179	0.205	0.232	0.258	0.282	0.342	0.394	0.442	0.486	0.529	0.571	609.0	0.648	0.683	0.720	0.753	0.787	0.820	0.852	0.884	0.913
SVA	299.2	299.3	299.6	299.6	299.8	299.9	300.0	300.2	300.3	300.0	299.5	287.6	274.1	266.8	256.0	239.0	216.7	200.3	188.0	176.4	166.5	159.2	153.7	149.0	144.7	139.0	135.7	133.2	130.4	128.3	122.5	119.9
DENSITY	24.954	24.954	24.952	24.953	24.952	24.953	24.952	24.951	24.952	24.956	24.962	25.090	25.234	25.312	25.427	25.608	25.848	26.025	26.158	26.284	26.391	26.472	26.533	26.584	28.633	26.694	26.733					
SAL	32.941	32.941	32.940	32.941	32.939	32.940	32.939	32.939	32.939	32.945	32.952	33.076	33.182	33.215	33.293	33.472	33.650	33.778	33.842	33.932	33.987	34.036	34.047	34.057	34.074	34.098	34.124	34.135	34.113	34.071	34.088	.07
TEMP	12.196	12.196	12.201	12.199	12.198	12.199	12.198	12.201	12.200	12.200	12.198	12.031	11.699	11.413	11.109	10.877	10.296	9.841	9.335	8.990	8.580	8.299	7.953	7.653	7.408	7.103	6.971	6.822	6.467	5.890	5.663	5.343
PRESS	-	ın	0	15	21	25	30	36	07	45	51	61	70	80	06	100	126	151	176	200	225	251	275	301	325	351	375	400	425	450	476	200




NU NU	0	0.015	0.027	0.045	0.057	0.072	0.086	0.104	0.116	0.134	0.149	0.176	0.206	0.229	0.255	0.279	0.332	0.384	0.430	0.473	0.514	0.552	0.593	0.629	0.665	0.700	0.736	0.768	0.802	0.832	0.864	0.892
SVA	297.6	298.0	298.2	298.2	298.4	298.5	298.6	298.7	298.8	297.6	297.4	293.9	258.0	246.7	238.2	231.4	209.2	190.2	177.8	167.2	161.8	157.3	152.4	148.0	143.9	139.5	135.2	131.2	126.7	123.9	121.0	114.3
DENSITY	24.	24.968	24.967	24.968	24.967	24.967	24.967	24.967	24.967	24.981	24.985	25.023	25.403	25.524	25.614	25.688	25.926	26.130	26.264	26.380	26.440	26.491	26.545	26.595	26.641	5.6	26.737	26.780	26.828	6.8	8.0	26.961
SAL	32.949	32.947	32.947	32.948	32.947	32.947	32.948	32.948	32.948	32.960	32.963	32,989	33.363	33.418	33.459	33.492	33.673	33.826	33.919	33.985	34.020	34.030	34.034	34.075	34.085		34.112	4.12	34.109	1.04	4.04	34,155
TEMP	Ξ.	12.148	12.152	.15	12.151	12.150	12.155	12.153	12,153	12.132	12.124	12.026	11.542	11.114	10.783	10.509	9.943	9.431	9.048	8.643	8.427	8.140	7.798	7.675	7.409	7.182	6.874	6.609	6,167	5.548	7	5.382
PRESS	-	9	0	16	20	25	30	36	40	46	51	9	71	80	91	101	125	151	176	201	226	250	276	300	325	350	376	400	426	450	476	200




SUM	0.000	0.012	0.027	0.041	0.059	0.074	0.086	0.103	0.118	0.132	0.143	0.172	0.193	0.216	0.238	0.261	0.309	0.358	0.402	0.442	0.483	0.524	0.562	0.597	0.633	0.668	0.702	0.736	0.766	0.797	0.828	0.856
SVA	295.7	295.8	295.7	296.0	295.8	295.7	294.2	287.8	285.0	282.9	280.0	242.7	235.5	224.8	212.9	205.7	193.1	182.5	171.7	164.1	159.3	154.2	149.4	146.6	141.2	137.4	133.1	128.7	124.7	120.3	117.2	'n
DENSITY	4	24.991	24.992	24.991	24.994	24.997	25.013	25.082	25.112	25.135	25.166	25.560	25.639	25.752	25.880	25.958	26.095	26.211	26.329	26.412	26.466	26.524	26.576	26.609	26.669	26.713	26.757	26.806	26.849	00	33	σ.
SAL	32.955	32.955	32.957	32.956	32.959	32.962	32.975	33.019	33.046	33.076	33.109	33,389	33.471	33.557	33.643	33.701	33.803	33.883	33.992	34.007	34.021	34.072	34.055	34.061	34.110	34.143	34.107	34.124	34.128	34.149	34.195	34.172
TEMP	12.058	10	12.058	12.061	12.059	12.056	12.021	11.838	11.787	11.786	11.757	10.780	10.699	10.430	10.077	9.882	9.537	9.208	8.999	8.546	8.263	8.144	7.697	7.503	7.351	7.223	6.692	2	2	~	5.875	O
PRESS	***	IO.	9	15	21	26	30	36	14	46	20	-	20	80	06	101	125	151	176	200	225	251	276	300	325	350	375	401	425	450	476	200




SCN D <n< th=""><th>0.000</th><th>0.012</th><th>0.026</th><th>0.040</th><th>0.058</th><th>0.072</th><th>0.086</th><th>0.101</th><th>0.112</th><th>0.127</th><th>0.140</th><th>0.169</th><th>0.192</th><th>0.215</th><th>0.240</th><th>0.259</th><th>0.310</th><th>0.356</th><th>0.398</th><th>0.439</th><th>0.481</th><th>0.518</th><th>0.555</th><th>0.593</th><th>0.627</th><th>0.662</th><th>969.0</th><th>0.728</th><th>0.759</th><th>0.790</th><th>0.821</th><th>0.849</th></n<>	0.000	0.012	0.026	0.040	0.058	0.072	0.086	0.101	0.112	0.127	0.140	0.169	0.192	0.215	0.240	0.259	0.310	0.356	0.398	0.439	0.481	0.518	0.555	0.593	0.627	0.662	969.0	0.728	0.759	0.790	0.821	0.849
SVA	288.0	288.1	288.0	288.2	288.3	288.4	288.7	288.7	288.2	277.8	271.8	258.3	240.3	226.6	216.1	208.9	188.9	178.4	169.4	161.5	155.7	152.1	148.2	143.9	139.7	135.4	131.9	128.2	124.9	120.6	117.4	114.9
DENSITY	25.072	25.072	25.073	25.073	25.073	25.073	25.071	25.072	25.079	25.189	25.253	25.397	25.588	25.734	25.846	25.923	26.138	26.253	26.352	26.438	26.502	26.544	26.587	26.636	26.683	26.730	26.770	26.811	26.846	6.83	26.928	9
SAL	33.025	33.025	33.027	33.026	33.027	33.027	33.024	33.027	33.039	33.253	33.257	33.273	33.419	33.609	33.561	33.621	33.783	33.863	33.948	33.992	33.995	34.005	34.018		34.061	34.085	34.111	34.121	2	34.137	S	34.177
TEMP	_	_	_	-	-	-	-	\sim	11.937	M		ന	LO.	10	006.6	9.715	9.173	8.845	8.633	8.294	7.884	7.651	7.419	7.157	9.976	6.767	6.623	6.372	6.128	5.827	5.675	5.567
PRESS	-	ın	10	15	21	26	31	36	40	45	20	61	70	080	91	100	126	151	175	200	226	250	275	301	325	350	376	400	425	450	476	200
	-																															




N N N	0.000	0.011	0.028	0.039	0.056	0.000	0.082	960.0	0.113	0.124	0.141	0.165	0.193	0.215	0.237	0.257	0.305	0.352	0.394	0.435	0.473	0.510	0.549	0.584	0.619	0.652	0.686		Ļ	0.781	8	0.840
SVA	281.1	281.2	281.2	281.3	281.4	281.5	281.5	281.5	281.1	281.0	277.0	267.9	247.1	227.5	211.2	2007	184.3	175.0	164.9	159.1	154.2	148.4	144.9	141.9	138.5	135.2	131.1	127.3	125.0	121.5	118.8	115.7
DENSITY	5.1	25.144	25.146	25.145	25.146	25.146	25.147	25.148	25.153	25.155	25.199	25.297	25.517	25.725	25.897	26.015	26.187	26.289	26.399	26.463	26.519	26.583	26.622	26.657	26.695	26.733	26.777	26.818	26.846	26.883	26.912	94
SAL	33.272	33.272	33.274	33.273	33.273	33.273	33.274	33.274	33.275	33.273	33.287	33.299	33.402	33.527	33.637	33.730	33.860	33.944	33.986	34.009	34.040	34.053	34.062	34.068	34.077	34.096	60.1	7	.12	4.12	34.135	4.13
TEMP	12.543	12.543	12.544	12.544	12.540	12.537	12.535	12.532	12.508	12.489	12.317	11.851	11.084	10.454	9.944	9.677	9.245	9.013	8.521	8.219	8.010	7.641	7.413	7.201	6.978	6.810	6.492	6.199	6.118	5.832	9	5.482
PRESS	-	ın	Ξ	5	21	26	30	35	7	45	51	9	71	80	06	100	125	151	176	201	225	250	276	301	326	350	375	401	426	451	475	200




SUM	0.000	0.011	0.028	0.042	0.054	0.071	0.082	0.099	0.113	0.124	0.141	0.167	0.197	0.222	0.246	0.266	0.318	0.367	0.411	0.451	0.491	0.529	0.568	0.604	0.637	0.671		0.738	.7	\circ	0.831	0.859
SVA	281.6	281.9	282.0	282.2	282.3	282.5	282.4	282.4	282.5	282.5	282.7	282.7	266.6	246.4	229.0	218.1	195.9	181.5	169.3	162.9	156.6	151.0	145.2	140.8	138.2	135.4	131.0	127.4	125.1	121.8		117.9
DENSITY	25.1	25.137	25.137	25.137	25.137	25.135	25.137	25.139	25.139	25.140	25.140	25,142	25.313	25.527	25.712	25.827	26.066	26.220	26.354	26.424	26.494	26.556	26.618	26.667	26.697	26.730	26.778	26.818	26.844	26.881	26.902	26.924
SAL	33.257	33.255	33.255	33.255	33.255	33.254	33.253	33.254	33.253	33.254	33.254	33.257	33.366	33.422	33.552	33.626	33.802	33.859	33.986	34.020	34.040	34.047	34.045	34.056	34.068	34.099	34,099	34.108	34.120	34.130	34.146	34.138
TEMP	12.513	12.514	12.515	12.515	12.515	12.517	12.502	12.500	12.495	12.494	12.494	12.494	12.040	11.114	10.642	10.307	9.707	9.030	8.814	8.530	8.175	7.		7.059			6.491	6.236		5.877		5.573
PRESS	-	ß	Ξ	16	20	26	30	36	41	45	5	9	71	80	91	100	125	151	176	200	225	250	276	301	325	350	375	401	425	451	476	200




NO NO	0.000	0.012	0.026	0.043	0.055	0.072	0.087	0.101	0.113	0.127	0.144	0.169	0.199	0.225	0.249	0.270	0.326	0.375	0.421	0.464	0.504	0.542	0.581	0.616	0.652	0.688	0.721	1	1	80	0.850	100
SVA	289.2	289.3	289.5	289.6	289.7	289.4	288.9	286.5	282.1	281.7	280.7	280.5	272.9	247.5	236.3	222.4	206.1	189.4	176.5	165.4	158.8	153.8	148.4	145.5	141.5	137.8	135.0	130.6	127.9	124.6	0	117.7
DENSITY	25.05	25.059	25.058	25.058	25.058	25.062	25.069	25.095	25.143	25.148	25.161	25.164	25.247	25.515	25.635	25.782	25.959	26.139	26.279	26.399	26.472	26.528	26.588	26.019	26.664	26.707	26.738	26.786	26.816	26.852	26.897	26.929
SAL	33.115	33.115	33.116	33.116	33.116	33.117	33.123	33.154	33.228	33.237	33.260	33.264	33.298	33,454	33.494	33.618	33.736	33.849	33.940	34.021	34.045	34.062	34.100	34.036	34.076	34.100	34.107	34,103	34.119		34.146	34.170
TEMP	35	12,353	.36	12.361	12.362	12.344	12.333	12.321	12.374	12.381	12.410	12.407	12.109	11.316	10.824	10.531	10.038	9.487	9.062	8.697	8.348	8.063	7.861	7.291	7.194	7.024	6.833	6.450	6.317	6.063	5.849	5.742
PRESS	-	ιn	0	16	20	26	31	36	40	45	5	9	71	8	91	100	126	151	176	201	226	250	276	300	325	351	375	401	426	450	476	200




SUM	0.000		0.026		0.057	0.071		0.097	0.111	0.125	0.142	0.169	0.196	0.218	0.244	0.267	0.319	0.368	0.414	0.455	0.497	0.537	0.576	0.612	0.648	0.683	0.717	0.752	0.784	0.815	4	0.875
SVA	284.4	284.4	284.6	284.6	284.9	284.2	283.8	283.9	282.7	282.5	281.5	270.0	256.6	244.2	229.9	216.6	202.3	189.1	176.5	169.7	162.7	155.2	151.3	146.9	142.7	137.6	134.0	130.3	128.4	S	$\overline{}$	117.7
DENSITY	25.110	25.110	25.110	25.110	25.109	25.117	25.123	25.123	25.137	25.140	25.152	25.275	25.418	25.550	25.702	25.844	25.999	26.142	26.279	26.354	26.431	26.514	26.558	26.607	26.654	26.708	26.749	26.788	26.812	26.847	26.889	26.929
SAL	33.212	33.212	33.212	33.213	33.212	33.221	33.228	33.229	33.249	33.254	33.273	33.342	33.438	33.449	33.579	33.673	33.744	33.847	33.946	33.996	34.048	34.077	34.083	34.107	34.098	34.088	_	34.104	34.122	N		34.169
TEMP	12.481	4.00	12.481	12.483	12.484	12.477	12.479	12.479	12.489	12.495	12.509	12.142	11.777	11.104	10.815	10.422	9.837	9.458	060.6	8.863	8.628	8.237	7.970	7.767	7.392	6.942	6.804	6.440	6.366	6.127	5.923	5.740
PRESS	-	Ю	10	15	21	26	31	35	40	45	51	61	71	80	91	101	126	151	176	200	225	250	276	300	325	350	375	401	426	450	476	200




SCW	0.000	0.012	0.027	0.045	0.057	0.075	0.000	0.103	0.118	0.133	0.150	0.176	0.205	0.229	0.253	0.274	0.330	0.379	0.429	0.471	0.513	0.555	0.594	0.632	0.669	0.704	0.737	0.770	0.803	0.834	0.865	0.895
SVA	301.2	301.3	301.4	301.7	301.8	301.9	302.1	301.7	301.2	299.0	292.6	275.8	251.3	238.3	232.1	226.0	210.0	199.7	182.0	169.6	164.2	159.0	153.2	149.4	144.6	139.2	134.1	131.6	128.5		121.2	
DENSITY	24.932	24.932	24.932	24.931	24.931	24.931	24.931	24.936	24.942	24.966	25.034	25.213	25.472	25.611	25.679	25.744	25.918	26.031	26.221	26.355	26.415	26.474	26.538	26.581	26.634	26.692	26.747	26.,76	26.811	26.857	26.893	မ
SAL	32.883	32.883	32.883	32.882	32.882	32.882	32.882	32.887	32.892	32.913	32.979	33.077	33.296	33.402	33.457	33.507	33.684	33.769	33.904	33.991	34.024	34.030	34.064	34.069	34.078	34.082	34.108	34.111	34.124	34.144	4.1	34.200
TEMP	12.072	12.072	12.072	12.077	12.075	12.075	12.077	12.071	12.060	12.015	11.925	11.365	10.871	10.550	10.405	10.252	10.042	9.762	9.243	8.833	8.609	8.256	8.004	7.738	7.423	7.027	6.773	6.573	6.389	6.156	6.137	5.866
PRESS		IO.	9	16	20	26	31	35	40	45	5.	9	7.	60	91	100	126	150	176	200	225	251	276	301	326	351	375	400	425	450	475	200




ND/N	. 0	0.015	0.027	0.042	0.060	0.076	0.091	0.106	0.121	0.136	0.151	0.179	0.208	0.239	0.265	0.290	0.343	0.395	0.440	0.481	0.521	0.561	0.598	0.635	0.671		0.738				0.866	
SVA	302.1	302.1	302.1	302.3	302.5	302.6	302.9	302.9	303.0	303.3	303.4	303.6	291.0	267.4	252.9	238.0	210.3	186.0	174.2	164.8	158.0	153.5	147.8	143.1	140.0	137.3	134.1	130.6	126.3	122.8	119.2	115.8
DENSITY	24.923	24.925	24.926	24.924	24.924	24.924	24.922	24.922	24.923	24.921	24.921	24.922	25.055	25.305	25.460	25.618	25.913	26.172	26.301	26.404	26.480	26.530	26.592	26.644	26.679	26.708	26.743	26.780	26.828	26.866	26.905	26.941
SAL	32.822	32.824	32.824	32.825	32.824	32.824	32.823	32.823	32.824	32.823	32.823	32.823	32.800	33.103	33.210	33.308	33.544	33.728	33.911	33.965	34.011	34.020	34.039	34.044	34.047	34.016	34.010	34.001	34.053	4	.08	4
TEMP	11.867																			8.381	8.120	7.826	7.498	7.162	6.922	6.520	6.220	5.870	5.812	5.565	5.383	5.106
PRESS	_	9	0	15	21	26	31	36	41	46	51	9	70	80	91	101	125	151	176	200	225	251	275	301	326	351	375	401	425	450		200




NO.	0.000	0.012	0.027	0.045	0.060	0.075	0.088	0.103	0.121	0.136	0.151	0.181	0.210	0.238	0.263	0.287	0.341	0.389	0.434	0.476	0.514	0.554	0.590	0.626	0.661	969.0	0.731	0.764	0.794	0.826	0.855	0.885
SVA	301.7	301.8	301.8	301.7	301.9	301.9	302.0	302.2	302.2	302.2	299.1	297.7	284.9	269.3	245.8	227.6	202.6	185.6	170.9	162.5	156.5	150.6	147.4	144.0	140.0	136.5	132.9	129.3	125.0	121.7	118.8	116.0
DENSITY	24.927	24.927	24.929	24.931	24.930	24.931	24.931	24.931	24.932	24.932	24.966	24.984	25.119	25.285	25.534	25.727	25.994	26.177	26.335	26.427	26.494	26.559	26.595	26.632	26.677	28.716	26.755	26.793	26.841	26.880	26.914	26.944
SAL	32.833	32.833	32.834	32.835	32.834	32.836	32.835	32.836	32.842	32.843	32.946	32.924	32.941	33.037	33.242	33.439	33.632	33.776	33.844	33.958	34.003	34.033	33.999	33.986	34.004	34.009	34.013	34.003	.03	34.112	34.133	34.157
TEMP	11.892	11.893	11.887	11.879	11.880	11.883	11.880	11.886	11.904	11.905	12.150	11.967	11.299	10.786	10.271	10.038	9.336	8.895	8.211	8.192	7.977	7.696	7.257	6.911	6.687	6.423	6.141	5.773	5.612	5.768	5.625	5.533
PRESS	-	ıΩ	5	16	21	26	30	35	4	46	51	61	7	8	91	101	126	151	176	201	225	251	275	300	325	350	376	401	425	451	475	200




N N N	0.000	10.0	\sim	7	0.057	0.075	0.087	0.102	0.117	0.132	0.147	0.180	0.208	0.234	0.258	0.281	0.331	0.378	0.420	0.460	0.500	0.536	0.572	0.607	0.643	0.676	0.709	0.743	0.774	0.805	0.835	0.864
SVA	299.7	299.7	300.0	300.0	300.0	299.8	299.4	299.4	299.3	299.4	299.3	297.8	269.0	243.7	236.8	220.8	199.1	175.1	163.6	155.5	150.3	148.3	143.6	140.1	136.4	133.7	131.5	129.1	126.5	122.7	118.3	116.8
DENSITY	24.94	24.949	24.948	24.949	24.949	24.953	24.959	24.960	24.962	24.962	24.964	24.982	25.287	25.554	25.628	25.798	26.030	26.286	26.411	26.499	26.557	26.582	26.635	26.674	26.715	26.745	26.770	26.798	26.827	26.868	26.916	26.933
SAL	32.886	32.886	32.886	32.888	32.889	32.895	32.890	32.888	32.886	32.885	32.884	32.893	33.111	33.266	33.315	33.474	33.622	33.820	33.924	33.965	33.981	33.988	34.032	34.026	34.034	34.038	34.054	34.068	34.065	34.074	1.10	4.1
TEMP	11.995	11.995	12.001	12.004	12.006	12.010	11.960	11.946	11.927	11.920	11.908	11.846	11.103	10.265	10.050	9.778	9.062	8.410	8.119	7.741	7.428	7.289	7.157	6.839	6.579	6.376	6.273	6.141	5.897	5.623	44	.34
PRESS	-	10	0	15	20	26	30	35	40	45	20	61	71	8	91	101	125	150	175	200	226	250	275	300	326	350	375	401	425	450	475	200




SUN	0.00.0	0.012	0.027	0.042	0.060	0.075	0.090	0.105	0.120	0.132	0.150	0.177	0.208	0.235	0.259	0.281	0.331	0.375	0.419	0.459	0.497	0.536	0.573	0.609	0.643	0.678	0.713	0.746	0.779	0.809	0.841	0.871
SVA	298.8	298.9	299.1	299.2	299.4	299.5	299.6	299.7	299.7	299.7	299.9	299.8	274.5	255.1	227.8	223.8	185.7	172.7	163.2	159.0	152.8	149.7	146.2	142.8	139.5	137.1	133.9	131.1	129.8	126.9	123.4	119.7
DENSITY	1.95	24.958	24.957	24.957	24.957	24.957	24.956	24.957	24.957	24.959	24.958	24.961	25.229	25.434	25.722	25.767	26.171	26.312	26.417	26.465	26.534	26.570	26.609	26.648	26.685	26.713	26.750	26.781	26.798	26.831	26.869	26.911
SAL	32.883	32.883	32.883	32.883	32.882	32.883	32.882	32.885	32.886	32.890	32.890	32.896	33.071	33.194	33.372	33.408	33.773	33.894	33.997	34.028	34.051	34.064	34.068	34.075	34.092	34.101	34.115	34.125	34.133	34,145	40	34.194
TEMP	33	11.934	94	o.	11.938	11.941	11.940	11.949	11.951	11.958	11.965	11.973	11.253	10.634	9.755	9.654	8.918	8.616	8.463	8.304	7.967	7.790	7.541	7.305	7.132	6.982	6.795	6.617	6.537	6.358	6.173	6.040
PRESS	-	S	0	15	21	26	31	36	41	45	51	9	71	81	16	101	125	150	176	201	225	251	276	301	325	350	376	401	426	450	475	200




SUN	0.000	0.015	0.030	0.042	0.057	0.075	0.090	0.105	0.120	0.132	0.147	0.176	0.209	0.238	0.265	0.288	0.342	0.389	0.435	0.475	0.515	0.555	0.591	0.627	0.661	0.695	0.729	0.761	.79	.82	0.854	80
SVA	298.4	298.6	298.4	298.8	299.0	299.0	299.3	299.2	299.4	299.5	299.6	299.6	299.1	277.8	248.0	228.7	202.5	183.8	171.2	162.3	157.1	149.7	144.6	140.8	138.1	135.2	131.4	128.5	125.1		118.4	115.9
DENSITY	24.	24.961	24.964	24.961	24.961	24.962	24.960	24.962	24.961	24.961	24.961	24.963	24.971	25.196	25.510	25.715	25.995	26.196	26,333	26.429	26.488	26,568	26.624	26.667	26.697	26.730	26.772	26.804	26.842	26.877	26.915	26.944
SAL	32.887	32.887	32.893	32.890	32.892	32.896	32.894	32.896	32.895	32.895	32.895	32.898	32.899	33.104	33.224	33.355	33.562	33.802	33.911	33.967	33.988	4.01	1.03	4.02	1.03	1.03	4.05	4.07	.08	1.09	4.10	4.13
TEMP	11.929	11.936	11.943	11.948	11.958	11.967	11.969	11.969	11.969	11.970	11.970	11.971	11.929	11.573	10.328	9.716	8.987	8.900	8.569	8.226	7.941	7.541	7.244	6.895	6.714	6.479	6.278	6.125	5.918	5.686	5.440	5.402
PRESS	_	9	=	15	20	26	31	36	17	45	20	60	71	8	91	101	126	150	176	200	225	251	276	301	325	350	376	400	426	450	476	200




SUN	0.000	0.012	0.027	0.042	0.057	0.075	0.087	0.105	0.117	0.135	0.147	0.177	0.207	0.236	0.263	0.288	0.345	0.391	0.436	0.478	0.519	0.555	0.594	0.628	0.664	0.698	0.733	0.765	0.795	0.826	0.856	0.885
SVA	299.3	299.4	299.5	299.7	300.0	300.1	300.2	300.4	300.4	300.6	300.7	297.9	294.1	287.6	257.4	237.3	203.0	184.8	172.6	160.0	155.1	149.6	146.3	143.3	140.1	135.4	130.8	2	123.3	0	118.3	116.8
DENSITY	24.953	24.953	24.952	24.952	24.950	24.950	24.950	24.949	24.950	24.950	24.949	24.981	25.023	25.093	25.411	25.625	25.989	26.185	26.318	26.453	26.508	26.569	26.607	26.641	26.675	26.727	26.777	26.808	26.859	26.893	26.916	26.933
SAL	2.8	32.884	2.8	32.883	32.881	32.882	32.881	32.882	32.883	32.884	32.884	32.914	32.946	32.970	33.091	33.266	33.592	33.808	33.903	33.959	33.981	34.004	34.033	34.020	33.993	34.004	34.021	34.039	34.074		34.116	34.115
TEMP	11.965	11.968	11.965	11.968	11.969	11.971	11.971	11.977	11.979	11.984	11.985	11.938	11.848	11.567	10.302	9.843	9.170	9.000	8.627	8.027	7.765	7.471	7.362	7.042	6.631	6.307	6.021	~	5.697	~	5.498	5.347
PRESS	-	IS.	0	5	20	26	30	36	40	46	20	09	70	80	06	100	126	150	175	200	226	250	276	300	325	350	376	401	425	450	475	200




N N N	0.000	_	0.028	0.046	0.058	0.077	0.092	0.104	0.120	0.138	0.150	0.181	0.211	0.241	0.272	0.298	0.356	0.408	0.452	0.496	0.536	0.575	0.611	0.647	0.683	0.719	0.751	0.785	0.818	0.848	0.879	0.908
SVA	306.5	306.8	306.9	307.0	307.2	306.9	306.9	306.8	306.6	306.1	305.0	302.7	301.5	297.7	271.3	247.2	218.8	193.6	173.2	164.9	157.7	152.1	148.1	144.5	140.1	135.6	133.3	ö		124.5		800
DENSITY	24.8	24.875	24.875	24.875		24.879	77	24.881	24.885	24.892	24.904	24.930	24.945	24.987	25.267	25.521	25.823	26.091	26.310	26.403	26.481	26.542	26.587	26.628	26.675	26.723	26.750	26.784	26.814	26.848	26.889	26.922
SAL	32.695	32.693	32.693	32.694	32.693	32.701	32.703	32.705	32.709	32.716	32.728	32.750	32.762	32.810	33.064	33.210	33.418	33.576	33.841	33.954	33.979	33.946	33.958	33.989	34.001	33.978	34.007	34.002	34.015	34.049	34.097	34.142
TEMP	60	11.585	11.586	S	S	11.598	9	Ø	11.599	11.591	11.573	11.523	11.495	11.471	11.010	10.200	9.356	8.433	8.359	8.333	7.938	7.336	7.084	6.963	6.680	6.174	6.141	5.843	.68	5.621	5.597	.6
PRESS	-	ıО	0	16	20	26	31	35	40	46	20	9	70	80	91	101	126	151	175	201	226	251	275	300	325	351	375	401	426	450	475	200




SUN	0.000	=	0.030	0.045	0.058	0.076	0.091	0.103	0.118	0.136	0.148	0.178	0.211	0.239	0.265	0.286	0.341	0.386	0.432	0.472	0.514	0.552	0.590	0.627	0.662	0.699	0.733	0.766	0.798	0.828	0.859	0.889
SVA	302.6	302.7	303.0	303.2	303.4	303.3	302.6	301.6	300.6	300.3	300.3	298.7	292.5	279.8	239.7	230.4	193.5	180.6	170.3	164.6	158.6	153.9	150.1	145.1	141.7	138.0	134.0	130.9	127.1	124.4	122.2	119.4
DENSITY	24.9	24.918	24.917	24.915	24.914	24.917	24.925	24.936	24.948	24.952	24.953	24.972	25.039	25.175	25.597	25.696	26.090	26.230	26.343	26.406	26.472	26.525	26.558	26. 23	26.660	26.700	26.743	26.776	26.818	26.850	26.873	26.904
SAL	N	32.741	32.740	32.738	32.737	32.740	32.758	32.773	32.786	32.796	32.796	32.792	32.839	32.928	33.205	33.273	33.709	33.869	33.953	33.985	33.997	33.987	34.011	0.4	34.023	3.0	CD.	3.9	0	4.05	34.042	52
TEMP	11.554	11.554	11.557	11.555	11.557	11.557	11.587	11.591	11.582	11.599	11.597	11.474	11.304	10.931	9.720	9.442	9.112	9.020	8.719	8.472	8.095	7.683	7.513	7.218	6.920	6.364	6.052	5.768	2	-	5.366	<u>x</u>
PRESS	-	in	=	16	20	26	31	35	40	46	20	60	71	00 1	91	100	126	150	176	200	226	250	275	300	325	351	376	401	426	450	475	200





SC	0.00.0	0.012	0.028	0.043	0.062	0.078	0.093	0.105	0.121	0.137	0.152	0.186	0.216	0.242	0.271	0.296	0.347	0.396	0.438	0.477	0.519	0.557	0.593	0.630	0.666	0.699	0.734	0.766	0.798	0.828	0.859	0.887
SVA	309.7	309.8	309.9	310.2	310.4	310.4	310.3	310.6	310.6	310.9	310.9	306.6	295.3	281.3	252.9	231.6	197.0	175.6	166.1	160.9	156.2	152.8	147.0	143.2	139.0	135.6	131.6	127.4	125.2	122.5	118.9	117.8
DENSITY	8.	24.844	24.843	24.842	24.841	24.842		24.841	24.842	24.841	24.842	24.839	25.010	25.159	25.459	25.683	26.053	26.283	26.386	26.445	26,498	26.536	26.601	26.644	26.690	26.730	26.774	26.820	26.845	26.871	26.912	0.1
SAL	32.629	32.629	32.629	32.625	32.626	32.626	32.629	32.624	32.629	32.629	32.631	32.669	32.774	32.874	33.179	33.172	33.702	33.896	33.971	33.992	34.037	34.016	34.058	34.076	34.087	34.120	34.138	. 16	34.151	34.105	4.13	34.144
TEMP	11.483	4.8	11.487	٠,	4.8	11.480	11.485	11.474	11.492	11.499	11.501	11.402	11.188	10.785	10.422	9.027	9.308	8.818	8.530	8.253	8.133	7.762	7.545	7.341	7.070	6.970	6,750	6.539	6.289	5.793	5,665	5.597
PRESS		IO)	10	5	21	26	31	35	40	45						101	125	151	176	200	226	251	275	300	326	350	376	401	426	IO	476	200




N N N	0.000	0.015	0.028	0.046	0.061	0.074	0.089	0.108	0.123	0.138	0.154	0.184	0.212	0.244	0.272	0.297	0.351	0.400	0.444	0.486	0.526	0.566	0.603	0.639	0.673	0.708	0.740	0.774	0.806	0.836	.86	8
SVA	306.7	306.9	307.0	307.3	307.5	307.6	307.6	307.8	307.9	307.9	307.7	307.1	303.4	286.8	264.5	240.2	204.8	186.4	171.9	163.1	155.2	150.5	147.2	141.6	138.2	134.7	131.9	128.9	125.2	123.3	120.5	116.8
DENSITY	24.875	24.874	24.874	24.872	24.871	24.871	24.871	24.871	24.871	24.872	24.875	24.884	24.925	25.101	25.337	25.594	25.970	26.168	26.324	26.420	26.508	26.560	26.597	26.659	26.698	26.739	26.770	26.804	26.845	26.868	26.899	26.940
SAL	32.685	32.685	32.685	32.684	32.683	32.683	32.683	32.683	32.683	32.684	32.681	32.685	32.752	32.885	32.963	33.195	33.612	33.761	33.847	33.918	34.029	33.996	34.018	34.044	34.092	34.111	-	34.137	34.154	34.170	34.181	34.196
TEMP	11.550	11.556	11.555	.56	.56	11.563	11.561	11.561	11.563	11.561	11.533	11.499	11.559	11.157	10.151	9.693	9.384	8.873	8.296	8.027	8.025	7.488	7.346	7.051	7.039	6.854	6.651	6.516	6.304	6.228	6.051	5.824
PRESS	-	ဖ	0	16	21	25	30	36	7	46	51	61	70	8	91	101	125	150	17.5	200	225	251	276	301	325	351	375	401	426	450	475	200









SUN	0.000	0.012	0.028	0.044	0.062	0.078	0.094	0.106	0.122	0.141	0.156	0.184	0.214	0.246	0.272	0.297	0.352	0.404	0.449	0.489	0.530	0.567	0.606	0.641	0.676	0.712	0.745	0.778	0.809	0.840	0.870	0.899
SVA	312.2	312.2	312.3	312.5	312.7	312.8	312.9	313.0	313.2	313.2	313.0	307.5	295.9	286.4	274.3	228.1	210.7	188.1	172.3	162.8	156.2	152.7	147.5	142.5	138.8	135.3	132.7	128.4	125.5	122.2	119.6	117.0
DENSITY	24.818	24.818	24.818	24.817	24.817	24.816	24.816	24.817	24.816	24.817	24.820	24.880	25.004	25.106	25.235	25.721	25.909	26.151	26.321	26.424	26.498	26.538	26.596	26.650	26.692	26.731	26.739	26.805		26.876		26.935
SAL	2.6	32.629	32.630	32.629	32.629	32.629	32.629	32.630	32.629	32.630	32.632	32.683	32.864	32.906	32.963	33.387	33.558	33.787	33.929	33.967	34.019	34.028	34.041	34.070	34.079	_	34.068	40	34.084	34.122	34.121	34.154
TEMP	11.622		11.630	.63	M)	RO.	M	M)	11.637	11.634	11.625	11.516	11.608	11.224	10.746	9.832	9.502	9.112	8.737	8.260	8.038	7.817	7.485	7.261	7.007	6.725	6.432	6.070	5.929	5.868	5.629	5.592
PRESS	-	ın	9	15	21	26	31	35	04	46	51	80	70	80 —	90	100	125	151	176	200	226	250	276	300	325	351	376	401	425	450	475	200




SUM N	. 0	0.012	0.028	0.044	0.059	0.078	0.094	0.109	0.122	0.138	0.153	0.185	0.219	0.249	0.275	0.304	0.364	0.413	0.463	0.508	0.549	0.589	0.627	0.662	0.698	0.733	0.767	0.801	0.831	80.	0.893	.92
SVA	312.1	312.1	312.3	312.4	312.6	312.8	312.8	312.9	313.1	313.2	313.3	313.5	308.7	293.9	283.2	255.0	217.0	196.7	187.5	169.7	162.8	155.0	149.6	144.7	140.9	136.2	133.7	129.9	125.8	122.6	120.5	117.5
DENSITY	100	24.819	24.818	24.818	24.817	24.817	24.817	24.817	24.817	24.817	24.817	24.817	24.869	25.027	25.141	25.438	25.843	26.061	26.162	26.353	26.430	26.515	26.573	26.626	26.669	26.721	74	26.790	3	26.872	00	26.929
SAL	32.684	32.684	32.683	32.684	32.683	32.682	32.683	32.683	32.683	32.683	32.683	32.684	32.722	32.863	32.914	33.085	33.545	33.719	33.803	33,931	34.000	34.014	34.034	34.020	34.054	34.070	34.063	34.071	4.11		34.118	34.141
TEMP	11.853	11.853	11.853	11.854	11.856	11.855	11.856	11.856	11.859	11.860	11.859	11.861	11.738	11.474	11.063	10.114	9.838	9.338	9.121	8.543	8.392	7.899	7.602	7.151	7.031	6.746	6.489	6.222	6.144	80	5.684	.55
PRESS	-					26													176	201	226	251	276	300	325	350	375	401	425	450	475	200




M N N N	0.000	0.012	0.031	0.044	0.059	0.078	0.000	0.109	0.122	0.140	0.156	0.184	0.218	0.244	0.275	0.302	0.359	0.413	0.458	0.502	0.543	0.582	0.620	0.658	0.692	0.727	0.761	0.794	82	0.858	0.888	0.917
SVA	311.0	311.2	311.3	311.5	311.6	311.7	311.8	311.9	312.0	312.1	312.3	312.3	300.3	291.1	271.1	258.2	221.3	195.7	178.9	168.3	161.2	154.0	148.3	144.4	140.3	136.3	133.3	131.3	125.4	122.1	120.1	118.4
DENSITY	8	24.829	24.829	24.828	24.828	24.828	24.828	24.828	24.828	24.828	24.827	24.830	24.958	25.057	25.269	25.406	25.798	26.071	26.253	26.368	26.446	26.524	26.585	26.631	26.676	26.721	26.755	26.778	26.840	26.876	26.897	26.913
SAL	32.670	32.669	32.669	32.668	32.668	32.667	32.668	32.668	32.668	32.668	32.667	32.671	32.846	32.926	33.058	33.100	33.473	33.681	33.913	33.966	33.994	34.018	33.993	34.046	34.063	34.085	34.094	34.082	34.100	34.113	34.088	34.049
TEMP	11.733	11.734	11.735	11.734	11.735	11.733	11.734	11.734	11.735	11.733	11.734	11.739	11.779	11.580	10.974	10.374	9.773	9.090	9.092	8.622	8.257	7.855	7.291	7.266	7.036	6.830	6.635	6.389	6.016	5.807	5.474	5.070
PRESS	-	S.	=	15	20	26	30	36	40	46	51	09	71	80	91	101	125	151	175	200	225	250	275	301	325	350	375	400	425	451	476	200




SC	. 0	0.012	0.028	0.043	0.062	0.074	0.00.0	0.109	0.121	0.137	0.152	0.186	0.214	0.249	0.278	0.302	0.361	0.413	0.458	0.498	0.540	0.577	0.615	0.651	0.684	0.720	0.751		0.815			0.905
SVA	310.0	310.1	310.3	310.4	310.5	310.5	310.6	310.9	311.0	311.1	311.1	311.2	310.7	309.3	282.1	257.8	209.9	188.7	172.8	162.9	157.1	150.5	146.1	141.2	136.9	132.9	130.0	127.6	$^{\circ}$	\sim	118.7	115.7
DENSITY	4.84	24.841	.83	24.839	24.840	24.840	24.840	24.839	24.839	24.839	24.839	24.841	24.848	24.865	25.152	25.409	25.917	26.145	26.316	26.424	26.488	26.560	26.609	26.663	26.711	26.754	26.797	26.816	26.850	26.882		26.948
SAL	32.657	32.657	32.656	32.656	32.656	32,656	32.656	32.655	32.655	32.655	32.655	32.656	32.659	32.661	32.860	33.090	33.581	33.737	33.896	33.982	33.989	34.020	34.017	34.033	34.064	34.070	34.086	34.100	34.111	4.12	34.145	4.17
TEMP	11.620																	8.904	8.605	8.339	7.949	7.620	7.258	6.929	6.787	6.497	6.342	6.204	00	80	1	64
PRESS	-	iΩ	10	15	21	25	30	36	40	45	20	61	20	81	91	100	125	151	176	200	226	250	276	301	325	351	375	401	425	S	475	200




ND N	0.00.0	0.012	0.031	0.047	0.062	0.078	0.093	0.106	0.124	0.140	0.152	0.187	0.217	0.248	0.277	0.305	0.367	0.420	0.466	905.0	0.545	0.583	0.622	0.657	0.692	0.724	0.757	0.788	0.819	0.850	0.879	0.908
SVA						311.3																							-	119.5		
DENSITY	837																									26.758	26.802	26.835	26.868	26.898	26.925	26.967
SAL						32.689																							23	20	34.053	54
TEMP			_	_		6			11.794																6.304						994	7
PRESS	-	so.	=	16	21	26	3	35	4	97	20	19	71	8	91	101	126	151	176	200	225	250	276	301	326	350	375	400	425	451	475	200




SUN	0.00.0	0.012	0.028	0.047	0.062	0.078	0.093	0.105	0.124	0.140	0.155	0.186	0.217	0.245	0.279	0.308	0.369	0.417	0.461	0.499	0.538	0.572	0.610	0.643	0.678	0.711	0.744		.80		8	0.893
SVA	309.8	310.0	310.1	310.2	310.3	310.4	310.5	310.6	310.7	310.7	310.8	310.8	310.5	309.5	301.4	278.8	214.0	180.8	160.8	152.1	146.5	144.3	141.6	137.2	134.5	129.9	127.5	125.5	121.8	118.5	115.8	113.0
DENSITY	ά.	24.841	24.842	24.842	24.842	24.841	24.841	24.841	24.842	24.843	24.843	24.846	24.851	24.863	24.950	~~	P	O.I	26.438	-	CD.	26.621	26.652	26.700	26.731	6.78	5.80	6.83	6.87	6.9	93	6.9
SAL	32.646	32.644	2.6	2.6	2.6	2.6	2.6	2.8	32.646	2.6	2.6	2.6	2.6	2.6	2.6	2.7	3.35	3.70	33.848	3.92	3.95	3.95	3.95	33.961	3.97	5.99	4.02	4.02	1.04	1.05	1.06	34.088
TEMP	11.564	11.561	11.559	1.56	11.566	1.56	11.565	56	56	w	S	11.549	10	11.551	11.186	10.210	8.750	8.218	7.525	7.274	6.978	6.827	6.604	6.252	6.099	5.844	5.792	5.593	5.387	5.155	5.005	4.860
PRESS	-	ın	0	16	21	26	31	35	41	46	51	61	71	80	91	101	126	150	176	200	226	250	276	300	326	351	376	400	426	450	476	200




N N N	0.000	0.012	0.028	0.047	0.062	0.074	060.0	0.106	0.124	0.140	0.152	0.183	0.214	0.248	0.278	0.303	0.359	0.405	0.447	0.484	0.523	0.557	0.593	0.626	0.658	0.691	0.723	10	.78	-	0.839	0.867
SVA	309.9	310.1	310.2	310.4	310.5	310.5	310.5	310.5	310.8	310.7	310.6	310.6	310.1	309.5	275.7	242.8	198.4	173.7	158.8	151.8	146.2	140.6	136.4	133.4	130.2	126.7	122.6	120.1	117.2	114.2	112.2	110.5
DENSITY	7	24.840	24.840	24.839	24.839	24.840	24.842	24.842	24.841	24.843	24.845	24.846	24.855	24.863	25.219	25.566	26.037	26.300	26.460	26.536	26.598	26.658	26,705	26.739	26.774	26.813	26.857	26.885	26.917	26.951	6.9	26.994
SAL	32.598	32.598	32.598	32.597	32.598	32.599	32.601	32.602	32.600	32.603	32.606	32.608	32.622	32.634	32.878	33.145	33.543	33.768	33.882	33.927	33.945	33.959	33.970	33.980	33.991	34.005	34.024	34.040	34.060	34.088	34.094	34.114
TEMP	11.364	11.368	11.372	11.371	11.373	11.374	11.374	11.375	11.376	11.377	11.378	11.378	11.393	11.396	10.451	9.628	8.620	8.047	7.559	7.272	6.929	6.538	6.264	8.061	5.850	5.628	5.381	5.252	5.112	5.009	4.854	4.814
PRESS	-	ĸ	9	16	21	25	30	35	7	46	20	90	20	8	91	101	126	151	176	200	226	250	276	300	325	350	376	401	425	451	475	200




SC X	0.000	0.012	0.031	0.046	0.059	0.074	0.090	0.108	0.124	0.136	0.155	0.183	0.217	0.245	0.279	0.307	0.368	0.417	0.459	0.501	0.537	0.574	0.609	0.645	0.678	0.711	0.745	.77	80	.83	86	80
SVA	308.9	309.1		309.4	309.4	309.6	309.8	309.9	310.0	310.1	310.3	310.5	310.6	310.6	301.9	276.9	209.0	181.2	167.3	155.0	148.9	144.5	140.1	136.8	133.3	131.4	127.5	123.2	120.1	116.9	4	112.3
DENSITY	24.852	24.851	24.850	24.850	24.850	24.850	24.849	24.849	24.849	24.848	24.848	24.848	24.849	24.852	24.944	25.208	25.924	26.221	26.371	26.503	26.570	26.619	26.667	26.704	26.743	26.766	26.808	26.856	26.889	6.9	26.948	6.9
SAL	32.645	32.643	32.643	32.643	32.645	32.644	32.643	32.643	32.644	32.644	32.644	32.643	32.645	32.645	32.646	32.842	33.413	33.701	33.819	33.902	33.938	33.955	33.961	33.964	33.982	33.990	34.008	34.051	34.052	34.074	34.093	34.100
TEMP	11.504	.50	11.506	11.511	11.515	11.513	11.515	11.516	11.516	11.521	11.521	11.519	11.521	11.508	10.994	10.351	8.688	8.221	7.832	7.367	7.088	6.830	6.501	6.238	6.045	5.911	5.682	5.570	5.299	5.147	5.073	4.881
PRESS	-	ın	=	16	20	25	30	36	41	45	51	9	71	80	91	101	126	151	175	201	225	250	275	301	325	350	376	401	426	451	475	200




NO C	0.000	0.015	0.030	0.045	0.058	0.076	0.091	0.106	0.121	0.134	0.152	0.182	0.209	0.237	0.266	0.289	0.346	0.394	0.438	0.478	0.520	0.557	0.595	0.632	0.666	0.700	0.734	0.767	0.800	0.829	0.861	0.889
SVA	302.8	303.1	303.2	303.4	303.6	303.7	303.7	303.7	303.9	303.7	303.4	301.8	292.9	272.8	257.5	238.2	203.1	183.1	169.8	163.3	157.5	151.8	147.6	142.3	139.1	135.9						
DENSITY	9	24.914	24.914	24.913	24.912	24.912	24.914	24.914	24.913	24.916	24.921	24.940	25.036	25.248	25.411	25.616	25.989	26.203	26.346	26.419	26.483	26.547	26.594	26.649	26.688	26.721	26.763	26.795	26.839	~	0	26.932
SAL	2.7	80	2.7	32.784	32.783	32.784	32.787	32.788	32.787	32.792	32.800	32.826	32.879	33.022	33.146	33.335	33.615	33.779	33.901	33.959	33.969	34.016	34.028	33.990	34.049	33.992	34.042	34.093	34.105	34,114	34.124	4.14
TEMP	11.753	11.756	11.756	11.760	11.762	11.767	11.771	11.773	11.774	11.779	11.789	11.793	11.496	10.929	10.554	10.218	9.282	8.744	8.430	8.254	7.871	7.690	7.424	6.809	6.870	6.280	6.254	6.320	6.053	5.823	5.614	5.521
PRESS	-	9	=	16	20	26	31	36	7	45	51	61	70	80	16	100	126	151	176	200	226	250	275	301	325	350	375	400	426	450	476	200




SUM	0.000	0.012	0.027	0.045	0.057	0.076	0.091	0.103	0.121	0.136	0.151	0.181	0.206	0.232	0.256	0.280	0.334	0.383	0.427	0.468	0.508	0.545	0.582	N	0.653	0.688	CA	0.754	7	0.818	84	00
SVA	301.7	301.8	302.8	302.2	302.2	302.4	302.7	302.7	302.9	303.0	302.9	288.2	272.3	249.9	236.6	230.0	200.9	179.3	169.9	163.6	155.8	150.8	145.8	141.9	139.0			129.6		123.8	•	7
DENSITY	24.9	24.928	24.918	24.926	24.926	24.925	24.924	24.925	24.924	24.924	24.926	25.082	25.251	25.488	25.629	25.701	26.011	26.242	26.347	26.417	26.503	26.559	26.614	26.658	26.691	26.722	26.762	26.799	26.822	26.862	26.899	26.932
SAL	32.760	32.760	32.750	32.760	32.760	32.760	32.759	32.760	32.759	32.760	32.763	32.887	32.958	33.149	33.248	33.323	33.598	33.827	33.973	34.004	34.043	34.073	34.082	34.087	34.105	34.130	34.135	34.167	34.145	34.152	34.165	34,175
TEMP	11.581	11.580	11.589	11.590	11.588	11.593	11.596	11.596	11,598	11.600	11.602	S	10.630	Ξ.	9.729	9,653	9.059	8.729	8.794	8.498	8.132	7.914	7.586	7.304	7.168	7.081	6.818	6.735	6.426	6.160	5.952	5.753
PRESS		10	0	16	20	26	3	35	41	46	51	61	20	80	06	100	125	151	176	201	226	250	275	301	325	350	375	400	426	450	475	200




NUN NUN	0.000	0.012	0.027	0.042	0.057	0.075	0.091	0.106	0.121	0.133	0.151	0.180	0.203	0.226	0.248	0.268	0.319	0.365	0.409	0.450	0.491	0.532	0.570	0.605	0.641	0.676	0.711	0.744	0.776	0.806	83	00
SVA	301.6	301.4	301.7	302.0	302.1	302.3	302.4	302.6	302.7	302.7	302.1	266.1	246.1	220.4	212.3	201.4	189.4	180.4	172.5	167.3	159.7	153.7	149.9	145.7	141.5	138.7	133.3	129.7	126.3	123.4	119.4	117.2
DENSITY	24.92	24.931	24.929	24.927	24.928	24.927	24.927	24.926	24.926	24.927	24.934	25.314	25.527	25.799	25.886	26.003	26.134	26.233	26.320	26.378	26.462	26.528	26.572	26.619	26.666	26.899	26.757	26.797	26.835	26.867	6.91	26.936
SAL	32.784	32.786	32.784	32.783	32.783	32.782	32.782	32.781	32.781	32.781	32.787	33.054	33,238	33.551	33.672	33.772	33.865	33.925	33.949	33.979	34.021	34.056	34.068	34.092	34.110	34.126	34.145	34.154	34.173	34.179	34.195	34.201
TEMP	11.676	11.672	11.675	11.681	11.679	11.680	11.679	11.678	11.677	11.672	11.661	10.696	10.296	10.129	10.172	9.945	9.590	9.273	8.846	8.620	8.289	8.030	7.798	7.603	7.369	7.227	6.913	6.669	6.488	6.289	6.049	5.886
PRESS	-	I O	9	15	20	26	31	36	7	45	51	61	20	80	06	100	126	151	176	200	225	251	276	300	325	350	376	401	426	450	475	200




SC	\sim	0.016	0.031	0.044	0.059	0.078	(T)	0.105	0.121	0.139	0.151	0.179	0.205	0.224	0.244	0.264	0.312	0.359	0.407	0.449	0.493	0.534	0.575	0.612	0.651	0.687	0.720	0.754	0.788	0.819	0.851	0.881
SVA	335.9	307.6	307.7	308.0	308.2	308.4	308.4	308.4	306.6	300.3	293.3	262.5	221.1	201.6	198.0	196.8	189.5	185.6	179.7	175.9	169.9	161.8	155.5	152.4	145.9	139.6	137.7	134.9	129.7	26.	124.2	
DENSITY	24.56	24.867	24.867	24.864	24.864	24.863	24.864	24.865	24.885	24.953	25.027	25.352	25.790	25.996	26.037	26.^52	26.133	26.179	26.246	26.290	26.356	26.445	26.515	26.551	26.622	60	71	26.746	6.80	9		9
SAL	2.3	2.7	2.7	5	2.7	32.704	2.7	2.7	32.731	32.802	32.874	33.128	33.592	33.791	33.824	33.836	33.890	33.914	33.941	33.961	33.991	34.036	34.074	34.087	34.111	34.131	34.142	34.156	34.171	34.169	34.173	34.188
TEMP	11.826	ω	11.681	9	11.698	11.698	11.698	11.696	11.692	11.622	11.523	10.808	10.372	10.070	9.984	9.951	9.717	9.551	9.273	9.096	8.822	8.478	8.213	8.043	7.684	7.321	7.218	7.062	6.734	6.460	7	6.015
PRESS	-	9	Ξ	15	20	26	31	35	40	46	20	9	71	80	90	100	125	150	176	200	225	250	276	300	326	351	375	400	426	450	475	200




SUN		0.016	0.028	0.047	0.059	0.074	0.093	0.106	0.124	0.140	0.152	0.180	0.207	0.233	0.255	0.274	0.324	0.374	0.419	0.460	0.504	0.544	0.581	0.619	0.656	0.692	0.727	0.762	0.795	0.826	0.857	0.888
SVA	309.9	310.2	310.3	310.6	310.5	310.8	310.8	310.7	310.1	303.5	295.6	280.8	250.9	223.9	215.3	207.9	195.2	185.3	175.4	169.6	163.4	158.3	154.1	149.2	147.5	141.1	137.0	132.5	128.8	126.5	124.0	122.5
DENSITY	24.84	ю	100	10	m	24.838	24.838	24.841	24.848	24.919	25.003	25.160	25.476	25.762	25.855	25.934	26.073	26.181	26.290	26.355	26.424	26.481	26.530	26.584	26.606	26.674	26.720	26.770	26.811	26.836	26.864	26.882
SAL	32.663	32.662	32.664	32.663	32.665	32.666	32.672	32.682	32.698	32.787	32.910	32.989	33.174	33.385	33.539	33.718	33.824	33.890	33.945	33.984	34.005	34.051	34.079	34.102	34.101	34.129	34.146	34.159	34.174	34.172	34.165	34.170
TEMP	11.643	11.647	S	11.665	11.663	11.674	11,695	11.724	11.751	11.741	11.807	11.280	10.302	9.576	9.742	10.100	9.768	9.423	9.016	8.794	8.457	8.317	8.142	7.897	7.743	7.419	7.186	6.903	6.688	6.484	3	6.115
PRESS	-	9	0	16	20	25	٦ -	35	41	46	20	9	20	80	91	100	125	151	176	200	226	251	275	300	325	350	375	401	426	450	475	200




SUM	0.00.0	0.012	0.028	0.043	0.062	0.077	0.090	0.108	0.121	0.139	0.155	0.182	0.210	0.236	0.262	0.282	0.334	0.384	0.428	0.469	0.510	0.549	0.586	0.623	0.657	0.693	0.725	0.759	0.791	00)	0.853	80
SVA	309.1	309.0	309.5	309.6	309.6	309.7	310.0	310.1	310.2	310.0	304.8	295.0	271.4	249.6	227.4	215.6	199.8	182.3	172.0	164 6	157.0	152.0	146 5	143.4	140.2	136.3	133,3	130.4	127.2	124.1	120.8	118.4
DENSITY	24.8	24.852	24.848	24.848	24.849	24.848	24.847	24.847	24.846	24.850	24.906	25.011	25.261	25.490	25.725	25.852	26.023	2612	26.325	26.408	26.490	26.544	26.806	26.642	26.678	26.722	26.757	26.790	26.825	26.860	26.896	26.924
SAL	32.642	32.645	32.642	32.643	32.642	32.644	32.643	32.643	32.643	32.652	32.719	32.889	33.011	33.062	33.266	33.501	33.706	33.866	33.946	33.958	34.008	34.023	34.059	34.069	34.084	34.118	34.135	34.139	34 155	34.168	34.176	34.198
C W W	11.503	11.505	11.517	11.520	11.511	11.521	11.525	11.525	11.528	11.548	11.527	11.674	10.810	9.694	9.224	9.577	9.503	9.114	8.798	8.331	8.037	7.743	7.515	7.317	7.137	7.014	6.858	6.638	6.463	6.277	6.047	5.960
PRESS	-	Ю	10	13	21	26	000	(A)	40	46	₩.	9	70	00	00	100	125	101	176	200	22.6	251	276	301	325	53	375	401	426	450	476	200
	425										-																					




SUM	0.000	0.012	0.027	0.046	0.058	0.076	0.092	0.107	0.122	0.135	0.153	0.180	0.212	0.234	0.257	0.279	0.330	0.379	0.423	0.463	0.504	0.543	0.580	0.615	0.651	0.683	0.718	0.750	0.782	0.812		0.871
SVA	305.4	305.5	305.7	306.0	306.0	306.2	306.3	306.5	306.6	306.7	306.6	300.1	266.0	239.9	224.4	212.1	195.5	179.6	170.2	163.1	157.5	151.4	145.7	140.9	136.9	133.8	131.5	129.5	KO.	122.2	8	115.6
DENSITY	~	24.888	24.888	24.886	24.886	24.886	24.886	24.885	24.885	24.885	24.887	24.958	25.317	25.594	25.758	25.889	26.069	26.241	26.344	26.422	26.485	26.552	26.615	26.668	26.713	26.748	26.776	26.799	26.845	26.880	6.	26.951
SAL	32.725	32.725	32.723	32.724	32.724	32.724	32.724	32.723	32.723	32.724	32.728	32.825	33.109	33.315	33.453	33.591	33.750	33.899	33.959	34.000	34.027	34.050	34.066	34.097	34.119	34.139	4.14	34,157	4.17	34.188		34.196
TEMP	9	11.647	11.643	11.655	11.654	11.657	11.657	11.658	11.659	11.660	11.666	11.691	10.922	10.255	9.920	9.777	9.438	9.098	8.744	8.444	8.170	7.838	7.491	7.287	7.088	6.947	6.794	6.674	6.437	6.245	900.9	5.735
PRESS	-	N)	0	16	20	26	31	36	41	45	51	9	71	80	90	100	125	151	176	200	226	251	276	300	326	350	376	401	426	450	475	200




NUX NX	0	0.012			0.057	0.071	0.089	0.101	0.116	0.134	0.149	0.176	0.208	0.235	0.258	0.281	0.335	0.385	0.430	0.470	0.511	w)	NJ.	0.622	.65	69	.72	.75	78	-	0.849	N
SVA	297.5	297.5	297.6	298.0	298.0	298.2	298.3	298.4	298.5	298.7	298.8	299.0	283.7	259.7	240.5	227.1	204.0	184.7	170.2	160.2	156.8	150.9	146.1	142.4							119.6	
DENSITY	24.9	24.972	24.972	24.970	24.971	24.570	24.970	24.970	24.970	24.969	24.969	24.969	25.132	25.386	25.589	25.732	25.979	26.186	26.342	26.452	26.492	26.555	26.608	26.649	26.687	26.719	26.778	26.816	26.846	26.870	26.903	26.934
SAL	(T)	32.894	AD.	en.	m	-	AD.	AD.	0	-	32.893	-		100	665	An.	10	mark.	33.881		0	33.981	33.992	33.996	34.010	34.038	4.0	4.0	4.0	4.0	34.105	
TEMP	90	11.905	90	-	6.	11.911	11.915	11.916	11.916	11.916	11.917	11.916	11.347	10.641	10.165	9.810	9.086	8.699	8.355	8.252	8.017	7.442	7.124	6.843	6.644	6.568	6.125	5.905	5.813	5.625	5.533	5.248
PRESS	-	IO	10	16	20	25	3	5	40	46	5	9	71	00	06	100	125	151	176	200	226	250	276	301	326	351	376	400	425	450	475	200




NO NO	0.000	0.015	0.027	0.042	0.060	0.074	0.089	0.101	0.119	0.134	0.149	0.178	0.206	0.232	0.255	0.275	0.327	0.375	0.418	0.456	0.497	0.534	0.571	0.605	0.642	0.675	0.710	0.741	r.	∞	0.834	00
SVA	297.9	297.8	297.8	298.0	298.1	298.3	298.4	298.5	298.5	298.7	298.7	282.8	267.2	248.8	227.4	218.6	192.3	177.2	164.9	157.5	152.2	149.0	145.8	141.5	139.0	135.4	131.6	127.5	124.0		118.4	115.8
DENSITY	4.9	24.969	24.970	24.970	24.969	24.969	24.970	24.969	24.970	24.970	24.970	25.139	25.305	25.500	25.727	25.820	26.102	26.264	26.397	26.478	26.538	26.574	26.612	26.658	26.687	26.727	26.769	26.813	26.851	26.885	26.912	26.941
SAL	9	32.870	32.871	32.871	32.870	32.869	32.870	32.869	32.871	32.870	32.872	32.973	33.143	33.210	33.392	33.447	33.706	33.806	33.894	33.958	33.990	33.977	34.021	33,997	33.998	34.018	34.027	34.047	34.062	34.073	34.070	34.091
TEMP	11.823	11.819	11.819	11.820	11.819	11.819	11.818	11.819	11.819	11.818	11.822	11.329	11.139	10.326	9.821	9.514	9.023	8.480	8.054	7.846	7.607	7.282	7.256	6.783	6.576	6.392	6,122	5.893	5.682	5.475	5.224	5.121
PRESS	-	9	0	t)	21	26	31	35	4	46	51	61	71	∞ –	91	100	125	151	176	200	226	251	276	300	326	350	376	400	426	451	476	200




SUN	0	0.012	0.027	0.043	0.058	0.076	0.091	0.107	0.122	0.137	0.149	0.179	0.208	0.236	0.257	0.280	0.335	0.383	0.429	0.472	0.514	0.351	0.588	0.626	0.659	0.694	0.726	0.758	0.791	0.821	00	0.879
SVA	305.1	305.2	304.6	304.6	304.5	304.6	304.4	303.8	303.0	302.9	302.6	300.8	265.1	248.4	232.5	221.4	203.6	190.0	178.7	167.1	157.0	152.1	145.7	141.2	137.4	133.5	130.6	127.8	124.7	120.8	_	114.4
DENSITY	24.8	24.891	24.899	24.900	24.902	24.903	24.906	24.914	24.922	24.925	24.930	24.950	25.326	25.504	25.672	25.791	25.983	26.131	26.254	26.379	26.488	26.543	26.613	26.663	26.705	26.747	26.780	26.811	26.847	5.88	6	26.960
SAL	2.75	2.75	2.75	2.75	2.75	32.756	32.761	32.774	2.79	32.797	32.805	32.803	33.014	33.110	33.214	33.440	33.597	33.769	33.837	33.910	33.960	33.985	34.028	34.050	34.052	34.038	34.060	34.063	34.094	34.126	34.140	34,155
TEMP	-	11.759	11.711	11.704	11.700	11.700	11.705	11.717	11.737	11.750	11.761	11.639	10.447	9.839	9.305	9.659	9.228	9.150	8.707	8.265	7.790	7.547	7.293	7.055	6.756	6.356	6.236	6.013	5.922	5.781	5.561	5.392
PRESS	-	ις	10	₹.	20	26	3	36	41	46	20	9	20	 	06	100	126	150	175	200	226	250	275	301	325	351	375	400	426	450	475	200




SUM	0.000	0.012	0.030	0.045	0.061	0.073	0.088	0.103	0.121	0.136	0.151	0.181	0.209	0.237	0.262	0.285	0.339	0.387	0.433	0.475	0.513	0.550	0.588	0.623	0.657	0.692	0.723	0.756	0.786	0.817	0.847	0.875
SVA	303.5	303.6	302.3	302.1	302.0	302.0	302.1	302.3	302.4	302.5	302.6	302.9	302.1	265.4	231.1	225.4	206.0	184.4	169.4	159.4	151.7	149.1	144.6	141.5	137.3	132.8	128.1	124.7	122.5	119.7	117.1	115.5
DENSITY	4.9	24.908	24.923	24.927	24.929	24.929	24.929	24.929	24.929	24.929	24.930	24.929	24.939	25.326	25.686	25.749	25.957	26.189	26.351	26.459	26.542	26.574	26.625	26.660	26.705	26.754	26.805	26.843	26.869	26.899	26.930	26.948
SAL	32.793	32.793	32.792	32.795	32.795	32.795	32.795	32.794	32.795	32.794	32.795	32.792	32.804	33.038	33.220	33.322	33.559	33.782	33.921	33.950	33.986	34.016	34.029	34.039	34.029	34.053	34.075	34.101	34.108	34.110	34.14	34.143
TEMP	11.827	11.827	11.742	11.732	11.721	11.720	11.720	11.720	11.720	11.718	11.719	11.712	11.705	10.557	9.242	9.350	9.207	8.843	8.503	7.934	7.555	7.498	7.213	7.014	6.626	6.391	6.130	5.992	5.833	5	5.546	7
PRESS	-	IO.	=	16	21	25	30	3.5	41	46	5	61	70	80	90	100	125	150	176	201	226	250	276	301	325	351	375	401	425	451	476	200




SC	0.000	0.015	0.027	0.042	0.060	0.072	0.090	0.102	0.120	0.132	0.147	0.180	0.207	0.236	0.263	0.284	0.334	0.381	0.424	0.463	0.502	0.540	0.576	0.614	0.648	0.681	0.715	0.747	0.778	0.810	0.840	0.869
SVA	301.6	300.8	300.6	300.5	300.4	300.3	300.5	300.5	300.6	300.6	300.8	300.9	300.4	266.5	236.3	215.3	188.5	175.1	166.3	158.6	153.1	148.7	144.4	140.5	136.7	133.3	130.8	129.2	125.8	122.3	119.6	116.6
DENSITY	24.929																															26.937
SAL	32.827	32.831	ω ω	32.833	80	80	80	8	32.836	80	32.841	32.843	32.856	33.037	33.307	33.495	33.769	33.881	33.944	33.983	34.005	34.025	34.042	34.053	34.055	34.070	34.078	34.078	34.082	34.100	=	34.139
TEMP	11.857	11.824	11.815	11.803	11.795	11.792	11.795	11.790	11.792	11.796	11.802	11.811	11.830	10.623	9.983	9.528	9.079	8.710	8.408	8.053	7.750	7.519	7.271	7.022	6.725	6.528	6.354	6.202	5.939	5.742	5.619	5.472
PRESS	-	9	0	15	21	25	5	r)	41	45	50	61	70	80	91	100	125	151	176	200	225	250	275	301	326	350	376	401	425	451	476	200




NUS NUS N	0.000	0.015	0.030	0.045	0.057	0.075	0.000	0.102	0.117	0.132	0.150	0.180	0.207	0.239	0.263	0.290	0.343	0.393	0.437	0.477	0.517	0.555	0.593	0.629	0.662	0.697	0.730	0.762	0.793	0.822	0.852	0.881
SVA	302.2	301.8	298.8	298.7	298.7	298.7	298.8	298.7	298.9	299.0	299.2	299.3	299.2	283.2	260.3	234.8	202.7	182.7	169.9	163.1	156.0	150.0	145.7	140.7	135.8	131.7	128.8	125.8	123.2	120.8	118.2	115.3
DENSITY	24.9	24.927	24.960	24.962	24.963	24.965	24.965	24.967	24.966	24.966	24.966	24.966	24.970	25.140	25.381	25.651	25.992	26.207	26.346	26.422	26.498	26.565	26.613	26.667	26.721	LO.	26.798	NO.	26.861	26.889	5.91	26.951
SAL	32.899	32.888	32.895	32.897	32.897	32.896	32.896	32.898	32.897	32.897	32.897	32.898	32.902	32.994	33.137	33,341	33.617	33.782	33.910	33.977	33.973	34.007	34.014	34.011	34.048	34.064	34.066	34.080	34.094	34.116	4	34.158
TEMP	12.190	12.119	11.975	11.971	11.964	11.953	11.950	11.949	11.950	11.952	11.951	11.952	11.948	11.414	10.683	10.033	9.271	8.729	8.480	8.325	7.791	7.516	7.213	6.803	6.618	6.368	6.129	5.954	5.808	5.717	.62	5.486
PRESS	-	9	=	16	20	26	31	35	40	45	5.	61	70	œ —	90	101	125	151	176	200	225	250	276	301	325	351	376	401	426	450	475	200




SUM	0.00.0	0.015	0.027	0.045	0.057	0.072	0.000	0.102	0.120	0.134	0.146	0.176	0.208	0.235	0.258	0.285	0.341	0.390	0.434	0.474	0.515	0.553	0.589	0.623	0.659	0.691	0.725	0.756	0.788	0.817	0.847	0.876
SVA	301.6	301.7	300.3	297.9	297.6	297.7	297.7	297.8	297.8	297.8	298.1	298.2	281.1	263.9	248.7	240.9	206.4	182.3	171.2	162.8	154.2	147.7	142.8	138.5	135.8	133.4	129.7	126.7	123.1	119.6	116.8	113.8
DENSITY	<u>م.</u> ص	24.929	24.945	24.971	24.975	24.975	24.976	24.976	24.978	24.979	24.977	24.978	25.160	25.342	25.504	25.587	25.953	26.212	26.333	26.425	26.518	26.588	26.643	26.689	26.721			26.823	26.862	26.901	26.931	26.964
SAL	32.914	32,913	32.901	32.914	32.915	32.915	32.916	32.916	32.917	32.918	32.916	32.916	33.012	33.111	33.252	33.266	33,506	33.782	33.911	33.973	33.996	34.009	34.024	34.031	34.042	34.044	34.057	34.073	34.097	34.111	34.120	34.135
TEMP	12.221	12.214	12.080	11.994	11.979	11.974	11.974	11.973	11.971	11.970	11.970	11.963	11.382	10.792	10.493	10.068	8.973	8.700	8.569	8.286	7.779	7.361	7.054	6.752	6.580	6.386	6.145	5.981	5.815	5.593	O	22
PRESS	-	φ	10	16	20	25	31	35	41	46	20	9	71	00 —	90	101	126	151	176	200	226	251	276	300	326	350	376	400	426	450	475	200




SUN	0.000	0.015	0.027	0.042	0.060	0.075	0.089	0.101	0.116	0.131	0.146	0.179	0.208	0.232	0.260	0.281	0.334	0.380	0.424	0.463	0.503	0.540	0.575	0.612	0.647	0.681	0.712	0.745	0.778	0.808	0.839	0.867
SVA	301.7	299.6	297.6	297.5	297.4	297.5	297.5	297.5	297.7	297.7	297.8	298.0	283.5	255.6	244.7	228.2	194.5	175.4	163.6	157.0	151.2	147.1	143.9	140.7	138.0	133.4	131.3	127.6	125.0	122.6	120.1	117.2
DENSITY	24.9	24.950	24.972	24.975	24.978	24.978	24.979	24.980	24.979	24.980	24.980	24.980	25.135	25.428	25.545	25.719	26.078	26.283	26.412	26.484	26.549	26.595	26.632	26.667	26.698	26.748	26.770	26.811	26.841	9	6.83	26.930
SAL	2.9	32.909	32.922	32.921	32.924	32.924	32.924	32.924	32.923	32.924	32.924	32.924	33.017	33.153	33.240	33.346	33.652	33.857	33.956	33.973	34.005	34.018	34.032	34.036	34.032	34.035	34.017	34.024	34.045	34.077	34.106	34.118
TEMP	12.279	12.083	12.020	12.001	12.000	11.998	11.993	11.988	11.988	11.988	11.987	11.987	11.541	10.483	10.198	9.648	8.902	8.617	8.285	7.888	7.617	7.363	7.179	6.944	6.692	6.333	6.044	5.761		5.633		10
PRESS	-	9	9	15	21	26	31	35	9	45	20	61	71	80	91	100	125	150	176	200	226	251	275	301	326	351	375	400	426	451	476	200




SUN	0.000	0.015	0.027	0.045	0.060	0.075	0.090	0.102	0.117	0.134	0.146	0.176	0.208	0.235	0.260	0.284	0.338	0.386	0.429	0.469	0.508	0.545	0.580	0.616	0.651	68	.72	0.753	.78	0.814	0.844	0.874
SVA	301.1	301.3	299.2	298.2	298.1	298.2	298.2	298.3	298.3	298.5	298.5	298.5	279.8	262.0	245.0	227.2	203.8	180.2	164.4	157.8	150.7	148.1	144.5	142.2	138.6	136.2	131.5	128.1	124.6	122.1	118.9	116.2
DENSITY	o	24.932	24.956	24.967	24.970	24.970	24.972	24.972	24.972	24.972	24.972	24.975	25.174	25.362	25.543	25.731	25.981	26.234	26.404	26.477	26.555	26.586	26.627	26.655	26.694	26.723	26.774	26.812	26.851	26.880	26.915	4
SAL	32.897	32.895	32.889	32.895	32.895	32.895	32.896	32.896	32.896	32.896	32.897	32.901	33.096	33.168	33.274	33.406	33.595	33.833	33.943	34.014	34.053	34.066	34.078	34.087	34.089	34.091	34.119	13	4	1	34.189	4.2
TEMP	Ξ	12.121	11.972	11.934	11.922	11.918	11.916	11.916	11.914	11.914	11.915	11.917	11.663	10.929	10.366	9.862	9.233	8.815	8.270	8.150	7.835	7.690	7.470	7.325	7.050	6.856	6.636	6.429	6.264	6.155	5.977	5.840
PRESS	-	ဖ	0	16	21	26	31	35	40	46	20	9	71	83	91	101	126	151	176	201	226	251	275	300	325	350	376	401	426	450	475	200




SUM	0.000	0.012	0.027	0.045	0.057	0.075	0.090	0.105	0.120	0.134	0.146	0.173	0.200	0.221	0.244	0.264	0.311	0.355	0.395	0.434	0.474	0.510	0.548	0.583	0.616	0.650	0.682	0.716	0.747	0.776	80	0.834
SVA	300.3	300.6	300.6	300.9	300.8	300.5	298.7	296.9	294.1	292.3	283.8	258.7	236.4	214.2	203.7	197.4	180.8	169.6	162.8	155.8	151.1	146.7	142.9	139.3	136.6	132.7	128.9	125.9	122.7	119.5	116.5	112.8
DENSITY	24.942	24.939	24.941	24.939	24.942	24.945	24.965	24.986	25.016	25.036	25.127	25.392	25.628	25.862	25.975	26.044	26.222	26.343	26.419	26.496	26.549	26.600	26.643	26.682	26.711	26.754	26.795	26.828	26.867	26.903	26.936	26.975
SAL	32.727	32.724	32.725	32.727	32.730	32.734	32.757	32.777	32.803	32.823	32.898	33.109	33.267	33.459	33.535	33.673	33.773	33.851	33.934	33.959	33.993	34.051	34.061	34.027	34.004	34.023	34.024	34.045	34.105	34.134	34.155	34.156
TEMP	11.360	11.362	11.360	11.375	11.376	11.373	11.362	11.332	11.278	11.252	11.072	10.497	9.827	9.311	8.975	9.223	8.589	8.191	8.119	7.732	7.546	7.513	7.262	6.784	6.424	8.212	5.893	5.757	5.830	1.	5.587	
PRESS	-	IO.	0	16	20	26	31	36	7	46	20	9	71	80	91	101	126	151	175	200	226	250	276	301	325	350	375	401	426	450	476	200




SUM	0.000	0.012	0.028	0.046	0.058	0.077	0.092	0.104	0.119	0.134	0.152	0.181	0.209	0.233	0.260	0.281	0.336	0.386	0.429	0.468	0.509	0.545	0.583	0.618	0.652	0.686	0.720	ĸn.	0.784	0.814	0.844	0.874
SVA	306.9	307.0	307.1	307.0	306.9	306.8	306.0	305.4	301.4	297.6	294.9	290.8	264.1	253.8	240.0	234.0	203.3	180.3	168.4	157.4	153.2	147.5	144.8	141.0	136.9	133.3	130.5	128.4	125.2	122.4	120.2	117.0
DENSITY	24.87	24.872	24.873	24.875	24.877	24.880	24.889	24.896	24.939	24.980	25.010	25.055	25.338	25.447	25.594	25.659	25.986	26.232	26.361	26.481	26.529	26.590	26.622	26.664	26.708	26.749	26.779	6.3	26.840	6.8	26.898	0.0
SAL	2.64	32.644	2.64	2.6	32.651	32.655	32.667	32.676	32.736	32.782	32.807	32.868	33.101	33.171	33.280	33.338	33.552	33.784	33.872	34.034	34.005	33.993	34.003	34.011	34.011	34.039	34.022	34.050	34.073	34.127	34.112	M
TEMP	11.390	11.390	11.390	11.394	11.395	11.396	11,396	11.396	11.414	11.385	11.329	11.343	10.770	10.453	10.090	9.975	8.993	8.577	8.183	8.231	7.755	7.258	7.087	6.824	6.490	6.349	6.008	5.978	5.842	5.912	5.824	5.465
PRESS	-	10	0	16	20	26	31	35	40	45	10	61	71	80	91	100	125	151	176	200	226	250	276	301	325	350	376	400	426	450	475	200




SUN	0.000	Ξ	0.028	0.043	0.059	0.078	0.093	0.106	0.121	0.140	0.152	0.183	0.217	0.246	0.273	0.298	0.360	0.411	0.455	0.498	0.536	0.575	0.612	0.649	0.683	0.719	0.752	0.786	0.817	0.848		0.908
SVA	310.1	310.3	310.3	310.3	310.5	310.8	310.9	311.0	311.0	310.7	310.7	309.1	298.3	281.6	276.2	258.8	219.0	192.6	172.8	161.4	155.2	150.0	146.5	142.9	140.4	136.8	134.1	130.6	125.8	123.0	119.2	E
DENSITY	24.839	24.838	24.840	24.840	24.839	24.838	24.838	24.838	24.838	24.843	24.844	24.863	24.979	25.156	25.214	25.399	25.822	26.102	26.312	26.437	26.505	26.564	26.603	26.643	26.672	26.711	26.741	1	26.832	26.864	28.905	.94
SAL	32.695	32.694	32.695	32.697	32.697	32.696	32.696	32.696	32.697	32.702	32.702	32.733	32.868	32.952	32.978	33,101	33.539	33.648	33.755	33.920	33.926	33.970	33.977	33.984	33.983	33.984	33.984	33.990	34.039	34.061	34.084	34.103
TEMP	9	11.790	36	32	35	6		6	2	96		20	.756					8.727	7.891	7.922	7.484	7.314	7.075	6.820	6.600	6.306	6.070	5.800	68	ŝ	5.377	=
PRESS		IO.	0	15	20	26	31	35	40	46	20	90	71	80	91	100	126	151	175	201	225	250	275	301	325	351	375	401	425	450	475	200




SUM	0.000	0.018	0.033	0.051	0.067	0.086	0.102	0.114	0.133	0.149	0.161	0.192	0.216	0.234	0.256	0.273	0.320	0.366	0.408	0.448	0.485	0.521	0.556	0.591	0.624	0.657	0.690	0.724	0.757	0.790	0.821	0.852
SVA	362.4	362.6	361.0	355.3	314.3	313.5	313.3	313.2	313.1	311.6	308.2	254.6	217.7	197.4	194.0	190.9	180.8	173.6	163.7	154.8	143.3	141.5	140.6	139.8	135.6	132.3	131.1	131.4	131.9	126.9	127.1	127.0
DENSITY	4.29	4.2		24.368	O	24.809	24.811	24.814	24.816	24.833	24.869	25.435	25.825	26.039	26.077	26.111	26.222	26.302	26.410	26.507	26.630	26.652	26.665	26.676	26.723	26.761	26.776	77	77	OC.	82	26.833
SAL	31.772	31.770	1.79	31.880	32.444	32.449	32.452	32.457	32.460	32.487	32.531	33.066	33.427	33.624	33.659	33.689	33.777	33.842	33.914	33.955	34.007	34.016	34.023	34.026	34.050	34.071	34.077	34.078	34.078	4.09	34.098	4
TEMP	4	10.844	5	88	32	10.891	10.892	10.900	10.902	10.923	10.913	10.047	9.390	9.012	8.944	8.879	8.609	8.419	8.076	7.634	7.051	6.943	6.886	6.821	6.610	6.453	6.372	6.375	6.384	6.090	6.085	6.061
PRESS	-	ø	0	5	20	26	3	35	41	46	20	51	71	80	91	100	125	151	176	201	226	251	276	301	325	350	375	401	426	451	476	200




NO.	0.000	0.017	0.030	0.050	0.063	0.082	0.098	0.110	0.126	0.141	0.160	0.187	0.217	0.247	0.276	0.298	0.355	0.402	0.443	0.483	0.523	0.557	0.593	0.623	0.654	0.684	0.715	0.746	0.777	.80	0.835	.86
SVA	335.9	336.1	336.3	330.1	322.7	314.6	309.1	308.9	308.5	307.2	307.0	306.0	299.1	288.8	248.4	236.8	197.5	177.4	168.3	154.6	148.1	140.9	130.2	123.4	122.7	121.8	121.7	120.9	121.0	119.9	117.3	113.1
DENSITY	24.5	24.567	24.566	24.633	24.711	24.798	24.856	24.859	24.864	24.878	24.882	24.894	24.970	25.079	25.506	25.629	26.047	26.262	26.362	26.509	26.580	26.637	26.771	26.844	26.854	26.866	26.871	26.882	26.885	26.898	26.928	26.953
SAL	32.145	32.144	32.143	32.234	32.340	32.457	32.521	32.524	32.530	32.540	32.541	32.548	32.633	32.730	33.127	33.246	33.634	33.802	33.866	33.957	33.989	34.023	34.065	34.096	34.100	34.107	34.110	34.116	34.118	34.124	34.140	34.157
TEMP	10.917	10.917	10.921	10.943	10.969	10.992	10.945	10.940	10.935	10.900	10.883	10.844	10.793	10.598	9.904	9.721	9.010	8.472	8.146	7.631	7.309	6.942	6.335	5.956	5.899	5.847	5.830	5.776	5.769	5.700	5.558	4
PRESS	-	9	5	16	20	26	31	35	40	45	51	09	20	80	91	100	126	151	175	200	226	250	276	300	325	350	375	401	426	450	475	200




SUN	. 0	_	0.027	and.	0.061	0.076	0.091	0.103	0.119	0.134	0.152	0.179	0.211	0.236	0.264	0.287	0.347	0.404	0.453	0.495	0.536	0.573	0.610	0.641	0.674	0.706	0.737	0.767	0.796	0.825	0.855	0.882
SVA	303.5	303.6	303.8	304.1	304.2	304.4	304.4	304.6	304.6	304.7	304.5	300.7	279.3	263.6	256.4	248.5	232.7	206.7	181.4	169.0	157.4	143.3	136.0	130.2	126.6	124.5	121.9	120.3	117.8	116.9	114.2	111.8
DENSITY	24.9	24.909	24.908	24.906	24.905	24.905	24.905	24.905	24.905	24.906	24.909	24.950	25.178	25.344	25.421	25.506	25.677	25.955	26.225	26.358	26.483	26.633	26.711	26.774	26.814	26.839	26.869	26.888	26.916	6.9	10	26.986
SAL	32.607	32.607	32.607	32.607	32.607	32.608	32.607	32.606	32.607	32.607	32.608	32.640	32.850	32.983	33.061	33.134	33.286	33.539	33.779	33.859	33.943	33.998	34.038	34.059	34.075	34.087	34.103	34.118	34.133		34.161	34.177
TEMP	1.02	11.025	11.031	11.041	11.043	11.043	11.043	11.043	11.044	11.042	11.026	10.934	10.568	10.201	10.102	9.934	9.618	9.124	8.600	8.133	7.733	6.977	6.628	6.276	6.059	5.939	5.799	5.742	5.607	5.535		5.315
PRESS	-	10	0	16	21	26	3	35	40	45	21	9	71	80	91	100	125	151	176	200	225	250	276	300	325	351	376	401	425	450	476	200




NUX N	0.000	0.012	0.031	0.043	0.058	0.076	0.092	0.107	0.119	0.137	0.151	0.179	0.205	0.227	0.253	0.273	0.328	0.374	0.414	0.456	0.493	0.530	0.568	0.602	0.637	0.671	.70	7:	.76	1.	0.826	80
SVA	305.4	305.5	305.6	305.8	305.8	306.0	306.1	305.8	303.6	291.1	279.7	269.4	252.4	244.2	226.7	220.8	197.0	172.3	165.1	156.4	150.8	146.0	144.6	142.8	137.6	132.4	126.8	123.0	121.0	119.0	117.1	115.2
DENSITY	ന	24.889	24.889	24.887	24.888	24.888	24.888	24.892	24.916	25.049	25.169	25.279	25.460	25.548	25.734	25.798	26.052	26.316	26.395	26.490	26.551	26.605	26.623	26.645	26.703	26.759	26.820	26.861	26.885	6.90		6.95
SAL	32.658	32.658	32.658	32.656	32.657	32.657	32.658	32.661	32.679	32.776	32.869	32.950	33.104	33.188	33.347	33.404	33.624	33.840	33.902	33.942	33.974	33.997	34.005	34.011	34.039	34.062	0.0	34.116		34.134	34.147	34.158
TEMP	11.358	11.358	11.359	11.357	11.356	11.358	11.362	11.352	11.298	10.976	10.705	10.431	10.074	9.940	9.564	9.446	8.930	8.316	8.114	7.681	7.427	7.175	7.085	6.960	6.698	6.413	6.143	5.946	5.791	5.685	58	5.473
PRESS		ın	=	15	20	26	31	36	9	46	51	61	71	80	91	100	126	151	175	201	225	250	276	300	325	350	376	401	426	450	476	200




SUN	0.000	0.015	0.031	0.046	0.058	0.073	0.089	0.107	0.123	0.138	0.153	0.181	0.214	0.240	0.269	0.291	0.347	0.399	0.443	0.485	0.527	0.565	0.601	0.634	0.668	0.701	.73		.79	00	0.854	00
SVA	305.7	306.0	306.1	306.2	306.3	306.4	306.6	306.7	306.8	306.7	307.1	306.2	302.8	277.8	244.1	235.5	211.3	190.9	174.9	165.9	154.6	147.9	140.3	137.0	133.0	129.0	125.5	122.4	O	7	115.3	6
DENSITY	80	24.883	24.884	24.883	24.883	24.884	24.883	24.883	24.883	24.885	24.881	24.893	24.931	25.195	25.551	25.643	25.901	26.120	26.291	26.391	26.513	26.586	26.666	26.703	26.747	26.790	26.829	26.865	26.900	26.918	26.945	26.975
SAL	32.677	32.676	32.677	32.677	32.677	32.677	32.676	32.677	32.677	32.680	32.675	32.691	32.733	32.941	33.170	33.200	33.390	33.627	33.748	33.898	33.968	33.998	33.976	34.000	34.006	34.021	34.039	34.064	34.083	60	34.112	34.129
TEMP		11.467	11.469	11.470	11.470	11.469	11.470	11.471	11.473	11.475	11.472	11.475	11.446	10.873	9.836	9.418	8.724	8.506	7.999	8.120	7.664	7.312	6.601	6.463	6.158	5.911	5.711	5.584	5.418	5.319	5.230	.08
PRESS	-	ဖ	11	16	20	25	30	36	41	46	51	9	71	80	91	100	125	151	175	200	226	251	276	300	325	350	375	401	425	450		200




SUN	0.000	0.015	0.031	0.046	0.061	0.077	0.092	0.104	0.120	0.135	0.153	0.181	0.215	0.245	0.272	0.295	0.350	0.397	0.441	0.479	0.518	0.555	0.593	0.628	0.661	969.0	0.728	0.762	0.792	7	0.854	0.883
SVA	306.1	306.4	306.6	306.7	306.9	307.0	307.2	307.1	307.2	307.1	307.1	307.2	305.6	288.9	262.4	246.4	197.8	175.7	162.9	155.7	151.2	146.7	143.6						9	123.1	თ	117.5
DENSITY	24.88	24.879	24.878	24.878	24.878	24.878	24.876	24.878	24.879	24.880	24.882	24.882	24.902	25.080	25.359	25.527	26.043	26.279	2617	26.496	26.547	26.597	26.632	26.675	26.715	26.745	26.776	26.795	26.833	26.862	80	26.924
SAL	32.699	32.697	32.697	32.698	32.697	32.697	32,696	32.699	32.701	32.704	32.707	32.707	32.725	32.867	32.944	33.050	33.522	33.740	33.862	33.916	33.941	33.960	33.965	33.972	33.989	33.996	33.984	34.006	34.021	4.04	34.073	4.07
TEMP	11.578	11.580	11.585	11.587	11.586	11.586	11.592	11.593	11.598	11.603	11.607	11.603	11.574	11.201	9.932	9.405	8.474	8.039	7.750	7.494	7.276	7.022	6.789	6.510	6.302	6.118	5.794	5.774	56	5.499	5.365	
PRESS	-	Q	Ξ	16	21	26	31	33	9	45	51	9	7	00 —	91	100	125	150	176	200	225	250	276	301	325	351	375	401	425	450	475	200




SUM	0.00.0	0.015	0.028	0.046	0.062	0.077	0.093	0.109	0.124	0.136	0.155	0.185	0.211	0.238	0.266	0.289	0.342	0.393	0.438	0.478	0.520	0.558	0.597	0.633	999.0	0.701	0.734	0.766	0.797	0.826	0.855	0.885
SVA	309.5	309.7	309.8	310.0	310.2	310.2	310.4	310.4	310.5	310.1	305.4	292.6	286.0	260.6	240.1	230.0	207.4	185.5	173.2	166.7	156.8	152.0	147.8	142.7	137.4	132.1	128.0	125.1	122.5	120.5		115.6
DENSITY	24.845	24.844	24.845	24.844	24.843	24.844	24.842	24.844	24.844	24.849	24.900	25.037	25.108	25.376	25.594	25.701	25.944	26.176	26.310	26.381	26.488	26.543	26.589	26.645	26.702	26.758	26.803	26.835	26.864	26.889	26.923	26.943
SAL	32.669	32.667	32.667	32.667	32.666	32.667	32.668	32.670	32.674	32.686	32.763	32.910	32.972	33.129	33.312	33.372	33.581	33.665	33.787	33.829	33.911	33.941	33.961	33.960	33.978	33.988	4.00	4	4.03	9	4.08	4.0
TEMP	11.644	11.643	11.640	11.645	11.646	11.644	11.657	11.658	11.673	11.698	11.743	11.620	11.493	10.678	10.242	9.879	9.399	8.333	8.079		7.521	7.304	7.083	999.9	6.340	5.960	5.729	5.529	5.388	5.375	5.250	5.140
PRESS		9	01	16	21	26	31	36	41	45	51	61	20	80	91	101	125	151	176	200	226	250	276	301	325	351	376	401	426	450	475	200




NO.	0.000	0.015	0.031	0.043	0.059	0.077	0.090	0.109	0.121	0.136	0.152	0.186	0.214	0.248	0.279	0.305	0.370	0.420	0.464	0.505	0.543	0.582	0.619	0.653	0.688	0.721	0.755	0.785	80	0.846		0.905
SVA	309.6	309.9	309.9	310.0	310.1	310.2	310.4	310.5	310.6	310.8	310.9	311.2	311.3	311.1	300.9	279.6	220.1	180.7	169.8	159.7	153.8	148.5	145.1	141.1	135.2	131.3	127.8	125.0	121.5	g	117.3	114.4
DENSITY	60	24.843	24.843	24.844	24.843	24.843	24.842	24.842	24.843	24.842	24.842	24.842	24.842	24.846	24.955	25.180	25.808	26.228	26.346	26.457	26.521	26.580	26.617	26.661	26.725	26.766	26.805	26.836	26.876	26.900		26.954
SAL	32.694	32.693	32.694	32.694	32.694	32.694	32.693	32.693	32.693	32.693	32.693	32.693	32.693	32.692	32.682	32.811	33.292	33.755	33.865	33.963	33.979	33.975	33.967	33.974	33.992	33.994	34.007	34.018	34.049	34.061	4.06	34.080
TEMP	11.757	11.760	11.761	11.759	11.761	11.761	11.762	11.762	11.761	11.763	11.763	11.767	11.766	11.737	11.091	10.379	8.826	8.458	8.246	8.020	7.664	7.231	6.913	6.624	6.247	5.932	5.700	-	5.393	5.267	:	4.933
PRESS	-	ဖ	=	15	20	26	30	36	40	45	20	61	70	80	91	100	126	151	176	201	225	251	276	300	325	350	376	400	426	450	475	200




NUX N	0.000	0.012	0.028	0.043	0.059	0.074	0.093	0.105	0.124	0.139	0.155	0.183	0.217	0.244	0.275	0.306	0.370	0.420	0.465	0.504	0.541	0.579	0.614	0.649	0.683	0.716	0.749	0.781	0.811	0.841	0.871	0.900
SVA	308.6	308.8	308.9	309.1	309.1	309.3	309.4	309.5	309.6	309.8	309.8	309.7	309.6	309.2	308.5	300.2	215.0	181.9	163.6	154.2	149.6	143.0	140.1	136.9	135.2	132.3	129.4	125.2	123.2	121.4	117.9	10
DENSITY	24.8	24.853	24.854	24.853	24.854	24.853	24.853	24.853	24.853	24.852	24.854	24.857	24.860	24.866	24.875	24.965	25.861	26.213	26.410	26.513	26.564	26.635	26.667	26.703	26.724	28.757	26.790	26.835	26.858	26.879	26.917	94
SAL	32.681	32.680	32.680	32.679	32.680	32.680	32.679	32.680	32.680	32.679	32.682	32.685	32.685	32.680	32.672	32.685	33,358	33.666	33.854	33.970	33.978	33,986	33.972	33.986	33.993	34.001	34.013	34.029	4.03	4.04	34.074	34.092
TEMP	6	11.647	9	က	54	11.647	ro.	Ψ.	7	11.648	11.653	11.650	11.631	11.578	11.493	11.050	8.818	8.090	7.756	7.675	7.361	6.891	6.568	6.376	6.257	6.051	5.865	5.601	5.431	5.345	5.209	5.090
PRESS	•	S	0	15	20	25	31	35	4	46	51	9	71	80	06	100	125	150	176	201	225	251	276	301	326	351	376	401	425	450	475	0




NO NO	: o	0.012	0.028	0.043	0.059	0.074	060.0	0.105	0.121	0.136	0.152	0.186	0.217	0.248	0.279	0.304	0.362	0.411	0.453	0.493	0.531	0.567	0.604	0.639	0.671	0.704	0.736	0.769	0.799	0.828	0.858	0.885
SVA	308.7	308.8	308.9	309.0	309.1	309.2	309.3	309.4	309.5	309.6	309.7	310.0	310.2	310.1	308.3	260.8	2007	179.7	165.6	154.8	148.1	144.0	141.2	137.2	133.4	129.6	126.7	123.3	119.3	117.0	Ŋ.	
DENSITY	24.854	24.854	24.854	24.854	24.854	24.854	24.854	24.854	24.854	24.854	24.854	24.854	24.854	24.856	24.877	25.377	26.012	26.237	26.389	26.505	26.579	26.624	26.656	26.701	26.742	26.784	26.815	26.853	26.898	26.923	26.945	26.971
SAL	32.600	32.600	32.600	32.600	32.600	32.600	32.600	32.600	32.600	32.600	32.600	32.600	32.600	32.602	32.618	33.012	33.524	33.699	33.829	33.917	33.954	33.959	33.958	33.969	33.979	33.996	33.999	34.019	34.063	4.08		60
TEMP	11.301	11.301	11.301	11.301	11.301	÷:	11.301		11.301	11.301	11.301	11.303	11.302	11.297	11.250	10.136	8.686	8.104	7.767	7.434	7.116	6.814	6.568	6.294	6.034	m	.56	5.386	30	19	03	4.911
PRESS	-	S.	9	15	20	25	30	35	0	45	20	61	71	∞	9	100	125	151	175	200	225	250	276	301	325	350	375	401	426	450	476	200




SUM	0.000	0.012	0.031	0.046	0.059	0.077	0.093	0.105	0.124	0.139	0.152	0.186	0.214	0.245	0.277	0.304	0.361	0.407	0.446	0.486	0.523	0.558	0.595	0.630	0.662	0.694	0.726	0.759	0.789	0.817	0.846	0.875
SVA	309.8	309.6	309.7	309.8	309.9	310.1	310.0	309.9	310.1	310.2	310.2	310.4	310.5	310.4	274.6	257.9	196.3	171.6	157.2	151.6	147.1	142.7	140.2	136.1	132.4	128.8	125.5	122.8	119.6	117.3	114.8	113.4
DENSITY	84	84	84	84	84	8	84	24.848	24.848	84	00	84	85	24.853	25.231	25.408	26.058	26.322	26.476	26.539	26.589	26.638	26.666	26.711	26.752	O	26.828	26.859	26.895	26.921	26.948	6.96
SAL	32.618	32.620	2.6	32.621	32.621	32.620	32.620	32.620	32,619	32.619	32.619	32.619	32.620	32.622	32.918	33.049	33.527	33.774	33.900	33.936	33.949	33.957	33.960	33.970	33.981	33.997	34.019	34.042	34.065	34.078		4.0
TEMP	11.443	11.438	43		11.436	11.436	4	11.419	4	11.416	4	11.410	11.411	11.401	10.563	10.127	8.398	7.930	7.544	7.304	7.016	6.702	6.503	6.220	5.963	5.749	5.592	5.486	5.339	5.205	5.048	4.953
PRESS	-	ιΩ	Ξ	16	20	26	31	35	41	46	20	61	70	80	91	101	126	151	17.5	201	226	250	276	301	325	350	375	401	426	450	475	200




SC	0.000	0.015	0.031	0.043	0.059	0.077	0.093	0.105	0.120	0.139	0.151	0.182	0.216	0.247	0.274	0.295	0.350	0.396	0.438	0.475	0.513	0.551	0.586	0.619	0.653	0.686	0.717	0.749	0.779	0.808	0.836	0.865
SVA	308.8	308.6	308.8	308.6	308.8	308.8	308.9	308.9	308.7	308.7	308.8	309.0	308.9	304.3	243.6	227.8	191.4	176.6	158.5	155.5	147.6	143.3	139.1	134.8	131.4	127.6	125.0	121.6	119.6	117.2	114.7	111.9
DENSITY	4.8	24.856	24.855	24.859	24.857	24.858	24.858	24.860	24.862	24.863	24.863	24.634	24.867	24.918	25.555	25.723	26.110	26.270	26.462	26.498	26.584	26.631	26.678	26.724	26.763	26.804	26.833	26.871	26.893	~	6.94	26.980
SAL	32.630	32.631	\sim	32.632	32.630	32.631	32.631	32.631	32.632	32.633	32.633	32.634	32.638	32.696	33.129	33.264	33.599	33.738	33.884	33.908	33.942	33.944	33.964	33.978	33.990	34.003	34.013	34.034	34.048	34.064	4	34.110
TEMP	4.3	4	11.420	11.414	11.415	11.411	11.410	11.403	11.392	11.392	11.392	11.393	11.393	11.360	9.615	9.227	8.428	8.090	7.554	7.437	7.014	6.675	6.440	6.164	5.936	5.685	5.510	5.334	5.235	5.112	4.982	90
PRESS	-	9	=	15	20	26	3.	35	04	46	20	90	71	00) —	91	100	126	151	176	200	225	251	276	300	325	351	375	401	426	451	475	200




N N N	_	0.015	0.028	0.046	0.058	0.077	0.089	0.104	0.120	0.138	0.154	0.181	0.212	0.243	0.275	0.298	0.354	0.401	0.442	0.481	0.518	0.555	0.590	0.623	0.656	0.688	0.721	0.752	00		0.840	80
SVA	307.0	307.3	307.3	307.2	307.3	307.4	307.4	307.2	307.2	307.2	307.2	307.3	307.4	306.5	278.9	245.1	199.7	172.9	160.6	149.7	144.5	141.1	138.6	134.5	131.0	127.5	124.6	121.7	118.1		113.0	110.5
DENSITY	24.871	24.870	24.871	-	-	24.874	~	24.877	24.878	24.880	24.881	24.882	24.882	24.895	25.186	25.542	26.023	26.308	26.440	26.558	26.615	26.654	26.682	26.727	26.766	26.805	26.837	26.869	26.909	26.937	26.966	26.994
SAL	32.679	32.678	32.678	32.678	32.677	32.678	32.678	32.677	32.678	32.677	32.677	32.678	32.678	32.686	32.868	33.073	33.528	33.775	33.878	33.938	33.949	33.950	33.947	33.959	33.982	34.004	34.023	34.034	34.060	34.078	34.098	34.117
TEMP	11.545	11.547	11.544	11.531	11.528	11.528	11.528	11.505	11.503	11.490	11.485	11.482	11.480	11.446	10.600	9.429	8.634	8.030	7.674	7.178	6.825	6.538	6.301	6.024	5.860	5.687	5.542	5.348	5.185	5.061	4.948	83
PRESS	-	ဖ	0	16	20	26	30	35	40	46	51	9	70	80	60	100	125	150	175	200	225	251	276	300	325	350	376	401	426	451	476	200




SCW	0.000	0.012	0.031	0.047	0.059	0.078	0.093	0.106	0.124	0.140	0.152	0.183	0.214	0.248	0.277	0.304	0.361	0.407	0.451	0.489	0.528	0.563	0.600	0.634	0.666	0.698	0.731	0.762	5	80	0.851	60
SVA	310.6	312.0	310.8	311.0	310.7	311.0	310.3	310.0	309.7	309.7	309.5	309.5	308.9	301.6	281.2	255.3	206.3	177.1	160.9	153.6	148.3	143.7	139.2	134.5	131.0	128.0	+	123.0	120.1	118.1	4	112.0
DENSITY	600	24.820	24.834	24.834	24.837	24.836	24.844	24.848	24.852	24.854	24.856	24.859	24.868	24.946	25.161	25.434	25.933	26.263	26.438	26.518	26.576	26.628	26.677	26.728	26.766	26.800	00	26.857	26.890	.91	26.948	6.97
SAL	32.658	32.640	32.658	32.658	32.657	32.658	32.659	32.660	32.660	32.660	32.660	32.660	32.662	32.699	32.818	33.004	33.418	33.713	33.873	33.927	33.952	33.959	33.974	33.982	33.998	34.003	34.034	34.042	34.062	34.066	34.085	34.095
TEMP	90	11.660	20			0																				5.721	c c	7	_	ın		m
PRESS	-	вŋ	=	16	20	26	31	35	4	46	20	9	20	8	91	101	126	150	176	200	226	250	276	301	325	350	376	401	426	451	476	200




NUS NA NA NA NA NA NA NA NA NA NA NA NA NA	0.000	0.015	0.028	0.046	0.058	0.076	0.092	0.104	0.122	0.138	0.150	0.184	0.214	0.242	0.273	0.296	0.354	0.407	0.451	0.493	0.534	0.571	0.607	0.642	0.675	0.708	0.739	0.771	0.802	0.830	0.859	0.887
SVA	305.5	305.6	305.8	306.0	306.1	306.3	306.4	306.5	306.6	306.7	306.4	306.0	305.4	302.8	264.2	251.9	215.1	191.2	176.8	159.7	151.8	145.2	141.1	136.4	133.1	129.8	125.9	123.4	119.2	117.3	114.6	112.1
DENSITY	60	24.888	24.886	24.886	24.536	24.885	24.885	24.884	24.885	24.885	24.889	24.895	24.904	24.934	25.340	25.471	25.860	26.116	26.272	26.455	26.540	26.612	26.657	26.708	26.745	26.782	26.825	26.852	26.899	26.921	26.950	26.978
SAL	32.706	32.705	32.705	32.705	32.705	32.705	32.705	32.704	32.704	32.705	32.704	32.706	32.713	32.737	32.973	33.041	33.325	33.590	33.733	33.880	33.923	33.941	33.954	33.968	33.986	34.004	34.016	34.026	34.064	34.082	34.084	34.112
TEMP	11.570	11.566	11.574	11.576	11.577	11.581	11.579	11.580	11.579	11.578	11.557	11.529	11.512	11.450	10.179	9.712	8.659	8.344	8.051	7.587	7.218	6.803	6.539	6.230	6.049	5.867	5.601	5.438	5.297	5.229	o	4.940
PRESS	-	ø	0	16	20	26	31	35	41	46	20	6	71	80	91	100	125	151	175	200	226	251	276	301	326	351	375	401	426	450	475	200




NO NO NO	0.000	0.012	0.028	0.043	0.058	0.077	0.092	0.108	0.123	0.135	0.151	0.181	0.215	0.242	0.273	0.298	0.356	0.408	0.453	0.492	0.532	0.568	0.605	0.640	0.673	902.0	0.738	0.771	00	0.831	0.861	0.890
SVA	307.2	307.2	307.3	307.4	307.5	307.6	307.7	307.9	307.9	307.4	307.5	307.4	305.3	293.5	276.9	259.9	210.0	188.1	170.6	157.0	151.0	145.2	141.5	137.8	135.0	131.1	127.8	125.0	122.9	120.3	116.9	114.7
DENSITY	· 00	24.871	24.870	24.870	24.870	24.870	24.870	24.869	24.871	24.877	24.877	24.880	24.904	25.031	25.207	25.386	25.515	26.149	26.336	26.483	26.548	26.612	26.653	26.695	26.726	26.769	26.804	6.8	26.861	88	6	26.951
SAL	32.532	32.533	32.534	32.534	32.534	32.534	32.534	32.533	32.534	32.537	32.538	32.543	32.579	32.730	32.883	33.017	33.413	33.650	33.777	33.909	33.940	33.952	33.962	33.972	33.985	33.999	33.990	34.021	34.036	34.029	5	34.090
TEMP	10.913	10.912	10.920	10.920	10.921	10.920	10.920	10.920	10.918	10.897	10.900	10.903	10.927	10.876	10.549	10.106	8.752	8.435	7.849	7.547	7.257	6.864	6.614	6.360	6.198	5.944	5.598	3	RO.	5.153	02	.02
PRESS	-	IΩ	0	15	20	26	31	36	14	45	20	9	7	80	91	100	125	151	176	200	226	250	276	301	325	350	373	401	425	50	~	200




SUN	0.00.0	0.012	0.028	0.043	0.058	0.073	0.092	0.104	0.120	0.135	0.153	0.181	0.211	0.239	0.270	0.293	0.352	0.400	0.445	0.485	0.523	0.562	0.598	0.633	0.666	0.701	.73	.76	.79	82	0.855	80
SVA	06.	306.0	06.	06.	306.4	306.6	306.7	306.8	306.9	307.0	306.7	305.0	293.4	282.1	265.1	247.7	209.9	185.1	168.3	157.3	151.8	147.3	142.3	138.5	135.7	131.9	128.2	125.5	121.4	118.5	115.7	N
DENSITY	~~	24.883	24.882	24.882	24.883	24.881	24.881	24.881	24.881	24.881	24.886	24.905	25.030	25.150	25.331	25.515	25.916	26.179	26.360	26.479	26.540	26.390	26.645	26.687	26.719	26.761	26.801	26.831	26.875	26.908	26.940	26.967
SAL	32.573	32.574	32.573	32.573	32.573	32.573	32.573	32.573	32.573	32.571	32.572	32.596	32.749	32.851	32.975	33.111	33.407	33.622	33.797	33.887	33.922	33.939	33.950	33.964	33.977	33.995	34.010	34.017	50	4.06	34.086	34.074
TEMP	11.022	11.026	0	11.023	11.022	11.030	11.029	11.029	11.030	11.020	11.000	10.997	10.964	10.733	10.241	9.776	8.715	8.086	7.792	7.454	7.218	6.948	6.607	6.369	6.199	5.980	5.756	5.551	5.291	5.249	5.097	4.769
PRESS	-	ın	0	13	20	25	31	35	40	45	51	80	70	80	16	100	126	150	176	200	225	251	276	301	325	351	376	400	426	450	476	200




SUN	0.000	0.016	0.028	0.047	0.059	0.078	0.090	0.109	0.124	0.136	0.155	0.182	0.216	0.245	0.272	0.293	0.349	0.401	0.444	0.484	0.521	0.559	0.595	0.630	0.663	969.0	0.729	0.760	0.791	0.820	0.850	80
SVA	310.7	310.9	311.0	311.2	311.3	311.4	311.3	306.5	305.8	305.8	305.7	305.1	303.6	285.9	247.2	236.0	211.4	183.9	165.3	154.4	149.6	144.4	141.3	138.3	134.9	130.9	127.9	124.3	120.0	117.2	113.4	
DENSITY	24.833	24.832	24.832	24.831	24.831	24.831	24.833	24.884	24.893	24.894	24.897	24.905	24.923	25.110	25.518	25.637	25.899	26.192	26.392	26.510	26.563	26.620	26.655	26.689	26.727	26.771	26.805	26.844	26.891	26.922	26.963	26.986
SAL	32.628	32.628	32.627	32.627	32.627	32.628	32.629	32.656	32.646	32.646	32.649	32.659	32.678	32.860	33.077	33.147	33.368	33.650	33.825	33.911	33.934	33.949	33.954	33.966	33.979	33.998	34.012	34.027	34.057	34.087	34.108	34.105
TEMP	11.538	11.541	11.541	11.547	11.547	11.548	11.541	11.375	11.283	11.280	11.275	11.272	11.256	10.998	9.595	9.195	8.622	8.145	7.722	7.369	7.119	6.790	6.551	8.363	6.149	5.920	5.737	5.513	5.319	5.254	5.043	4.818
PRESS		9	10	16	20	26	30	36	4	45	51	80	71	60	10	100	125	151	176	201	225	251	276	301	325	350	376	400	426	450	476	200




NU N	. 0	0.012	0.028	0.046	0.058	0.073	0.092	0.104	0.122	0.138	0.150	0.181	0.215	0.245	0.276	0.301	0.364	0.415	0.461	0.501	0.540	0.576	0.613	0.648	0.682	0.714		0.779	.80	80	0.867	89
SVA	305.5	305.7	305.9	306.1	306.1	306.3	306.4	306.5	306.7	306.7	306.9	307.0	307.2	307.3	300.7	266.4	218.0	192.3	168.6	159.0	151.1	145.6	142.1	138.8	133.6	129.8	126.4	123.4	119.6	117.0	113.3	111.1
DENSITY	4.63	24.887	24.886	24.885	24.885	24.885	24.885	24.885	24.884	24.885	24.884	24.884	24.885	24.886	24.958	25.318	25.831	26.105	26.357	26.462	26.548	26.608	26.647	26.684	26.740	26.782						
SAL	32.689	32.689	32.688	32.687	32.688	32.687	32.688	32.688	32.687	32.688	32.687	32.688	32.689	32.690	32.752	32.963	33.367	33.578	33.805	33.884	33.934	33.954	33.959	33.963	33.976	34.001	34.019	34.032	05	34.063	34.109	34.121
TEMP	11.497	11.503	11.505	11.505	0	11.506	0	0	11.509	11.509	11.510	11.511	11.510	11.509	11.381	10.261	9.055	8,355	7.852	7.560	7.227	6.904	6.642	6.385	6.032	5.850	5,659	5.473	5.286	0.8	5.042	-
PRESS	-	ΙΩ	10	16	20	25	ы 1	3.5	41	46	20	09	71	80	16	100	126	151	176	201	226	250	276	301	326	350	376	401	426	450	1	200




SUN	0.000	0.012	0.027	0.043	0.061	0.076	0.091	0.107	0.119	0.137	0.153	0.180	0.211	0.244	0.273	0.302	0.362	0.417	0.465	0.508	0.549	0.585	0.623	0.656	0.691	0.724	0.756	0.787	0.818	0.847	0.877	0.904
SVA	304.1	304.2	304.7	304.8	305.0	305.1	305.2	305.3	305.3	306.8	305.6	305.7	305.2	301.0	288.8	276.4	225.9	198.5	186.6	166.4	153.0	147.3	142.1	135.9	132.0	130.5	126.3	123.1	121.9	119.4	115.2	112.5
DENSITY	24.90	24.902	24.898	24.898	24.898	24.898	24.897	24.897	24.898	24.884	24.898	24.898	24.536	24.952	25.082	25.214	25.747	26.039	26.168	26.385	26.528	26.591	26.648	26.714	26.757	26.776	26.821	26.856	26.871	89	26.945	o
SAL	32.714	32.714	32.712	32.712	32.712	32.712	32.712	32.713	32.714	32.695	32.714	32.715	32.723	32.781	32.885	32.928	33.232	33.509	33.640	33.825	33.927	33.950	33.962	33.972	33.998	34.010	34.018	34.033	4.0	4.0	4.09	34.115
TEMP	11.527	11.527	11.537	11.539	11.541	11.541	11.543	11.547	11.547	11.546	11.549	11.550	11.544	11.536	11.264	10.708	8.921	8.429	8.255	7.773	7.330	7.008	6.657	6.211	6.033	5.957	5.644	5.451	5.402	5.279	5.091	4.992
PRESS	-	so.	0	15	21	26	31	36	70	46	51	9	70	60	91	101	125	151	176	200	226	250	276	300	326	351	376	401	426	450	476	200




SUM	0.00.0	-	0.027	0.043	0.058	0.076	0.089	0.104	0.119	0.138	0.150	0.183	0.214	0.240	0.271	0.297	0.354	0.404	0.450	0.489	0.529	0.568	0.605	0.640	0.675	0.711	0.743	77.	80	œ	0.869	8	
SVA	304.9	305.0	305.3	305.3	305.5	305.7	305.9	306.0	306.1	306.3	306.3	305.2	299.6	292.8	271.3	251.3	216.0	186.0	167.8	161.8	154.2	149.9	145.5	142.1	139.2	136.0	131.7	128.7	124.3	121.1	116.9	114.1	
DENSITY	4	24.893	24.892	24.892	24.892	24.891	24.890	24.890	24.890	24.889	24.890	24.904	24.965	25.038	25.266	25.478	25.850	26.170	26.365	26.433	26.515	26.564	26.612	26.650	26.634	26.718	26.765	26.799	26.847	26.882	O	26.959	
SAL	32.677	32.677	32.675	32.677	32.676	32.675	32.673	32.674	32.674	32.674	32.675	32.733	32.766	32.813	32.949	33.108	33.328	33.626	33.808	33.884	33.921	33.939	33.951	33.964	33.973	33.974	33.986	34.000	34.031	S	0	0	
TEMP	11.414	11.415	11.413	11.421	11.418	11.420	11.417	11.421	11.420	11.424	11.425	11.593	11.402	11.197	10.504	9.986	8.736	8.169	7.813	7.652	7.386	7.141	6.858	6.649	6.450	6.186	5.894	5.709	5.515	5.366	5.220	2.060	
PRESS	-	ιΩ	0	5	20	26	30	35	40	46	20	61	71	80	91	101	125	150	176	200	225	251	276	300	325	351	375	400	426	450	476	200	




SC	0.000	0.012	0.027	0.043	0.058	0.073	0.092	0.107	0.119	0.137	0.153	0.183	0.214	0.244	0.271	0.298	0.355	0.409	0.453	0.492	0.532	0.571	609.0	0.643	0.678	0.713		r.	0.810	00	80	0.898
SVA	- +	305.1	10	10	305.4	305.5	305.7	305.8	305.9	306.0	306.1	306.4	305.3	287.8	266.6	257.4	224.8	185.2	168.5	161.1	154.2	149.9	146.9	143.1	138.2	134.7	129.9	125.6	122.5	119.6	117.4	115.3
DENSITY		24.893	24.894	24.893	24.893	24.892	24.892	24.893	24.892	24.892	24.892	24.892	24.905	25.091	25.315	25.413	25.759	26.179	26.359	26.440	26.515	26.564	26.599	26.641	26.693	26.733	6.7	26.830	8.	80	26.924	26.946
SAL	32.691	2.6	2.6	2.6	32.686	ri	ri.	7	32.685	ri.	ri.	i.	32.714	32.879	32.947	32.997	33.262	33.636	33.810	33.878	33.925	33.945	33.954	33.974	33.974	33.979	34.009	34.015	4.06	4.07	34.094	4.09
TEMP	11.443	11.455		11.466		11.459	1.46		11.458	11.460	11.462	11.471	11.507	11.189	10.206	9.852	8.992	8.164	7.870	7.680	7.409	7.177	6.973	6.774	6.382	6.107	80	5.548	.55	3	7	Ξ
PRESS	-	10	0	13	20	25	31	36	40	46	51	61	71	60	9	101	125	151	176	200	225	251	276	300	325	330	375	400		450	476	200




N N N N	0.00.0	0.012	0.031	0.046	0.062	0.077	0.090	0.105	0.124	0.136	0.152	0.183	0.213	0.245	0.269	0.294	0.350	0.401	0.446	0.486	0.526	0.565	0.601	0.637	0.672	0.708	0.740	0.773	0.805	0.835	0.866	0.894
SVA	308.6	308.7	309.0	309.1	309.2	309.3	309.4	309.6	309.7	309.9	310.0	309.7	299.5	280.4	253.2	238.5	210.6	184.6	172.8	163.6	157.0	150.2	145.4	141.1	138.0	134.6	131.4	128.3	-	\sim	118.7	115.1
DENSITY	24.8	24.855	24.853	24.853	24.853	24.853	24.853	24.852	24.852	24.851	24.852	24.856	24.966	25.169	25.455	25.611	25.910	26.188	26.315	26.415	26.488	26.562	26.614	26.661	26.696	26.734	26.768	26.803	26.841	5.8	3.	26.949
SAL	32.691	32.691	32.689	32.689	32.689	32.689	32.689	32.690	32.690	32.687	32.688	32.698	32.837	32.988	33.162	33.265	33.498	33.842	33.844	33.904	33.945	33.975	33.961	33.963	33.981	33.993	'n	34.011	4.0	34.040	4.05	34.109
TEMP	11.684	68		11.686	11.687	11.689	11.688	11.697	11.696	11.690	11.690	11.708	11.696	11.227	10.366	9.919	9.207	9.150	8.345	7.992	7.712	7.356	6.903	6.565	6.406	6.183	80	4	5	5.411	5.152	5.171
PRESS	-	3		16	21	26	30	35	4	45	20	09	70	ω ∓	06	100	125	151	176	200	225	250	275	300	325	351	375	401	426	450	476	200




NUX NV	0.000	0.012	0.028	0.043	0.059	0.077	0.092	0.105	0.123	0.139	0.151	0.185	0.213	0.243	0.274	0.297	0.356	0.404	0.447	0.488	0.527	0.563	0.800	0.636	0.870	0.704	0.737	0.769	0.801	0.831	0.861	0.890
SVA	307.8	308.0	308.1	308.2	308.3	308.4	308.6	308.8	308.9	309.1	308.8	308.8	304.8	295.1	270.3	248.2	203.7	178.6	166.7	158.7	154.2	149.3	145.2	140.4	137.0	133.2	131.1	127.0	123.6	120.1	117.8	115.2
DENSITY	80	24.862	24.862	24.862	24.862	24.862	24.862	24.861	24.861	24.860	24.864	24.867	24.911	25.015	25.277	25.511	25.951	26.250	26.379	26.466	26.517	26.571	26.617	26.668	26.707	26.748	26.773	26.816	26.853	26.892	26.917	တ
SAL	32.705	32.705	32.705	32.705	32.705	32.705	32.705	32.705	32.705	32.704	32.711	32.720	32.788	32.894	33.066	33.239	33.574	33.817	33.916	33.950	33.968	33.975	33.986	33.979	33.996	34.009	34.023	34.007	34.036	34.057	34.065	34.089
TEMP	11.699	11.704	11.705	11.704	11.704	11.705	11.709	11.714	11.710	11.714	11.723	11.743	11.791	11.673	10.964	10.394	9.129	8.628	8.290	7.886	7.633	7.292	7.027	6.602	6.413	6.170	6.061	5.612	5.494	5.308	4	5.055
PRESS	-	IO.	0	15	20	26	31	35	14	46	20	61	20	80	91	100	126	151	176	201	226	250	275	300	325	350	375	400	425	LO.	475	200




WN N⊃ N	0	0.012	0.030	0.043	0.058	0.076	0.091	0.107	0.122	0.134	0.153	0.180	0.213	0.242	0.269	0.292	0.352	0.403	0.449	0.489	0.529	0.567	0.605	0.641	0.674	70	74	0.775	80	00	86	00
SVA	304.6	304.7	304.8	305.0	305.1	305.2	305.4	305.5	305.6	305.8	305.8	305.4	296.0	282.2	259.2	249.9	212.3	193.1	172.4	162.9	156.1	150.0	144.5	141.3	137.2	134.7	131.6	126.8	124.2	120.7	118.5	114.9
DENSITY	1.89	24.897								24.894	24.895	24.902	25.003	25.150	25.391	25.490	25.890	26.095	26.717	26.422	26.497	26.564	26.624	26.660	26.705	26.733	26.766	26.817	26.849	26.884	26.912	6.9
SAL	32.729	32.729	32.730	32.728	32.728	32.728	32.728	32.728	32.728	32.729	32.730	32.743	32.803	32.849	32.863	33.029	33.390	33.562	33.766	33.885	33.934	33.976	33.981	34.011	0	34.015	~	33.994	u,	100		4.07
TEMP	11.617	11.617	11.623	11.619	11.618	11.619	11.620	11.621	11.621	11.631	11.630	11.649	11.349	10.725	9.346	9.533	8.795	8.332	7.916	7.842	7.590	7.348	6.944	6.850	6.464	6.322	5,799	5.518	9	7	5.243	ຫຼ
PRESS	-	ıO	Ξ	131	20	26	31	36	41	45	5	09	71	8 1	16	100	126	151	176	200	225	250	276	301	325	350	375	401	426	450	475	200






TEMP	5.775		5.130	-	4.935	· -	4.610																						
PRESS	525	575	626	650	676	726	750																						
TEMP	2.45	12.405	2.41	4.3	12.495	12.530	12.505	12.480	11.950	10.905	10.740	10.285	0.20	9.315	8.950	8.720	8.450	7.970	7.675	7.370	7.160	7.160	6.940	6.575	6.450	6.205	98	=	5.860
PRESS		0 5	20	26	30	4 0	46	20	9	70	60	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501




STATION: 31 LAT: 37 38.3 N LON: 123 53.2 W DATE: 3/20/87 TIME: 0030Z

TEMP	5.850	5.555	5.415	5.270	5.145	0	4.890	4.920	m																						
PRESS	525	575	601	826	850	929	701	726	750																						
TEMP	12.435	2.41	6	М	36	.38	12.360	.31	12.015	11.885	11.690	11.405	10.910	10.690	10.560	10.110	9.820	9.610	09	8.920	70	m	8.150	7.880	7.400	6.905	6.710	6.555	38	S	5.995
PRESS	- 4	5	16	20	26	30	36	40	46	20	80	70	82	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501




STATION: 101 LAT: 37 42.1 N LON: 123 43.5 W DATE: 3/20/87 TIME: 0300Z

TEMP	ni isi	М																													
PRESS	525	574																													
TEMP	12.515	12.460	12.430	12.420	12.420	12.410	12.405	12.410	12.420	12.415	12.410	12.395	11.845	10.915	10.600	10.510	8.680	8.500	8.255	8.120	7.870	7.645	7.410	7.270	7.090	6.790	61	6.375	N3	.92	5.590
PRESS	~ •	10	16	20	26	30	36	40	46	20	9	20	60	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501



STATION: 102 LAT: 37 50.7 N LON: 123 24.2 W DATE: 3/20/87 TIME: 0611Z

TEMP	5.740	5.620	5.480	5.400	5.215	5.135	5.035	4.935	4.865	4.720																						
PRESS	525	550	575	601	626	650	929	701	726	750																						
TEMP	12.465	12.445	12.445	12.445	12.440	12.440	12.445	12.445	12.440	4	12.445	12.370	12.140	11.540	11.015	10.260	9.855	9.540	8.830	8.385	8.440	7.840	7.195	7.260	6.780	6.250	6.125	6.410	6.290	.21	.13	5.875
PRESS	-	φ	5	9	20	26	30	36	40	46	20	9	70	80	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	201




STATION: 103 LAT: 38 11.0 N LON: 123 34.8 W DATE: 3/20/87 TIME: 13232

TEMP	5.340	5.040	4.915	4.785	4.745	4.675	4.650	4.795	4.650	4.580																						
PRESS	N	550	575	601	626	650	929	701	726	750																						
TEMP	7	12.425	12.420	12.445	12.440	12.445	12.425	12.430	12.440	12.425	12.430	12.430	12.225	11.535	10.765	10.415	9.560	8.970	8.620	8.175	7.830	7.735	7.410	7.240	24	6.850	6.220	5.825	5.740	5.635	4.8	
PRESS	-	9	0	16	20	26	30	36	40	46	20	9	70	8	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	201




STATION: 104 LAT: 38 7.4 N LON: 123 41.8 W DATE: 3/20/87 TIME: 1406Z

TEMP	5.155	5.165	5.080	4.960	4.815	4.805	4.640	ı,	4.480	4.390																						
PRESS	525	550	575	601	626	650	929	701	726	750																						
TEMP	11.870	11.840	11.825	11.810	11.810	11.805	11.810	11.800	11.790	11.805	11.780	11.750	10.895	10.555	10.330	10.055	8.995	8.970	8.710	8.305	8.110	7.890	7.610	7.280	7.040	6.360	6.200	6.000	5.675	33	. 19	5.090
PRESS	-	9	9	16	20	79	30	36	40	97	20	9	70	8	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501




STATION: 105 LAT: 38 11.6 N LON: 123 51.3 W DATE: 3/20/87

TEMP	5.390	5.165	4.740	4.735	4.790	4.680	4.625	2																						
PRESS	5228	575	601	626	650	701	726	750																						
TEMP	11.900	0	11.850	'n	11.840	11.840	11.850	11.855	11.910	12.290	11.200	10.405	10.125	10.080	9.830	8.730	8.740	8.395	8.050	7.790	7.325	6.960	6.520	6.360	6.025	.73	S	5.455	.47	10
PRESS	- 4	. ō	16	20	26	36	40	46	20	9	70	8	16	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501



STATION: 106 LAT: 38 18.3 N LON: 123 55.3 W DATE: 3/20/87 TIME: 1648Z

TEMP	5.080	5.110	4.900	4.800	4.725	4.560	4.530	4.375	4.320	4.315																						
PRESS	525	550	575	601	826	650	929	701	726	750																						
TEMP	12.205	12.145	12.130	12.110	12.100	12.090	12.080	12.080	12.090	12.070	12.060	12.060	11.175	10.615	10.320	10.150	9.285	0	0	00	9	2	00	\sim	6.770	9	6.035	00	KO.	5.560	₹.	5.380
PRESS	-	ø	0	16	20	76	30	36	40	46	20	90	20	183	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501



STATION: 107 LAT: 38 27.6 N LON: 123 51.2 W DATE: 3/20/87 TIME: 1848Z

 PRESS
 TEMP
 PRESS
 TEMP

 1
 12.020
 525
 5.595

 6
 11.955
 55.380
 5.380

 10
 11.925
 55.30
 5.380

 10
 11.920
 601
 5.125

 20
 11.920
 626
 5.005

 30
 11.900
 676
 4.910

 30
 11.900
 676
 4.910

 40
 11.910
 750
 4.440

 50
 11.950
 676
 4.440

 60
 11.530
 701
 4.705

 70
 10.825
 701
 4.740

 81
 10.120
 750
 4.440

 91
 9.965
 701
 4.705

 175
 8.630
 8.850
 7.745


 200
 8.110
 2.25
 7.445

 20
 8.110
 2.25
 7.445

 20
 6.880
 3.50
 6.880


 325
 6.460
 3.70

 400</




STATION: 108 LAT: 38 30.9 N LON: 123 43.4 W DATE: 3/20/87 TIME: 1930Z

TEMP	5.615	5.510	5.390	5.215	5.170	5.080	5.055	4.970	4.850	4.795																						
PRESS	525	10	575	601	626	650	9/9	701	726	750																						
TEMP		.855	_	N	30	00	555	125	.580	50	40	90	95	20	170	20	33	20	30	00	.170	40	10	50	70	20	40	50	290	2		00
핃	11.8	=======================================	=======================================	11.7	11.7.	11.7	11.6	11.625	11.5	==	===	11.2	10.7	10.0	9.670	9.00	9.4	80	8.7	4.8	00	7.940	7.	7.4	7.2	7.0	6.4	6.5	6.2			5. 80
PRESS	-	9	9	16	20	26	30	36	40	46	20	9	70	8	91	100	125	151	175	200	225	250	276	200	325	350	376	007	426	450	475	501




STATION: 109 LAT: 38 50.5 N LON: 123 57.7 W DATE: 3/21/87

TEMP	5.185	4.845	4.985	4.945	4.850	4.700	-																				
PRESS	525	5/5	626	676	0	726)																				
TEMP	12.210	12.170	12.130	12.110	12.115	12.100	11.940	11.370	10.820	10.445	10.155	10.075	9.560	9.150	8.790	8.120	7.840	7.810	0.66.9	6.630	6.500	6.255	6.105	Q.	N	49	5.445
PRESS	- w ç	5 5	20	30	36	46	200	09	70	8	91	100	125	151	175	200	225	250	300	325	350	376	400	426	450	475	501



STATION: 110 LAT: 38 47.7 N LON: 124 6.2 W DATE: 3/21/87 TIME: 0048Z

TEMP	5.015	5.015	4.980	4.865	4.790	4.720	4.565	4.480	4.460	4.390																						
PRESS	525	550	575	601	626	650	929	701	726	750																						
TEMP	12.035	12.000	0			12.000	11.995	11.990	0	11.985	11,995	12.080	11.900	11,345	10.755	9.950	8.990	8.540	8.260	7.900	7.760	7.395	7.080	6.780	6.450	6.140	5.890	5.620	4	00	.29	5.120
PRESS			0	9	20	26	0	9	0		20	9	20	60	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501





STATION: 111 LAT: 38 51.2 N LON: 124 17.5 W DATE: 3/21/87

TEMP		4.855	4.725	4.770	4.670	4.570	4.545	4.515	4.460	4.395																						
PRESS	525	3 50	575	601	626	650	929	701	726	750																						
TEMP	0	2.06	2.02	2.04	12.040	12.015	12.020	12.030	12.030	12.030	12.035	12.030	11.925	11.425	10.595	9.925	9.520	9.230	8.590	8.205	7.740	7.515	7.315	6.730	6.550	6.340	6.300	5.750	5.555	5.440	5.310	5.215
PRESS	-	9	9	16	20	26	30	36	40	46	20	9	70	80	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501




STATION: 112 LAT: 38 57.7 N LON: 124 21.3 W DATE: 3/21/87 TIME: 0323Z







STATION: 113 LAT: 39 8.2 N LON: 124 15.6 W DATE: 3/23/87 TIME: 0241Z

TEMP	5.692		5.295	5.055	4.915	79	4.705	4.650	4.575	4.560																					
PRESS	525	ın	<u></u>	0	2	650	-	0	N	750																					
TEMP	103	12.050	12.025	11.885	11.820	10	11.715	11.675	11.670	11.675	11.515	11.460	10.575	10.050	9.765	9.640	9.220	8.850	8.350	8.025	7.710	7.575	7.115	6.740	6.550	6.185	5.990	5.730	O	0	5.555
PRESS	-	ယ	0	16	20	26	30	36	40	46	20	9	20	8 0	91	100	125	151	17.5	200	225	250	276	325	350	376	400	426	450	475	501




STATION: 114 LAT: 39 11.7 N LON: 124 7.6 W DATE: 3/23/87 TIME: 03302






STATION: 115 LAT: 39 17.6 N LON: 123 52.8 W DATE: 3/23/87 TIME: 0448Z

1 11.360 6 11.335 10 11.340 16 11.335 20 11.150 20 11.150 20 11.150 30 10.950 30 10.950 40 10.400 40 10.400 40 10.400 40 10.400 50 10.030 60 9.580 70 9.580 70 9.250 100 9.250 125 8.800 151 8.580 175 8.350



STATION: 116 LAT: 39 40.1 N LON: 123 57.7 W DATE: 3/23/87

TEMP	5.280	5.115	4.995	4.890	4.885	4.750	4.710	4.710	4.710	4.730																						
PRESS	525	550	575	601	626	650	929	701	726	750																						
TEMP	11.665	11.650	11.640	11.630	11.630	11.610	11.605	11.285	10.990	10.730	10.620	10.300	10.085	9.985	9.875	9.695	9.195	8.990	8.620	8.335	8.050	7.865	7.360	_		5	ĸ	7	0.0	.75		5.425
PRESS	-	9	0	16	20	26	30	36	9	46	20	9	70	8	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501





STATION: 117 LAT: 39 37.9 N LON: 124 2.9 W DATE: 3/23/87 TIME: 0818Z

TEMP	<u></u>	(D)	Ö	N	5.075	m		ത	4.820	77																						
PRESS	525	550	575	601	626	650	929	701	726	750																						
TEMP	1.69	1.67	11.665	11.650	11.650	11.645	11.620	11.610	11.600	11.190	11.070	10.480	10.140	NO.	9.885	CD.	9.225	ю	RO.	N	7.670	7.550	7.360	6.970	6.710	6.480	6.375	6.245	6.100	6.040	5.800	5.690
PRESS	-	ø	0	16	20	26	30	36	40	46	20	09	70	82	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501



STATION: 118 LAT: 39 32.9 N LON: 124 15.2 W DATE: 3/23/87 TIME: 09302





STATION: 119 LAT: 39 27.4 N LON: 124 26.8 W DATE: 3/23/87 TIME: 1048Z

TEMP	5.510	5.305	5.225	5.225	5.120	5.015	4.825	-	-	i.																						
PRESS	525	550	575	109	626	650	929	107	726	750																						
TEMP	11.480	.47	11.475	11.465	11.450	11.445	11.435	11.280	10.910	10.540	10.405	8	4	8.950	0	9.325	8.660	8.160	.27	8.045	8	61	7	25	0	6.360	0	.92	.78	4	.61	5.575
PRESS	-	9	9	16	20	26		36	40	46	20	9	70	8	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	201




STATION: 120 LAT: 39 30.1 N LON: 124 42.1 W DATE: 3/23/87 TIME: 1341Z

TEMP	5.195	5.140	ဖ	4.950	4.940	4.700	4.620	4.605	4.465	4.495																						
PRESS	525	250	575	601	626	650	929	701	726	750																						
TEMP	11.445	11.420	11.420	11.400	11.400	11.400	11.395	11.360	11.300	10.790	10.600	9.760	9.390	9.155	8.965	8.950	8.980	8.610	8.320	7.965	7.620		7.080	6.860	6.660	.52	n	0	99	5.770	49	5.300
PRESS	-	9	0	16	20	26	30	36	40	46	20	9	70	8	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501





STATION: 121 LAT: 39 36.1 N LON: 124 46.2 W DATE: 3/23/87 TIME: 1453Z

TEMP	5.400	5.240	5.125	5.025	4.940	4.850	4.785		4.600	4.540																						
PRESS	525	550	575	601	626	650	929	701	726	750																						
TEMP	11.250	11,195	11.185	11.190	11.190	11.180	11.185	11.265	11.210	11.190	11.195	11.140	10.965	10.635	10.210	10.075	9.490	8.500	8.110	8.065	7.700	7.375	7.105	6.650	6.470	6.320	6.095	6.145	5.995		.68	5.465
PRESS	-	9	0	16	20	26	30	36	40	46	20	9	70	82	16	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	201



STATION: 122 LAT: 39 47.2 N LON: 124 38.6 W DATE: 3/23/87 TIME: 1806Z







STATION: 123 LAT: 39 51.8 N LON: 124 27.5 W DATE: 3/23/87 TIME: 1918Z

TEMP	5.305	5.200	5.130	5,040	4.940	4.875	4.735	.62	4.500																						
PRESS	525	550	575	626	650	929	701	726	750																						
TEMP	-	1.23	11.215		.02	O	10.795	m	10.365	10.210	9.700	9.470	32	9.205	9.055	.65	8.670	8.470	7.995	7.630	7.520	7.305	7.030	6.900	6.560	6.180	91	76		5.680	4
PRESS	-	φ (10	0 0	7 6	30	36	40	46	20	9	20	80	9	100	125	151	175	200	225	250	276	200	325	350	376	400	426	450	475	501




STATION: 124 LAT: 39 56.9 N LON: 124 15.8 W DATE: 3/23/87 TIME: 2030Z






STATION: 125 LAT: 40 0.4 N LON: 124 15.9 W DATE: 3/23/87 TIME: 2153Z

TEMP	5.350	4	5.085	00	4.855	4.810	4.655	4.605	4.530	4.470																						
PRESS	525	550	575	601	626	650	929	701	726	750																						
TEMP	ານໍ	48		11.495	ιú	11.585	0	11.635	11.670	11.705	11.710	11.110	10.520	9.705	9.450	9.405	9.100	8.720	8.420	8.030	7.640	7.105	6.780	6.850	6.680	.39	6.195	9	83	63	56	5.415
PRESS	-	9	0		20				40				70	80	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	~	501



STATION: 126 LAT: 40 0.3 N LON: 124 28.0 W DATE: 3/23/87 TIME: 2300Z

TEMP	5.280	5.190	5.135	5.040	4.990	5.025	4.965	4.830	4.670	4.575																						
PRESS	525	550	575	109	626	650	929	701	726	750																						
TEMP	11.965	4	11.935	11.915	90	1.90	1.87	11.815	11.780	11.710	11.670	11.600	11.170	10.850	10.520	10.275	9.560	8.830	8.240	8.095	7.840	7.515	7.180	7.000	6.710	6.630	6.440	6.175	5.820	69	5.510	5.425
PRESS	-	φ	9	16	20	26	30	36	40	46	20	09	70	83 1	16	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501




STATION: 127 LAT: 40 0.4 N LON: 124 40.1 W DATE: 3/24/87 TIME: 00062

TEMP	5.320	5.240	0	S	ത	3	4.720	4.670	4.570	51																						
PRESS	N	250	~	O	\sim	IO.		\circ	726	10																						
TEMP	11.820	11.810	8	11.795	11.780	1.77	11.750	11.730	11.730	11.740	11.705	11.440	10.975	10.565	10.125	9.895	8.825	8.510	8.400	8.075	7.850	7.430	<u>.</u>	6.610	28		_	.67	00	.36	4	ü
PRESS	-	φ	0	16	20	26	30	36	40	46	20	9	70	60	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	~	201




STATION: 128 LAT: 40 0.3 N LON: 124 52.1 W DATE: 3/24/87 TIME: 0111Z




STATION: 760 LAT: 39 59.9 N LON: 125 5.6 W DATE: 3/24/87 TIME: 0248Z

TEMP	9	97	0	76	∞	10	4.595		S	30																						
PRESS	525	10	N	0	N	10		0	N	10																						
TEMP	83	7.	·:	1.75	11.750	11.760	11.740	11.735	11.740	11.730	11.730	11.680	11.670	11.435	10,105	9.365	8.895	8.260	8.130	7.890	7.530	7.170	6.755	53	2	5.880	63	4	.45	4	22	5.130
PRESS	-	ø	0	16	20	26	30	36	40	46	010	9	70	80 —	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501




STATION: 129 LAT: 40 5.7 N LON: 124 56.0 W DATE: 3/24/87 TIME: 0348Z

TEMP	4.830	4.935	4.855	4.920	4.900	4.830	4.770	9	4.740	4.670																						
PRESS	525	550	575	601	626	650	929	701	726	750																						
TEMP	ທ	N	0	11.670	11.670	11.690	11.680	11.670	11.640	11.640	11.615	11.540	10.995	9.895	9.110	8.830	8.340	7.980	7.820	7.585	7.370	066.9	6.590	6.180	6.000	6.050	5.820	5.840	5.805	(D)	47	5.115
PRESS	-		9				30	36	40	46	20	9	70	80	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	~	501




STATION: 130 LAT: 40 9.8 N LON: 124 49.3 W DATE: 3/24/87 TIME: 04362

TEMP	5.525	5.290	5.185	5.135	4.880	4.595	4.630	0	4.360	4.095																						
PRESS	525	550	575	601	626	650	929	701	726	750																						
TEMP	11.235	11.215	11.210	11.200	11.200	11.215	11.235	11.265	11.240	11.190	11.040	10.300	9.900	9.755	9.350	9.180	8.715	8.670	8.110	7.750	7.490	7.370	.14	7.080	6.630	6.520	6.450	6.345	6.305	6.265	22	
PRESS	-	9	0	16	20	26	30	36	40	46	20	9	70	80	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	201



STATION: 131 LAT: 40 18.3 N LON: 124 38.9 W DATE: 3/24/87 TIME: 0541Z

TEMP	5.740	5.425	5.170	5.115	4.935	4.735	4.615	4.560	4.495	4.470																						
PRESS	525	550	575	601	626	650	929	701	726	750																						
TEMP	10.960	10.955	10.950	1.00	0.97	10.970	0.97	10.975	10.990	10.935	10.640	10.150	9.120	8.940	8.935	8.880	8.575	8.330	8.060	7.000	6.980	6.900	6.885	6.820	6.700	6.730	6.690	6.695	6.400	6.330	6.110	5.800
PRESS	-	ø	5	16	20	26	30	36	40	46	20	09	70	8	91	100	125	151	17.5	200	225	250	276	300	325	350	376	400	426	450	475	501




STATION: 770 LAT: 40 21.8 N LON: 124 34.6 W DATE: 3/24/87 TIME: 0611Z

TEMP	5.290	5.180	5.080	5.000	4.895	4.810	4.680	4.675	4.345	4.180																						
PRESS	525	550	575	601	626	650	929	701	726	750																						
TEMP	12.250	12.205	12.180	12.170	12.160	12.160	12.145	12.150	12.150	12.140	12.130	11.640	11.415	11.080	11.040	10.885	10.130	9.190	8.980	7.830	7.750	7.270	6.905	6.620	6.370	6.290	6.110	5.845	5.715	5.610	5.440	.42
PRESS	-	9		16		26	30		40	46	20	9	70	82	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501




STATION: 950 LAT: 39 59.9.N LON: 125 28.2 W DATE: 3/25/87 TIME: 1748Z

TEMP	5.805	5.430	5.290	5.135	5.030	4.895	4.815		8			,																			
PRESS	522 H	575	601	626	650	929	701	726	750																						
TEMP	11.920	88	11.865	11.860	11.860	11.855	11.870	11.870	11.865	11.820	11.720	11.315	10.615	10.285	10.220	9.520	9.300	9.010	8.760	8.340	0	9	7.340	6.800	6.940	6.815	.67	6.375	0	91	5.900
PRESS	- 4	5	16	20	76	30	36	0	46	20	9	20	00 T	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501




STATION: 949 LAT: 39 53.2 N LON: 125 24.7 W DATE: 3/25/87

TEMP	5.830	5.695	5.585	5.390	5.130	5.185	4.880	4.745	4	4.530																						
PRESS	N	10	~	0	N	650	^	0	N	LO.																						
TEMP	11.940	11.920		0	90	O	11.895	.86	11.890	11.915	11.860	11.810	11.190	10.415	9.830	9.690	9.610	9.300	8.890	8.665	8.400	8.100	7.665	7.540	7.180	006.9	6.480	6.225	6.235	.20	.10	5.980
PRESS	-	Q	0	16	20	26	30	36	40	46	20	9	70	8	91	100	125	151	17.5	200	225	250	276	300	325	350	376	400	426	450	475	501



STATION: 948 LAT: 39 46.3 N LON: 125 19.6 W DATE: 3/25/87 TIME: 1911Z

TEMP	5.530	5.415	5.250	N	5.100	ω	10	82	4.660	6																						
PRESS	N	550	575	601	626	650	929	701	726	750																						
TEMP	12.195	.16	12.165	12.150	12.150	12.135	12.140	12.110	12.110	12,105	12.105	-	12.125	11.580	10.920	10.420	10.050	9.270	8.970	8.725	8.380	8.140	7.795	7.530	7.220	6.960	6.720	6.335	6.240	6.135	5.820	5.655
PRESS	-	9	9	16	20	26	30	36	07	46	20	9	20	80	16	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501




STATION: 947 LAT: 39 39.1 N LON: 125 13.5 W DATE: 3/25/87 TIME: 2000Z

TEMP	5.620	5.540	5.485	5.330	5.305	5.170	5.100	4.955	4.940	4.875																						
PRESS	525	550	575	601	979	650	929	701	726	750																						
TEMP	12.145	O	12.085	12.050	12.030	12.015	12.005	11.980	11.980	11.980	12.040	12.180	12.010	11.760	10.615	10.320	9.745	9.360	9.070	8.410	8.270	7.880	7.555	7.240	000.	0.00.0	4	54	6.150	8.020	82	5.545
PRESS	-	9	0	16	20	26	30		40	46	20	9	70	00 —	91	100	125	151	175	200	225	250	276	200	250	200	376	400	426	450	475	201




STATION: 946 LAT: 39 32.5 N LON: 125 8.6 W DATE: 3/25/87 TIME: 2041Z

TEMP	5.685	S	0	2	~	m	10	4.980	0	.72																						
PRESS	525	Ю	~	0	2	LO.	~	701	2	10																						
TEMP	0	.89	11.890	11.870	9	11.840	11.850	11.820	11.800		11.800	11.780	L)	10.835	9.935	9.645	9.155	8.560	8.480	8.025	7.580	27	7.110	7.300	6.930	6.640	6.435	6.290	6.010	5.780		5.830
PRESS	-	9	9	16	20	26	30	36	40	46	20	9	70	81	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501




STATION: 945 LAT: 39 25.2 N LON: 125 4.5 W DATE: 3/25/87 TIME: 2123Z

TEMP	5.195 5.050 5.025 5.025 4.935 4.845 4.760 4.710			
PRESS	525 550 575 601 626 650 676 701 726			
TEMP		49 29	6.120 5.500	.77
PRESS	100 100 100 100 100 100 100 100 100 100	376	426	501




STATION: 944 LAT: 39 17.3 N LON: 124 58.4 W DATE: 3/25/87

TEMP	5.430	5.175	5.130	4. œ.	4.770	4.630	4.565	4.480	4.485																							
PRESS	525	550	575		626	676	701	726	750																							
TEMP	11.885	85	, ,	. a	11.780	11.765	11.750	11.720	11.680	11.540	10.265	9.815	9.560	9.260	9.020	8.530	8.320	8.390	7.910	7.685	7.385	7.180	6.460	6.170	5.810	5.980	5.960	õ	57	5.520	ŧ	1
PRESS		ω į	0 4	0 0	70 70 70	30	36	40	46	000	70	60	16	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501		




STATION: 943 LAT: 39 11.2 N LON: 124 53.8 W DATE: 3/25/87 TIME: 2253Z

TEMP	0	92		39	32	4.670	4.745	4.530		4.490																						
PRESS	525	10	~	109	626	650	929	701	726	750																						
TEMP	0	9	10	11.830	11.830	11.815	11.800	11.795	11.770	11.760	11.720	11.620	11.160	10.070	9.995	9.850	9.115	8.710	8.320	8.135	7.740	7.220	6.995	6.740	6.640	6.440	6.030	5.830	5.675	5.465	30	5.110
PRESS	-	9	10	16	20	26	30	36	40	46	20	09	20	8	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	201



STATION: 942 LAT: 39 3.2 N LON: 124 47.9 W DATE: 3/25/87 TIME: 2341Z

TEMP	5.260	5.165	5.095	94	4.845	4.815	4.735	4.695																								
PRESS	525	550	575	109	626	650	929	0	726	750																						
TEMP	12.360	5	12.325	5	2.30	12.290	12.250	12.240	12.250	12.260	12.245	-	12.015	10.855	10.140	9.545	9.035	8.910	8.670	8.275	8.030	7.595	.27	4		6.550	31	Τ.	6.010	00	56	5.535
PRESS	-	ဖ	5	16	20	26	30	36	40	46	20	80	20	81	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	~	501





STATION: 941 LAT: 38 57.1 N LON: 124 44.8 W DATE: 3/26/87 TIME: 0023Z

TEMP	5.470	5.165	5.020	4.830	4.740	4.600	m	4.630																						
PRESS	525	575	601	650	929	701	726	750																						
TEMP	12.370	-	12.310	12.295	12.300	12.260	12.280	12.290	12.270	12.220	12.130	10.775	10.500	10.165	9.613	8.860	8.550	8.370	8.140	7.765	7.465	2	_	6.770	ന	6.430		0.	4	5.695
PRESS	- 9	0 :	16	26	30	36	40	46	20	09	70	8	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	201




STATION: 911 LAT: 38 49.8 N LON: 124 40.3 W DATE: 3/26/87 TIME: 0106Z






STATION: 910 LAT: 38 43.1 N LON: 124 35.1 W DATE: 3/26/87 TIME: 01532

TEMP	9	5.135	.12	96	4.785	79	75	70	ō	4.325																						
PRESS	N	550	~	601	626	10	~	0	726	10																						
TEMP	12.065	12.055	12.040	12.040	12.040	12.045	12.055	12.045	12.050	12.060	12.065	12.240	12.160	11.425	10.760	10.475	9.510	9.070	8.800	4	0	7.620	4	00	7.	30	5.900	.70	86	5.645	45	
PRESS	-	9	0	16	20	26	30	36	40	46	20	9	70	8	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	501



STATION: 909 LAT: 38 35.9 N LON: 124 30.2 W DATE: 3/26/87 TIME: 0236Z

TEMP	5.260 5.413 5.413 4.430 4.530 4.530 4.530 4.530 4.530 4.550	
PRESS	525 530 601 626 630 726 726	
TEMP	12.240 12.240 12.105 12.195 12.196 12.186 12.180 12.180 12.180 12.180 12.180 12.180 12.180 12.180 12.180 12.180 12.180 12.180 12.180 12.190 12.455 11.335 10.915 10.915 10.915 17.20 8.540 8.540 8.540 6.680 6.680 6.535 6.585	0 7 0
PRESS	100 100 100 100 100 100 100 100 100 100	475




STATION: 908 LAT: 38 28.2 N LON: 124 25.7 W DATE: 3/26/87 TIME: 0330Z

TEMP	0.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5	
PRESS	525 550 575 601 626 650 701 726 750	
TEMP	12.395 12.390 12.350 12.350 12.350 12.350 12.330 12.310 12.310 12.330 12.310 12.310 12.310 12.300 11.070 10.090 9.080 9.080 8.710 8.710 8.710 7.765 7.765 7.370 7.140 6.875	6.120 6.000 5.765
PRESS	100 100 100 100 100 100 100 100 100 100	450 475 501




STATION: 907 LAT: 38 21.6 N LON: 124 20.8 W DATE: 3/26/87 TIME: 0411Z

TEMP	5.665	Ø		5,165	M	4.790	9	4.545	50																						
PRESS	525	575	601	626	650	929	701	726	750																						
TEMP	12.280	25	12.240	12.250	2.2	2.23	12.235	12.240	12.235	12.235	11.840	11.265	11.060	10.880	10.740	10.330	9.980	9.670	9.105	8.750	36	00	7.590	7.340	6.880	6.405	6.320	i	0	.87	5.830
PRESS	- 9	0	16	20	26	30	36	40	46	50	9	70	18	16	100	125	151	175	200	225	250	276	300	325	350	376	400	426	5	475	201




STATION: 906 LAT: 38 14.5 N LON: 124 15.6 W DATE: 3/26/87 TIME: 0453Z

TEMP	5.720	5.595	5.385	5.220	5.110	4.940	4.710	4.625	000	4.455																						
PRESS	525	10	_	0	2	650	929	0	726	750																						
TEMP	30	2.28	_	12.260	12.250	12.245	12.260	12.245	12.240	12.230	12.160	11.490	11.170	11.020	10.900	10.720	10.410	10.010	9.620	9.270	8.690	8.290	7.985	7.680	7.200		.64	.52	6.385	3.17	6.040	83
PRESS	-	ø	0	16	20	26	30	36	40	46	20	9	70	80	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	201




STATION: 905 LAT: 38 6.6 N LON: 124 10.8 W DATE: 3/26/87 TIME: 0541Z

TEMP	5.550	5.310	4.950	4.900	4.765	4.535	4.470	4.445	4.425	4.400																						
PRESS	525	550	575	601	626	650	929	701	726	750																						
TEMP	2.14	2.12	N	12.100	12.110	12.095	12.095	12.105	12.100	12.100	12.120	11.490	11.300	11.105	10.920	10.760	10.275	9.890	9.390	8.970	8.480	8.175	7.875	7.710	7.480	6.970	6.735	6.465	6.290	6.105	00	5.570
PRESS	-	ဖ	9	16	20	26	30	36	40	46	20	9	70	81	91	100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	201




STATION: 904 LAT: 38 0.0 N LON: 124 7.0 W DATE: 3/26/87 TIME: 0623Z

TEMP	5.120	5.030	10	N	4.520	10	ma.		.33																							
PRESS		550	~	0	626	IO	/	0	726	KO.																						
TEMP	12.360	12.355	12.335	12.340	12.330	12.320	12.310	12.315	12.320	12.305	12.300	12.110	11.510	11.045	10.855	10.725	10.115	9.590	9.130	8.900	8.480	8.095	7.795	7.540	7.290	6.940	6.630	.5	4	03	_	5.425
PRESS	-		0	9	0	9	0	Q	40	Q	0	0	0	80		100	125	151	175	200	225	250	276	300	325	350	376	400	426	450	475	201




STATION: 903 LAT: 37 53.1 N LON: 124 2.3 W DATE: 3/26/87 TIME: 0706Z

TEMP	.57	5,155	0	4.945	5.015	4.815	4.920	4.800	4.690																						
PRESS	525	0 1	0	N	650		701	726	10																						
TEMP	N 0	12.060	12.040	12.050	12.040	ю	12.035	12.040	M)	0	12.150	12.050	11.380	10.960	10.680	9.800	9.360	9.020	8.625	8.310	8.100	7.840	7.480	7.040	6.820	6.665	6.340		'n	87	5.710
PRESS	- 0	. ō	16	20	26		36	40	46	20		70								225				325	350	376	400	426	450	_	201



STATION: 902 LAT: 37 46.4 N LON: 123 58.3 W DATE: 3/26/87 TIME: 0748Z

TEMP	5.800 5.615 5.495 5.330 5.215 5.015 4.870 4.620	
PRESS	525 550 575 601 626 650 701 726 750	
TEMP	12.325 12.305 12.290 12.290 12.290 12.290 12.200 12.300 12.300 12.300 12.415 12.415 10.680 10.680 10.680 10.680 10.680 10.470 9.330 8.320 8.320 8.320 8.320 7.760 7.200	10 4 10 10 10 10 10 10 10 10 10 10 10 10 10
PRESS	10 10 10 20 20 30 40 40 40 40 70 100 1125 125 220 225 220 325 325	376 400 426 450 475 501



STATION: 901 LAT: 37 38.3 N LON: 123 52.8 W DATE: 3/26/87 TIME: 0841Z

REFERENCES

- Lewis, E. L. and R. G. Perkin, 1981. The Practical Salinity Scale 1978: conversion of existing data. Deep Sea Res., 28A, 307-328.
- UNESCO, 1987. International Oceanographic Tables, Vol. 4, National Institute of Oceanography of Great Britain; and UNESCO, Paris.

INITIAL DISTRIBUTION LIST

1.	Naval Postgraduate School Department of Oceanography Monterey, CA 93943	
	Prof. Curtis Collins Dr. Steven R. Ramp Dr. Mary L. Batteen Dr. David C. Smith, IV Mr. Timothy P. Stanton Ms. Arlene A. Bird Mr. Paul Jessen	1 1 1 1 1 1 30
2.	Office of Naval Research (ONR) 800 N. Quincy St. Arlington, VA 22217	
	Dr. Alan Brandt, Code 1122CS Dr. Eric Hartwig Dr. David Evans, Code 1122PO Dr. Ann Bucklin	1 1 1 1
3.	Institute for Naval Oceanography Bldg 1100 Room 311 NSTL, MS 39529	
	Dr. Christopher N.K. Mooers LCDR J. Edward Johnson, USN	1 1
4.	College of Oceanography Oregon State University Corvallis, OR 97331	
	Dr. Robert L. Smith Dr. Adriana Huyer Dr. P. Michael Kosro Dr. Mark R. Abbott Dr. John S. Allen Dr. Tim Cowles Dr. David Kadco Dr. Ted Strub	1 1 1 1 1 1 1
5.	Jet Propulsion Laboratory (JPL) California Institute of Technology 4800 Oak Grove Road Pasadena, CA 91109	
	Dr. Curt Davis	1

6.	Scripps Institution of Oceanography University of California, San Diego La Jolla, CA 92093	
	Dr. Pearn P. Niiler Prof. Joe Reid Dr. Tom Hayward Dr. Nan Bray	1 1 1
7.	Woods Hole Oceanographic Institution Department of Physical Oceanography Woods Hole, MA 02543	
	Dr. Kenneth H. Brink Dr. Robert C. Beardsley	2 1
8.	School of Oceanography University of Washington Seattle, WA 98195	
	Dr. Barbara Hickey	1
9.	University of Southern California Los Angeles, CA 90089	
	Dr. Burton H. Jones Dr. Libe Washburn	1
10.	Defense Technical Information Center Cameron Station Alexandria, VA 22314	2
11.	Dudley Knox Library Code 0142 Naval Postgraduate School Monterey, CA 93943	2
12.	Research Administration (Code 012) Naval Postgraduate School Monterey, CA 93943	1
13.	Monterey Bay Aquarium Research Institute 160 Central Ave Pacific Grove, CA 93950	
	Dr. Richard Barber Dr. Francisco Chavez	1
14.	Department of Meteorology Naval Postgraduate School Monterey, CA 93943	
	Dr. Robert L. Haney	1

15.	Department of Oceanography Texas A & M University College Station, TX 77843
	Dr. Eileen Hoffman Dr. David Brooks
16.	EG & G Oceanographic Services 77 Rumford Ave Waltham, MA 02154
	Dr. Bruce Magnell
17.	NASA/Goddard Space Flight Center Laboratory for Oceans Greenbelt, MD 20771
	Dr. Michelle Rienecker
18.	Moss Landing Marine Laboratory Moss Landing, CA 95039
	Dr. John Martin
19.	Fleet Numerical Oceanography Center Monterey, CA 93943
	Dr. Doug McLain
20.	National Oceanographic Data Center National Oceanic & Atmospheric Administration La Jolla, CA 92093
	Mr. Nelson Ross



3 2768 00342632 1